

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

0459-0573P

U.S. APPLICATION NO. (If known, see 35 CFR 1.55)
097806701

INTERNATIONAL APPLICATION NO. PCT/DK99/00567	INTERNATIONAL FILING DATE October 15, 1999	PRIORITY DATE CLAIMED October 15, 1998
---	---	---

TITLE OF INVENTION

SPECIFIC THERAPEUTIC INTERVENTIONS OBTAINED BY INTERFERENCE WITH REDISTRIBUTION AND/OR *

APPLICANT(S) FOR DO/EO/US

ARKHAMMAR, Per O.; TERRY, Bernard R.; SCUDDER, Kurt M.; BJORN, Sara P.; THASTRUP, Ole

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39 (1).
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☒ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ has been transmitted by the International Bureau. WO 00/23091
 - ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
 - a. ☐ is transmitted herewith.
 - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4)
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)).
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☐ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11. to 20. below concern document(s) or information included:

11. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98-International Search Report (PCT/ISA/210)
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A **FIRST** preliminary amendment.
14. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
15. ☐ A substitute specification.
16. ☐ A change of power of attorney and/or address letter.
17. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821-1.825.
18. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
19. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
20. ☒ Other items or information:
 - 1.) PCT Substitute Claims Letter w/ International Preliminary Examination Report (PCT/IPEA/409) and claims
 - 2.) PCT Request (PCT/RO/101)
 - 3.) Fifty-one (51) sheets of Sequence Listing
 - 4.) Three (3) sheets of Formal Drawings

*TARGETING OF CYCLIC NUCLEOTIDE PHOSHODIESTERASES OF I-KAPPA-B KINASES

U.S. APPLICATION NO. (if known, see 37 CFR 1.3)

INTERNATIONAL APPLICATION NO.

ATTORNEY'S DOCKET NUMBER

09/806701

PCT/DK99/00567

0459-0573P

21. ☒ The following fees are submitted:**BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5):**

Neither international preliminary examination fee (37 CFR 1.482)
nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO
and International Search Report not prepared by the EPO or JPO. \$1,000.00

International preliminary examination fee (37 CFR 1.482) not paid to
USPTO but International Search Report prepared by the EPO or JPO. \$860.00

International preliminary examination fee (37 CFR 1.482) not paid to USPTO
but international search fee (37 CFR 1.445(a)(2)) paid to USPTO. \$710.00

International preliminary examination fee (37 CFR 1.482) paid to USPTO
but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$690.00

International preliminary examination fee (37 CFR 1.482) paid to USPTO
and all claims satisfied provisions of PCT Article 33(1)-(4). \$100.00

ENTER APPROPRIATE BASIC FEE AMOUNT =

Surcharge of \$130.00 for furnishing the oath or declaration later than ☐ 20 ☒ 30
months from the earliest claimed priority date (37 CFR 1.492(e)). \$ 130.00

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total Claims	10 - 20 =	0	X \$18.00	\$	0
Independent Claims	1 - 3 =	0	X \$80.00	\$	0
MULTIPLE DEPENDENT CLAIM(S) (if applicable) None			+ \$270.00	\$	0

TOTAL OF ABOVE CALCULATIONS =

\$ 990.00

☐ Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are
reduced by 1/2. \$ 0

SUBTOTAL =

\$ 990.00

Processing fee of \$130.00 for furnishing the English translation later than ☐ 20 ☐ 30
months from the earliest claimed priority date (37 CFR 1.492(f)). \$ 0

TOTAL NATIONAL FEE =

\$ 990.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be
accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +

TOTAL FEES ENCLOSED =

\$ 990.00

Amount to be:
refunded \$
charged \$

a. ☒ A check in the amount of \$ **990.00** to cover the above fees is enclosed.

b. ☐ Please charge my Deposit Account. No. _____ in the amount of \$ _____ to cover the above fees.
A duplicate copy of this sheet is enclosed.

c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any
overpayment to Deposit Account No. **02-2448**.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

Send all correspondence to:

Birch, Stewart, Kolasch & Birch, LLP or Customer No. 2292

P.O. Box 747

Falls Church, VA 22040-0747

(703)205-8000

Date: April 4, 2001

By *Leonard R. Svensson*
Leonard R. Svensson, #30,330

/cgc

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant: ARKHAMMAR, Per O. et al. Conf.:
Int'l. Appl. No.: PCT/DK99/0567
Appl. No.: New Group:
Filed: April 4, 2001 Examiner:
For: SPECIFIC THERAPEUTIC INTERVENTIONS OBTAINED
BY INTERFERENCE WITH REDISTRIBUTION AND/OR
TARGETING OF CYCLIC NUCLEOTIDE
PHOSPHODIESTERASES OF I-KAPPA-B KINASES

PRELIMINARY AMENDMENT

BOX PATENT APPLICATION

Assistant Commissioner for Patents
Washington, DC 20231

April 4, 2001

Sir:

The following Preliminary Amendments and Remarks are respectfully submitted in connection with the above-identified application.

AMENDMENTS

IN THE SPECIFICATION:

Please amend the specification as follows:

Before line 1, insert --This application is the national phase under 35 U.S.C. § 371 of PCT International Application No. PCT/DK99/00567 which has an International filing date of October 15, 1999, which designated the United States of America and was published in English.--

IN THE CLAIMS:

Please amend the claims as follows:

2. (Amended) A method according to claim 1, wherein the luminophore is a green fluorescent protein (GFP).

3. (Amended) A method according to claim 1, wherein the GFP is a fluorescent protein derived from *Aequorea* Green Fluorescent Protein or any functional analogue thereof, wherein the amino acid position 1 upstream from the chromophore has been mutated to provide an increase of fluorescence intensity when the fluorescent protein of the invention is expressed in cells.

4. (Amended) A method according to claim 1, wherein the GFP is F64L-GFP, F64L-Y66H-GFP or F64L-S65T-GFP.

5. (Amended) A method according to claim 1, wherein the GFP is EGFP.

6. (Amended) A method according to claim 1, wherein the I-kappaB kinase is selected from the group consisting of I-kappaB kinase β , I-kappaB kinase γ and NIK.

7. (Amended) A method according to claim 1, wherein the I-kappaB kinase is I-kappaB kinase β .

8. (Amended) A method according to claim 1, wherein the luminophore comprises a nucleotide sequence encoding the protein corresponding to amino acids 331-360 of SEQ ID NO: 16.

9. (Amended) A method according to claim 1, wherein the fluorescent probe is expressed in the cell or cells.

10. (Amended) A screening assay for carrying out the method of claim 1.

09806704.071604
109120.10/98860

REMARKS

The specification has been amended to provide a cross-reference to the previously filed International Application. The claims have also been amended to delete multiple dependencies and to place the application into better form for examination. Entry of the present amendment and favorable action on the above-identified application are earnestly solicited.

Attached hereto is a marked-up copy of the changes made to the application by this Amendment.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

By *myjwell* #36,623
Leonard R. Svensson, #30,330

LRS/cqc
0459-0573P

P.O. Box 747
Falls Church, VA 22040-0747
(703) 205-8000

Attachment: Version With Markings Showing Changes Made

(Rev. 01/22/01)

VERSION WITH MARKINGS SHOWING CHANGES MADE

The specification has been amended to provide cross-referencing to the International Application.

The claims have been amended as follows:

2. (Amended) A method according to [any of the preceding claims]claim 1, wherein the luminophore is a green fluorescent protein (GFP).

3. (Amended) A method according to [any of the preceding claims]claim 1, wherein the GFP is a fluorescent protein derived from *Aequorea* Green Fluorescent Protein or any functional analogue thereof, wherein the amino acid position 1 upstream from the chromophore has been mutated to provide an increase of fluorescence intensity when the fluorescent protein of the invention is expressed in cells.

4. (Amended) A method according to [any of the preceding claims]claim 1, wherein the GFP is F64L-GFP, F64L-Y66H-GFP or F64L-S65T-GFP.

5. (Amended) A method according to [any of the preceding claims]claim 1, wherein the GFP is EGFP.

6. (Amended) A method according to [any of the preceding claims]claim 1, wherein the I-kappaB kinase is selected from the group consisting of I-kappaB kinase β , I-kappaB kinase γ and NIK.

7. (Amended) A method according to [any of the preceding claims]claim 1, wherein the I-kappaB kinase is I-kappaB kinase β .

8. (Amended) A method according to [any of the preceding claims]claim 1, wherein the luminophore comprises a nucleotide sequence encoding the protein corresponding to amino acids 331-360 of SEQ ID NO: 16.

9. (Amended) A method according to [any of the preceding claims]claim 1, wherein the fluorescent probe is expressed in the cell or cells.

10. (Amended) A screening assay for carrying out the method of [any of the preceding claims]claim 1.

BOX SEQUENCE
PATENT
0459-0573P

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant:	ARKHAMMAR, Per O. et al.	Conf.:	5923
Appl. No.:	09/806,701	Group:	Unassigned
Filed:	April 4, 2001	Examiner:	Unassigned
For:	SPECIFIC THERAPEUTIC INTERVENTIONS OBTAINED BY INTERFERENCE WITH REDISTRIBUTION AND/OR TARGETING OF CYCLIC NUCLEOTIDE PHOSPHODIESTERASES OF I-KAPPA- B KINASES		

AMENDMENT

Assistant Commissioner for Patents
Washington, DC 20231

July 11, 2001

Sir:

In reply to the U.S. Patent Office Notice to Comply with Requirements for Patent Applications Containing Nucleotide Sequence and/or Amino Acid Disclosures dated May 11, 2001, the following amendments and remarks are respectfully submitted in connection with the above-identified application.

IN THE SPECIFICATION:

Please replace the paragraph beginning on page 53, line 22 with the following amended paragraph:

--Top primers all include specific sequences following the ATG, a Kozak sequence, and a cloning site (Hind3). The bottom primer includes the common C-

09/806,701-07/16/01

terminal sequence minus the stop codon, an EcoR1 cloning site, and an extra nucleotide to preserve the reading frame in EGFP-N1.

Sequences of top-primers:

5'-GTAAGCTTCGAACATGATGCACGTGAATAATTTCCC-3' (SEQ ID NO:17); specific for PDE4D3A and PDE4D3B (GenBank Acc. nos. L20970 & U50159).

5'-GTAAGCTTCGAACATGGAGGCAGGGCAGCAGC-3' (SEQ ID NO:18); specific for PDE4D4A (GenBank Acc. no. L20969).

5'-GTAAGCTTCGAACATGGCTCAGCAGACAAGCCCG-3' (SEQ ID NO:19); specific for PDE4D5A (GenBank Acc. no. AF012073).

Sequence of common bottom-primer:

5'-GTGAATCCCGTCGTGTCAGGAGAAGCATCATCTATG-3' (SEQ ID NO:20).--

Please replace the paragraph beginning on page 54, line 26 with the following amended paragraph:

--The top primer includes specific sequences following the ATG, a Kozak sequence, and a cloning site (EcoR1). The bottom primer includes specific C-terminal sequences minus the stop codon, an Acc65I cloning site, and two extra nucleotides to preserve the reading frame in EGFP-N1.

PDE5-top :

5'-GTGAATTCAACCATGGAGCGGGCC-3' (SEQ ID NO:21)

PDE5-bottom:

5'-GTGGTACCCAGTTCGCTTGGCC (SEQ ID NO:22)--

Please replace the paragraph beginning on page 56, line 1 with the following amended paragraph:

--The top primer includes specific sequences following the ATG and a cloning site (Hind3). The bottom primer includes specific C-terminal sequences minus the stop codon, an Acc65I cloning site, and two extra nucleotides to preserve the reading frame in EGFP-N1.

IKK β -top:

5'-GTAAGCTTACATGAGCTGGTCACCTTCCCTG-3' (SEQ ID NO:23)

IKK β -bottom:

5'-GTGGTACCCATGAGGCCTGCTCCAG-3' (SEQ ID NO:24)--

Please replace the paragraph beginning on page 56, line 18 with the following amended paragraph:

--Plasmid PS377 contains an NFkappaBp65-EGFP fusion. The GenBank accession number of the p65 subunit of NFkappaB is M62399. It is constructed by performing PCR on human cDNA (from Clontech) with specific primers p65-top and p65-bottom. The resulting ca. 1.7 kb PCR product is cut with restriction enzymes XhoI and Hind3 and cloned into pEGFP-N1 (Clontech) cut with XhoI and Hind3. This produces an NFkappaB-EGFP fusion (SEQ ID NOs: 11 and 12) under the control of the CMV promoter.

p65-top: 5'-TTTACTCGAGATGGACGAACTGTCCCCCTCA-3' (SEQ ID NO:25)

p65-bottom: 5'-TTTGAAGCTTGGAGCTGATCTGACTCAGCAGG-3' (SEQ ID NO:26)--

Please replace the paragraph beginning on page 57, line 4 with the following amended paragraph:

--Construction of probes for monitoring IKK β localisation, mis-targeting and redistribution in live cells:

Plasmid PS410 contains an EGFP-IKK β fusion. The GenBank accession number of the beta subunit of IkappaB kinase is AF031416. It is constructed by performing PCR on human cDNA (from Clontech) with specific primers IKK β -top and IKK β -stop. The resulting 2.2 kb PCR product is cut with restriction enzymes Hind3 and Acc65I and cloned into pEGFP-C1 (Clontech) cut with Hind3 and Acc65I. This produces an EGFP-IKK β fusion (SEQ ID NOs: 13 and 14) under the control of the CMV promoter.

IKK β -top: 5'-GTAAGCTTACATGAGCTGGTCACCTCCCTG-3' (SEQ ID NO:27)

IKK β -stop: 5'-GTGGTACCTCATGAGGCCTGCTCCAG-3' (SEQ ID NO:28)--

Please replace the paragraph beginning on page 57, line 23 with the following amended paragraph:

--PS473 contains EGFP fused to the C-terminal part of IKK β . This part of IKK β contains a putative leucine zipper region, but is without catalytic activity as this function resides in the N-terminal part of IKK β . It is constructed by performing PCR on PS410 with primers IKK β -LZ-top and IKK β -stop. IKK β -LZ-top contains a Hind3 site and specific IKK β sequence from amino acid position 455 in the predicted amino acid sequence. This is almost immediately upstream of the first leucine of the predicted leucine zipper, which is at position 458. The resulting 0.9 kb PCR product is cut with restriction enzymes Hind3 and Acc65I and cloned into pEGFP-C1 (Clontech) cut with Hind3 and Acc65I. This produces an EGFP-IKK β -LZdomain fusion (SEQ ID NOs: 15 and 16) under the control of the CMV promoter.

IKK β -LZ-top: 5'-GTAAGCTTCCACCATGATGAATCTCCTCCGAAAC-3'
(SEQ ID NO:29)--

Please replace the Sequence Listing filed April 4, 2001 located immediately after the claims with the substitute Sequence Listing enclosed herewith.

REMARKS

Enclosed herewith in full compliance to 37 C.F.R. §§1.821-1.825 is a substitute Sequence Listing to be inserted into the specification as indicated above. The substitute Sequence Listing in no way introduces new matter into the specification.

Also submitted herewith in full compliance to 37 C.F.R. §§1.821-1.825 is a disk copy of the substitute Sequence Listing. The disk copy of the substitute Sequence Listing, file "0459-0573P.ST25", is identical to the paper copy, except that it lacks formatting.

The substitute Sequence Listing includes primer sequences disclosed in the Specification as filed that were not made part of the original Sequence Listing. The amendments to the Specification are being made to reference the primer sequences by their SEQ ID NOS. These amendments are editorial in nature and do not constitute new matter.

Entry of the above amendments is earnestly solicited. An early and favorable first action on the merits is earnestly solicited.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

By *Leonard R. Svensson* [#]30,623
Leonard R. Svensson, #30,330

LRS/KR/KW
0459-0573P

P.O. Box 747
Falls Church, VA 22040-0747
(703) 205-8000

Attachments: Paper and disk copy and of Sequence Listing
Copy of Notice to Comply
Copy of Version with Markings to Show Changes Made

VERSION WITH MARKINGS TO SHOW CHANGES MADE

Please replace the paragraph beginning on page 53, line 22 with the following amended paragraph:

--Top primers all include specific sequences following the ATG, a Kozak sequence, and a cloning site (Hind3). The bottom primer includes the common C-terminal sequence minus the stop codon, an EcoR1 cloning site, and an extra nucleotide to preserve the reading frame in EGFP-N1.

Sequences of top-primers:

5'-GTAAGCTTCGAACATGATGCACGTGAATAATTTTCCC-3' (SEQ ID NO:17); specific for PDE4D3A and PDE4D3B (GenBank Acc. nos. L20970 & U50159).

5'-GTAAGCTTCGAACATGGAGGCAGAGGGCAGCAGC-3' (SEQ ID NO:18); specific for PDE4D4A (GenBank Acc. no. L20969).

5'-GTAAGCTTCGAACATGGCTCAGCAGACAAGCCCC-3' (SEQ ID NO:19); specific for PDE4D5A (GenBank Acc. no. AF012073).

Sequence of common bottom-primer:

5'-GTGAATCCCCGTCGTGTCAGGAGAAGCATCATCTATG-3' (SEQ ID NO:20).--

Please replace the paragraph beginning on page 54, line 26 with the following amended paragraph:

--The top primer includes specific sequences following the ATG, a Kozak sequence, and a cloning site (EcoR1). The bottom primer includes specific C-

terminal sequences minus the stop codon, an Acc65I cloning site, and two extra nucleotides to preserve the reading frame in EGFP-N1.

PDE5-top :

5'-GTGAATTCAACCATGGAGCGGGCC-3' (SEQ ID NO:21)

PDE5-bottom:

5'-GTGGTACCCAGTTCCGCTTGGCC (SEQ ID NO:22) --

Please replace the paragraph beginning on page 56, line 1 with the following amended paragraph:

--The top primer includes specific sequences following the ATG and a cloning site (Hind3). The bottom primer includes specific C-terminal sequences minus the stop codon, an Acc65I cloning site, and two extra nucleotides to preserve the reading frame in EGFP-N1.

IKK β -top:

5'-GTAAGCTTACATGAGCTGGTCACCTTCCCTG-3' (SEQ ID NO:23)

IKK β -bottom:

5'-GTGGTACCCATGAGGCCTGCTCCAG-3' (SEQ ID NO:24)--

Please replace the paragraph beginning on page 56, line 18 with the following amended paragraph:

--Plasmid PS377 contains an NFkappaBp65-EGFP fusion. The GenBank accession number of the p65 subunit of NFkappaB is M62399. It is constructed by performing PCR on human cDNA (from Clontech) with specific primers p65-top and p65-bottom. The resulting ca. 1.7 kb PCR product is cut with restriction enzymes Xho1 and Hind3 and cloned into pEGFP-N1 (Clontech) cut with Xho1 and Hind3. This produces an NFkappaB-EGFP fusion (SEQ ID NOs: 11 and 12) under the control of the CMV promoter.

p65-top: 5'-TTTCTACTCGAGATGGACGAACTGTTCCCCCTCA-3' (SEQ ID NO:25)

p65-bottom: 5'-TTTGAAGCTTGGAGCTGATCTGACTCAGCAGG-3' (SEQ ID NO:26)--

Please replace the paragraph beginning on page 57, line 4 with the following amended paragraph:

--Construction of probes for monitoring IKK β localisation, mis-targeting and redistribution in live cells:

Plasmid PS410 contains an EGFP-IKK β fusion. The GenBank accession number of the beta subunit of IkappaB kinase is AF031416. It is constructed by performing PCR on human cDNA (from Clontech) with specific primers IKK β -top and IKK β -stop. The resulting 2.2 kb PCR product is cut with restriction enzymes Hind3 and Acc65I and cloned into pEGFP-C1 (Clontech) cut with Hind3 and Acc65I. This produces an EGFP-IKK β fusion (SEQ ID NOs: 13 and 14) under the control of the CMV promoter.

IKK β -top: 5'-GTAAGCTTACATGAGCTGGTCACCTTCCCTG-3' (SEQ ID NO:27)

IKK β -stop: 5'-GTGGTACCTCATGAGGCCTGCTCCAG-3' (SEQ ID NO:28)--

Please replace the paragraph beginning on page 57, line 23 with the following amended paragraph:

--PS473 contains EGFP fused to the C-terminal part of IKK β . This part of IKK β contains a putative leucine zipper region, but is without catalytic activity as this function resides in the N-terminal part of IKK β . It is constructed by performing

PCR on PS410 with primers IKK β -LZ-top and IKK β -stop. IKK β -LZ-top contains a Hind3 site and specific IKK β sequence from amino acid position 455 in the predicted amino acid sequence. This is almost immediately upstream of the first leucine of the predicted leucine zipper, which is at position 458. The resulting 0.9 kb PCR product is cut with restriction enzymes Hind3 and Acc65I and cloned into pEGFP-C1 (Clontech) cut with Hind3 and Acc65I. This produces an EGFP-IKK β -LZdomain fusion (SEQ ID NOs: 15 and 16) under the control of the CMV promoter.

IKK β -LZ-top: 5'-GTAAGCTTCCACCATGATGAATCTCCTCCGAAAC-3'
(SEQ ID NO:29)--

03066701.071604

SPECIFIC THERAPEUTIC INTERVENTIONS OBTAINED BY INTERFERENCE WITH
REDISTRIBUTION AND/OR TARGETTING.

SUMMARY OF THE INVENTION

- This application describes a novel mechanism of action of chemical entities in order to
- 5 prevent or treat adverse conditions which may be reduced or abolished by modulating the effectiveness of I-kappaB kinase (IKK) or cyclic nucleotide phosphodiesterases (PDE:s) by modulation of their targeting or localisation in the cell. The preferred mode of action being sought is dislocation or interference with the targeting of specific isoforms of IKK or PDE:s and interference with their anchoring sites within cells, thereby reducing
- 10 their specific effectiveness, not directly their enzymatic capacity.

- In its broadest aspect, the present application relates to a novel method for preventing or treating, in an animal in need thereof, an adverse condition which may be reduced or abolished by modulating the activity of one or more IKKs or PDE:s having the ability to
- 15 cleave cAMP or cGMP. The method comprises modulation of the specific effectiveness of IKKs or PDE:s by modulating their spatial distribution within cells of the animal.
- The IKK is chosen from the group consisting of IKK α , IKK β , IKK γ and NIK. In one embodiment IKK β is the preferred isoform. The PDE:s are chosen from the group consisting of PDE1, PDE2, PDE3, PDE4, PDE 5, PDE6, PDE7, PDE8, PDE9 and
- 20 PDE10. More specifically, the method relates to PDE4 and isoforms thereof, such as PDE4D, and splice variants of PDE4D, such as PDE4D1, PDE4D2, PDE4D3, PDE4D4 and PDE4D5. The animal with the adverse condition may be a mammal and preferably a human.

- In one embodiment of the invention modulation of the specific effectiveness of the PDE
- 25 is a dislocation of the PDE from a native location within the cell.

In another embodiment of the invention modulation of the specific effectiveness of the PDE involves a disruption of its targeting to a native location within the cell.

- In another embodiment of the invention modulation of the specific effectiveness of the PDE involves interference with the redistribution of the PDE, the redistribution being
- 30 associated with an increase or a decrease of the specific effectiveness of the PDE.
- The modulation of the specific effectiveness of the PDE may involve both an up-regulation or a down-regulation of the effectiveness of the PDE to perform its function within the cell.

The present invention provides compositions and methods for modifying the activation of NF-kappaB by mis-targeting and/or modulation of the redistribution of specific IKKs.

In one embodiment we specifically modulate the targeting of IKK β . We have developed
5 two molecular probes PS473 and PS474 that upon expression in a relevant cell system will dislocate endogenous IKK β from its anchoring site. The mis-targeting has, as shown in example 1, significant functional consequences that can be related to a diminished ability of cytokines and other stimuli to activate NFkappaB. We thus show that IL-1 induced translocation of NFkappaB from cytoplasm to the nucleus is effectively inhibited,
10 and furthermore as a consequence thereof we found that NFkappaB-induced transcriptional activation was inhibited.

NFkappaB has been shown to rescue transformed cells from undergoing apoptosis when exposed to pro-inflammatory cytokines like TNF α (Baichwal, V.R. & Baeuerle, P.A.
15 (1997) Curr Biol 7, R94-6). To substantiate that mis-targeting of IKK β is an effective way of blocking the functional effect of IKK β , we analysed whether PS473 was able to influence TNF α -induced apoptosis. As seen in example 1 the probe (PS473) was found to hypersensitise cells to apoptotic stimuli.

20 In another embodiment the present invention provides agents that modulate the targeting and/or redistribution of IKKs. Such agents include polypeptides that comprise a putative leucine zipper region of IKK β . Included are DNA molecules and expression vectors that encode for the described peptides, furthermore host cells are provided that express said peptides in a stable or transient expression system.

25

In another embodiment the invention provides a method for finding compounds that modulate targeting and redistribution of IKK β and of derivatives thereof. The method renders itself to screening for compounds that modulate the functional activity of I-kappaB kinase β through modulation of one or more of multiple targeting sites of IKK β
30 (or other IKKs) and which thereby cause either a partial or a complete inhibition of the NF-kappaB activation. The method will allow for identification of compounds that modulate said targeting or redistribution in specific cell types.

The presented novel mechanism of action will be useful in the treatment of the following
35 diseases/conditions: chronic inflammation, asthma and chronic bronchial hyperreactivity

of non-asthma etiology, rheumatoid arthritis and pelvospondylitis, ulcerative colitis and Crohn's disease, diabetes mellitus type I, systemic lupus erythematosus, myasthenia gravis, Hashimoto's thyroiditis, Graves' disease and immune thrombocytopenic purpura, acute respiratory distress syndrome (ARDS) and septic shock as well as
5 depression.

Background

Chronic inflammation is the result of unbalanced and continued production of
10 inflammatory cytokines. Cytokines are produced in cascades, the pro-inflammatory $\text{TNF}\alpha$ and $\text{IL-1}\beta$ often responsible for initiating a process, which leads to a more general production of further cytokines. This cascade of gene expression is largely under the control of NF-kappaB, a ubiquitous transcription factor that, by regulating the expression of multiple inflammatory and immune genes, plays a critical role in host defence and in
15 chronic inflammatory diseases (Sen and Baltimore, 1986; Mukaida *et al.*, 1990; Beg *et al.*, 1993; Cogswell *et al.*, 1993). NF-kappaB is activated not only by cytokines, but also by reactive oxygen species (ROS), viruses, and a range of other generally noxious and pathogenic stimuli (Blackwell *et al.*, 1997; Schulzwe-Osthoff *et al.*, 1997). Activation of NF-kappaB via ROS has been implicated in neurodegenerative disorders such as
20 Parkinson's and Alzheimer's (Lesoualc'h *et al.*, 1998; O'Neill *et al.*, 1997) and also in inflammatory bowel disease (Jourdain *et al.*, 1997). Tissue inflammatory response to x-rays is mediated directly by NF-kappaB (Hallahan *et al.*, 1995). Activation of NF-kappaB has been implicated in the production of atherosclerotic lesions of smooth muscle cells (Bourcier *et al.*, 1997) and in cardiac inflammatory disorders (Hattori *et al.*, 1997). NF-
25 kappaB/Rel transcription factors are also known to play a role in the pathogenesis of certain tumours, especially those of haematopoietic origin (Neumann *et al.*, 1997), and constitutive (autocrine) activation of NF-kappaB is known to promote a resistance to apoptotic stimuli (Giri *et al.*, 1998). Inhibitors of NF-kappaB should increase the cytotoxic efficacy of anticancer chemotherapies (Bours *et al.*, 1998).
30 The inflammatory pathways are notoriously complex, yet the feasibility of reducing or eliminating inflammatory responses through modulation of NF-kappaB activity has already been demonstrated in a number of different cells (Makarov *et al.*, 1997).

The NF-kappaB/Rel group of transcription activators and their co-evolved regulatory
35 proteins, the inhibitors of kappa B (I-kappaBs), play important roles in many cellular

signalling processes in vertebrates, which include controlling communication between cells, embryo development, maintenance of cell type specific expression of genes as well as co-ordinating the inflammatory response to stressors and viral infection (Wulczyn *et al.*, 1996). The key proteins involved in this control system divide into distinct groups:

- 5 a) Those that bind DNA. These belong to the Rel family of transcription factors (Ghosh *et al.*, 1990) and include p50, p65, p52/49, p75/Rel and RelB. Only dimers bind DNA, but these can be homodimers or heterodimers. p65/p50 heterodimer is the most abundant, and plays a more elaborate role than other factors in regulating gene expression (Baldwin, 1996).
- b) Those that interact with the DNA-binding subunits in cytoplasm,
- 10 which include the inhibitory I-kappaB α and I-kappaB β molecules (Bauerle and Baltimore, 1988), and the precursor molecule p105 (Naumann *et al.*, 1993).
- c) Those transcriptional coactivators which interact with the DNA-binding subunits in the nucleus, such as Bcl3 (Nolan *et al.*, 1993; Watanabe *et al.*, 1997) and Cbp/p300 (Zhong *et al.*, 1998).
- d) Kinases which activate proteasomal destruction of I-kappaB α and β subunits - the I-
- 15 kappaB kinases (Beg *et al.*, 1993).
- e) Kinases which directly phosphorylate the DNA-binding subunits in cytoplasm and nucleus to modulate their activity, such as PKA (Zhong *et al.*, 1998), casein kinase II (Bird *et al.*, 1997) and others (Hayashi *et al.*, 1993; Schulze-Osthoff *et al.*, 1997).
- 20 Inactive p65/p50 NF-kappaB dimers are held in the cytoplasm coupled to inhibitory I-kappaB molecules (α and β isoforms) via the p65 subunits. Activated I-kappaB kinases (IKK) phosphorylate the inhibitors, targeting them for ubiquitination and subsequent proteasomal digestion (Beg *et al.*, 1993). The released subunits translocate to the nucleus and there activate transcription.
- 25 The I-kappa kinases (IKK- α , IKK- β and IKK- γ) have been shown to be part of a large multi-component complex (Chen *et al.* 1996; Rothwarf *et al.*, 1998). It is likely to assume that the assembly and disassembly of the IKK complex is controlled by a scaffold protein termed IKK-complex-associated protein, IKAP (Cohen *et al.* 1998). It is expected that a tight assembly of the complex is necessary for the IKKs to be activated by the NF-kappa-
- 30 B-inducing kinase (NIK) and thereby induce phosphorylation of the I-kappaB subunits. Interestingly the affinity of IKK- β for IKAP diminishes upon phosphorylation of IKK- β by NIK.

Glucocorticoids (GC) are powerfully efficient modulators of inflammation, but suffer from

- 35 the potential hazards of suppressing necessary protective responses to infection and

decreasing some essential healing processes. They modulate cytokine expression by a combination of genomic mechanisms. The activated GC-receptor complex can (i) bind to and inactivate AP-1 or NF-kappaB, (ii) upregulate I-kappaB production via GC response elements (iii) reduce the half-life of cytokine mRNAs (Brattsand & Linden 1996). But

steroid treatment broadly attenuates all cytokine production from all lymphocytes, so not only do levels of the inflammatory cytokines fall, but also that of the anti-inflammatory IL-10. Specific modulation of Th1-type pathways would be an initial goal of this project. It is also known that some fibroblast cell NF-kappaB-mediated responses are likely governors of inflammatory progression, so inhibition of such responses could have detrimental effects (Smith *et al.*, 1997). Therapies, which maintain appropriate feedback systems, but modulate inappropriate cytokine production represent an unmet medical need.

An attractive therapeutic intervention to be used in the treatment of chronic inflammatory conditions is inhibition of the I-kappaB degradation. Blocking the ubiquitin proteasome pathway (PharmaProjects, Accession no. 023654 and 027675), can directly inhibit this degradation. Another mechanism that is being pursued is inhibition of the enzymatic activity of either of the IKKs or NIK (public statement from Signal Pharmaceuticals).

Very many extracellular signals are transduced via intracellular systems employing the cyclic nucleotides cyclic adenosine monophosphate (cAMP) and cyclic guanosine monophosphate (cGMP) as intermediaries, or second messengers. The processes mediated by cAMP and cGMP include control of smooth muscle tone, learning, vision, cellular differentiation, control of pro-inflammatory mediator production and action, apoptosis, lipogenesis, glycogenolysis and gluconeogenesis, circadian rhythms, cardiac function, and mood control through noradrenergic potentiation.

Cyclic nucleotides are generated by adenylate and guanylate cyclases (ACs and GCs, respectively) from ATP and GTP, signal to cAMP- and cGMP-dependent effector proteins such as protein kinases (cAKs and cGKs, respectively) and certain ion channels. cAMP and cGMP are removed by phosphodiesterases (PDE:s). The required specificity of signals generated by these systems arises from diversity of type, tissue-specific expression and intracellular placement of the enzymes involved. For instance there are nine isoforms of ACs known plus additional splice variants, soluble and membrane located forms of GCs, multiple isoforms of the cAK and cGK kinases, and very many isoforms of PDE:s of which over 30 have been identified (Perry and Higgs, 1998; Houslay and Milligan, 1997; Beavo, 1995). Additional specificity arises from

targeting particular signalling enzymes to restricted locations within cells; this is the function of scaffold and anchoring proteins, such as the AKAP family, and not only may they place enzymes close to their substrates, but they may also serve to recruit multiple enzymes into functional signalling units (Pawson and Scott, 1997).

- 5 Inactivation of cAMP/cGMP occurs by hydrolysis of the 3'-ester bond, catalysed by the PDEs. The PDE:s are key components of the cyclic nucleotide signalling systems, allowing local concentration differences of the cyclic nucleotide messengers to be established, between adjacent tissues, between adjacent cells, even within a single cell between different volumes of cytoplasm. The ability to generate such heterogeneity in
- 10 the distribution of concentrations of a commonly shared signalling molecule, such as cAMP, is at the heart of directed signalling processes. To be of therapeutic value, cyclic nucleotide control has to be achieved with defined cellular selectivity (Perry and Higgs, 1998). It is the therapeutic opportunities offered by certain of the PDE:s that concerns this application.
- 15 Ten families of PDE:s have been identified, designated simply PDE1 to PDE10. Within each family there are two or more related but distinct gene products (A, B, C, etc.) and for each of these alternative mRNA processing gives rise to multiple splice variants, identified by an additional arabic numeral in accordance with the most recent nomenclature recommendation (Molecular Pharmacology 46:399-405, 1994). All PDE
- 20 gene products identified so far have two functional domains per molecule, one catalytic, and one regulatory. The catalytic domain lies towards the carboxylic acid terminus of each PDE protein and has the greatest homology between the PDE families, being >75% homologous at the amino acid level (Perry and Higgs, 1998). Nevertheless, each of the more than 30 PDE:s known have individually distinct substrate specificities, kinetic
- 25 characteristics, regulatory properties and cellular and subcellular distributions (Houslay and Milligan, 1997).
- PDE:s 4, 7 and 8 are highly specific for cAMP. PDE:s 5, 6, 9 and 10 are selective for cGMP. PDE3s bind cAMP and cGMP with similar affinity, but hydrolyse cAMP most efficiently, cGMP rather poorly. PDE3s are therefore negatively regulated in their cAMP
- 30 hydrolysing ability by cGMP. PDE:s 1 and 2 hydrolyse both cAMP and cGMP, but with PDE1 the relative efficiencies vary with isoenzyme subtype (Perry and Higgs, 1998). The amino terminal ends of PDE:s consist of the regulatory domains, which are very different both between families and between variants within families. This region contains variously: a binding domain for Ca^{2+} -calmodulin (CaM) in PDE1; non-catalytic cGMP-
- 35 binding sites in PDE:s 2, 5 and 6; a binding domain for the signalling G-protein

transducin in PDE6. The amino terminal region also contains protein- and membrane-targeting sequences in several PDE3:s and PDE4:s, as well as protein kinase phosphorylation sites in PDE:s 1, 3, 4 and 5. These phosphorylation sites are likely to be important in regulation of catalytic activity and/or subcellular location (Perry and Higgs, 5 1998).

Amongst the cAMP degrading phosphodiesterases, we focus here on the largest and most diverse family known, the PDE4:s. PDE4 enzymes share a common structure, as deduced from their amino acid sequences (Beavo and Reifsnnyder, 1990; Bolger *et al.*, 10 1993; Houslay, Sullivan and Bolger, 1998). Members of each gene family (PDE4A, PDE4B, PDE4C, PDE4D) share common C-terminal regions, different for each family, and catalytic domains that for all PDE4 isoforms are very similar (84% homology over about 360 amino acids across all PDE4:s; Houslay, Sullivan and Bolger, 1998). From N-terminus to catalytic region, the sequence in "long form" PDE4s can be divided into 5 15 regions, three of which are isoform-specific (N-terminal region, linker regions 1 and 2, or LR1 and LR2) and two, more conserved regions, that are broadly similar between all isoforms, the upstream conserved regions 1 and 2 (UCR1 and UCR2). "Short form" PDE4:s, e.g. PDE4A1, PDE4B2, PDE4D1, PDE4D2, lack UCR1 and LR1 plus differing amounts of the N-terminal region of UCR2. Throughout all regions are potential 20 phosphorylation sites for a variety of kinases, including PKA (e.g. Ser 54 in human PDE4D3), mitogen activated protein kinases (e.g. Ser 487 of human PDE4B2), casein kinase II (e.g. Ser 489 of PDE4B2) and calcium-diacylglycerol dependent protein kinases (Houslay, Sullivan and Bolger, 1998). Phosphorylations at some of these sites have been shown to activate the PDEs (e.g. Ser 54), others serve to inhibit. There is also 25 evidence that some phosphorylations serve to prime the enzymes ready for subsequent activation by further phosphorylation at a different site or sites (Houslay, Sullivan and Bolger, 1998). Other auto-regulatory sites may be found in the N-terminal sequence of certain PDE4:s (Bolger *et al.*, 1996, McPhee *et al.*, 1995).

The identification of rolipram (Schering AG, Berlin, Germany) as an effective inhibitor of 30 PDE4:s (Wachtel, 1982; Nemoz *et al.*, 1985) gave an important tool by which to determine the role of PDE4:s in different cell types. Originally developed as a neurotropic agent, rolipram indicated the therapeutic potential of PDE4 inhibition in control of depressive disorders. Analysis of the pharmacological properties of rolipram, and over 800 publications covering these properties have appeared over the period 1993 to 1998 35 alone, now indicates that specific PDE4 inhibition may be useful over a very wide range of disease areas. These include: asthma, atopic dermatitis, depression, reperfusion

injury, septic shock, toxic shock, autoimmune diabetes, AIDS, Crohn's disease, multiple sclerosis, cerebral ischemia, psoriasis, allograft rejection, restenosis, ulcerative colitis, cachexia, cerebral malaria, allergic rhinoconjunctivitis, osteoarthritis, rheumatoid arthritis, autoimmune encephalomyelitis (Houslay, Sullivan and Bolger, 1998).

- 5 In the area of asthma, PDE4 inhibition helps to increase cAMP in bronchial smooth muscle, thereby producing a modest bronchodilatory effect, of use in the alleviation of asthmatic symptoms. But perhaps most importantly, inhibition of PDE4:s is now a recognised method by which to suppress immune and inflammatory cell responses (Hughes *et al.*, 1997; Torphy, 1998; Teixeira *et al.*, 1997).
- 10 PDE4:s play major roles in modulating the activity of virtually every cell type involved in the inflammatory process. Immune and inflammatory conditions occur when recruitment of leukocytes from the blood compartment into tissues is either uncontrolled, inappropriate, prolonged or directed against self. In asthma, rheumatoid arthritis and multiple sclerosis, infiltration of tissues with inflammatory cells is prolonged and intense,
- 15 leading ultimately to severe (and self-perpetuating) damage and loss of function. Acute dysregulation of the immune system occurs in such conditions as acute respiratory distress syndrome (ARDS) where an overwhelming and generalised inflammatory response can frequently lead to death. There is also substantial evidence which suggests that inflammation may play a part in defining the extent of injury resulting from
- 20 reperfusion following ischaemia, at least in brain and lung (Entman and Smith, 1994). Chronic inflammatory conditions such as asthma are currently treatable with steroids, but long term treatment brings unavoidable side-effects including immunosuppression, metabolic disturbance and hypertension (Teixeira *et al.*, 1997). Symptoms of rheumatoid arthritis can be alleviated by non-steroidal anti-inflammatories (NSAIDs), but again their
- 25 side effects are of great concern. Acute conditions such as ARDS have no current treatment as such, only supportive care. Effective anti-inflammatories able to control dysregulated responses, but without the side effects associated with NSAIDs and steroids, have not yet been found.
- Within the context of asthma, elevation of intracellular cAMP by PDE inhibition has been
- 30 associated with inhibition of the function of various types of cells involved in the inflammatory response, including lymphocytes, monocytes, macrophages, neutrophils, eosinophils, mast cells, basophils, endothelial cells and lung epithelial cells (Nicholson and Shahid, 1994); PDE4:s appear to play the dominant role in neutrophils, basophils, eosinophils and mast cells, PDE3s being dominant in monocytes/macrophages and
- 35 lymphocytes. Inhibitors of PDE3s and PDE4:s often interact synergistically in control of

inflammatory response in asthma models (Teixeira *et al.*, 1997). Other PDE:s may be important in inflammatory cells, but their involvement has yet to be clarified or demonstrated.

Increased cAMP modulates myosin light chain kinase (MLCK) activity causing relaxation,

- 5 and this is the primary effect in bronchial smooth muscle. Useful compounds will relax bronchial smooth muscle slowly and maintain relaxation for sustained periods, but also help reduce inflammatory immune responses to allergens. Although a combined inhibition of PDE3 and PDE4 isozymes seems to relax bronchial smooth muscle most effectively (Raeburn & Advenier, 1995) in humans, the possibility of cardiovascular
- 10 complications is increased by the use of PDE3 inhibitors, and in fact PDE4 inhibitors such as rolipram, alone or in combination with agonists of the β_2 adrenoceptors such as salbutamol, are effective bronchorelaxants.

Possible mechanisms (Teixeira *et al.*, 1997) involved in the anti-inflammatory benefits of PDE4 inhibition *in vivo* include:

- 15 - Inhibition of the production and release of inflammatory mediators/cytokines.
- Inhibition of leukocyte migration.
- Induction of cytokines with suppressive activity.
- Inhibition of leukocyte activation (degranulation, respiratory burst).
- Inhibition of the expression/upregulation of cell adhesion molecules.
- 20 - Induction of apoptosis amongst inflammatory cells.
- Also, stimulation of endogenous steroid and catecholamine release (Pettipher *et al.*, 1996).

Perhaps the most important consequence *in vivo* of selective PDE4 inhibition may be to inhibit chemokine production, especially those that are chemoattractants of leukocytes

- 25 (Teixeira *et al.*, 1997). Inhibitors of PDE4 are effective suppressers of cytokine production *in vitro* and reduce serum levels of tumor necrosis factor alpha (TNF- α) in animal models of septic shock (Sekut *et al.*, 1995; Pettipher *et al.*, 1996; Prabhakar *et al.*, 1994). Inhibition of TNF- α production may be central to the beneficial effects of PDE4 inhibition in treatment of inflammatory conditions, but inhibition of the release of
- 30 chemoattractants such as the α -chemokine interleukin-8 and the lipid leukotriene (LT) B_4 may also be important for reducing leukocyte recruitment to sites of inflammation (Turner *et al.*, 1994; Griswold *et al.*, 1993).

It is also known however that there are protective effects of PDE4 inhibition which are quite separate from inhibition of release and action of TNF- α and other pro-inflammatory

- 35 mediators. At higher concentrations than are necessary to inhibit TNF- α release,

rolipram appears to have a direct effect on eosinophils (Teixeira *et al.*, 1994) and eosinophilia. PDE4 inhibition also stimulates macrophages to produce and release the antiinflammatory cytokine interleukin 10 (IL-10) when challenged with lipopolysaccharide (LPS) *in vitro* (Kambayashi *et al.*, 1995; Jilg *et al.*, 1996), and this same effect may be
5 involved in the protective action of methylxanthines, which are general PDE inhibitors, in a murine model of septic shock (Jilg *et al.*, 1996).

Inhibition of neutrophil activation *in vivo* may also be how PDE4 inhibition protects against acute lung injury induced by LPS followed by zymosan in a murine model (Miotla *et al.*, 1995), and in animal models of asthma, it is likely that PDE4 inhibition suppresses
10 allergic inflammation by inhibition of eosinophil activation together with inhibition of mast cell de-granulation (Hughes *et al.*, 1996).

PDE4 inhibition has also been shown to affect the *in vitro* expression and presentation of cell adhesion molecules such as E-selectin by endothelial cells of the microvasculature (Blease *et al.*, 1998; Morandini *et al.*, 1996) and increased cAMP also prevents mediator-
15 induced upregulation of $\beta 2$ integrins on the surface of eosinophils and neutrophils (Teixeira *et al.*, 1996). Inhibition of the cell adhesion components responsible for recruitment of leukocytes and for initiation of tissue infiltration by the inflammatory cells is an important aspect of therapeutic control for inflammatory conditions.

cAMP-elevating agents also enhance apoptotic clearance of various leukocytes *in vitro*
20 (Hallsworth *et al.*, 1996), and this too may be useful effect in the control of inflammation through PDE4 inhibition.

The major cGMP-degrading PDEs are types 1,2,5, 6, 9 and 10 but here we focus on PDE5, since this is the principal cGMP-specific PDE found in airway and vascular
25 smooth muscle, and it is one of the better documented families of cGMP-specific PDEs. Little is known yet concerning the role of the newly discovered PDE9 and PDE10 isoforms (Soderling *et al.*, 1998; Fisher *et al.*, 1998; Soderling *et al.*, 1999; Fujishige *et al.*, 1999), and the situation is similar for PDE2s, since good inhibitors are as yet unknown for these (Perry and Higgs, 1998). PDE5 is activated by cAK and (10-fold
30 faster) by cGK (Thomas *et al.*, 1990). Phosphorylation of PDE5 is enhanced in the presence of cGMP, and apparently increases the enzyme's V_{max} by 10-fold (Burns *et al.*, 1992). Coupled with PDE3, these interactions form a feedback system to limit cGMP signaling: increased cGMP will increase cAMP through inhibition of PDE3, high cAMP will activate cAK which, in the presence of elevated cGMP will activate PDE5 and
35 therefore stimulate cGMP breakdown. cAMP levels return to baseline as cGMP falls, by re-activation of PDE3. Recent evidence (Pyne *et al.*, 1996; Lochhead *et al.*, 1997)

suggests that PDE5 may have additional protein components associated with it analogous to the gamma subunits of PDE6. The PDE6 γ subunits serve to link activation of the G-protein transducin to activation of the PDE. They are subsequently involved in turning off the signal by helping to activate the transducin GTPase. In the case of PDE5, these associated proteins (14 to 18 kDa) may serve to block activation of the enzyme by cGK and cAK, and the blocking ability of these polypeptides appears to be controlled by a G-protein regulated kinase (Pyne *et al.*, 1996).

cGMP-degrading PDEs work in concert with the action of guanylate cyclases, just as cAMP PDEs and adenylate cyclases together control cAMP levels in cells. Two groups of GCs are known in mammals, the soluble ones and those that are membrane located. GCs from both groups are central to systemic control of blood pressure. Soluble GCs are expressed in almost all cell types of the cardiovascular system including cardiomyocytes, vascular smooth muscle cells (VSMCs), endothelial cells and platelets (Drewett and Garbers, 1994). Soluble GCs contain a prosthetic heme group which binds NO (and CO) and leads to activation of the enzyme: the vasoactive properties of NO are mediated through the cGMP pathway in this way. The membrane located GCs act as receptors for various ligands (among them, natriuretic peptides and guanylin). cGMP-mediated functions of the natriuretic hormone receptors include vascular smooth muscle relaxation as well as regulation of blood volume (Benner *et al.*, 1990).

cGMP interacts with a number of different effector proteins:

a) with certain ion channels e.g. in photoreceptors and olfactory cells, also in heart and kidney (Lincoln & Cornwell, 1993; Biel *et al.*, 1994; Light *et al.*, 1990);

b) with cGMP-dependent protein kinases (cGKI and cGKII), of which "cytosolic" cGKI predominates in the cardiovascular system and has at least 2 splice variants, α and

β . cGKI α has 10-fold higher affinity for cGMP than the β variant. Both cGKI variants are found in vascular smooth muscle (Keilbach *et al.*, 1992, Hofmann *et al.*, 1992);

c) at high concentrations, with cAMP-dependent protein kinases (cAK), which being similar to the cGKs have a certain affinity for cGMP, just as the reverse is also true (Vaandrager & de Jonge, 1996). The functional significance of this potential cross-talk

between pathways is not yet fully known, but may be connected with the anti-proliferative effects of cGMP (Lincoln *et al.*, 1994);

d) with cGMP-modulated PDEs: cGMP binds to a non-catalytic site of PDE2 and lowers its K_m for cAMP, lowering the baseline level of cAMP achievable by the enzyme. PDE3 catalysis of cAMP is effectively inhibited by cGMP (Pyne *et al.*, 1987), thus in cells where

PDE3 predominates, increased cGMP leads to increased cAMP.

Smooth muscle contracts following Ca^{2+} -calmodulin activation of myosin light chain kinase (MLCK). cGKI relaxes smooth muscle by lowering free cytoplasmic Ca^{2+} levels, but the principal means by which this is accomplished varies considerably between types of smooth muscle, animal species, and the nature of the contractile stimulus being antagonised (Vaandrager & de Jonge, 1996). cGKI has been implicated in: inhibition of G-protein activation of phospholipase C β ; activation of Ca^{2+} -ATPase activity at plasma membrane and sarcoplasmic reticulum (SR); hyperpolarisation of membrane potential through activation of Ca^{2+} -activated K^+ channels; inhibition of voltage operated Ca^{2+} channels; stimulation of the $\text{Na}^+/\text{Ca}^{2+}$ exchanger; inhibition of SR IP_3 receptors. All of these actions require that the normally cytoplasmic cGKs must find membrane located targets, and specific anchor proteins may be involved. cGKI is already known to be targeted to specific anchor proteins of the cytoskeleton (MacMillan-Crow & Lincoln, 1994), and the discovery of further interactions is likely.

Blood pressure elevation to a degree that requires medical treatment is often encountered in up to 15% of an adult population. In only 10-15% of these, a definite cause for the hypertension can be found and in the rest, the "essential hypertension" has to be treated without a hope for cure of the underlying disease. Long-standing elevation of blood pressure, even quite moderate, damages vessels in the heart, kidneys and brain and dramatically increases the risk for coronary heart disease, renal failure and stroke. It has been shown that effective pharmacologic treatment of hypertension substantially reduces morbidity and mortality from these conditions. The finding that endothelial cells produce a local vascular relaxation factor, identified as nitric oxide (NO), that activates guanylyl cyclase and increases cGMP that in turn leads to reduction in vascular smooth muscle cell tone, has opened new possibilities for blood pressure regulation / vasorelaxation based on modulation of the cellular levels of cGMP. A number of the components in the cGMP system displays tissue specific distribution (Vaandrager & de Jonge, 1996; Pyne *et al.*, 1996). This increases the likelihood for improved pharmacological specificity and fewer side-effects when using these as targets for antihypertensive treatment instead of the traditional ones. It is the cGMP-dependent protein kinase (PKG) (Vaandrager & de Jonge, 1996) that is thought to mediate the intracellular effects of cGMP. The cGMP -dependent and -specific phosphodiesterases can serve as connectors to the cAMP system and terminators of cGMP effects (Pyne *et al.*, 1996).

PDE5 has attracted attention since it is selective for degradation of cGMP versus cAMP. Isoform-specific inhibitors for PDE5 are being developed by several companies and one

compound from Pfizer, Sildenafil, has proven selectivity for PDE5 and is currently being marketed as treatment against impotence (Viagra), originally a side-effect resulting from vasorelaxation in the corpus cavernosum. However the screening procedures currently used search only for direct enzymatic inhibitors of PDE and the compounds found are often not selective, inhibiting for instance both PDE 1 and 5 (e.g. Zaprinast (M&B 22948 RPR), Sch 59498 and Sch 51866). By the methods described herein and within appendix A, new chemical entities can be found which primarily will be specific modulators of PDE action, not inhibitors of the enzymatic action *per se*. Preferred compounds will inhibit the site-specific anchoring of PDEs which hydrolyse cGMP, and thereby reduce their effectiveness in controlling local concentrations cGMP within living cells.

The therapeutic potential of selective modulators of cGMP-related PDE action is not restricted to relaxation of smooth muscle cells but also encompasses other effects ascribed to PKG, such as inhibition of platelet activation (Chiu *et al.*, 1997; Vemulapalli *et al.*, 1996), inhibition of endothelial permeability increases in response to vasoactive substances (Raeburn & Karlsson, 1993), inhibition of the differentiation of osteoclasts (Holliday *et al.*, 1997) and light-induced resetting of circadian rhythms (Mathur *et al.*, 1996; Liu *et al.*, 1997).

The search for chemical inhibitors of the catalytic activity of specific PDE:s is currently one of the most intensive areas of pharmaceutical research, particularly so for PDE:s 4 and 5. Much progress has been made in this area, with several compounds known to have selective activity for particular families of PDE:s (reviewed in Perry and Higgs, 1998; Hughes *et al.*, 1997; Teixeira *et al.*, 1997). However, there has not yet been found a class of compounds able to select between isoenzymes within the same family, which is where the greatest opportunities lie. Without isoform specificity, certain difficulties can be expected with the use of enzymic inhibitors of PDE:s. Some of these difficulties are outlined below.

In general, the effects a known inhibitor of the catalytic activity of a particular class of PDE:s may have on cyclic nucleotide levels often varies between different cell types. The reasons for this are several, but include: differences in the basal level of cyclase activity in distinct cell types, crosstalk between cAMP and cGMP systems, and differences in local concentrations of substrate within a cell which influences the degree of inhibition that can be attained by a simple competitive enzyme inhibitor (Perry and Higgs, 1998).

First, PDE inhibition is only useful if it produces the appropriate change in the activity of the dependent effectors, for instance activation of cAK when the concentration of cAMP can be increased above a threshold level. The rate of change in concentration depends in part on the activity of the cyclases which generate the cyclic nucleotides, and that

5 basal level of activity differs from isoform to isoform, and therefore from cell type to cell type. In adipocytes, for example, AC activity is high and cAMP levels are kept at baseline only by a correspondingly high PDE activity. Hepatocytes on the other hand have a rather low AC activity. If both cell types share PDEs of the same family, and are treated with a chemical inhibitor targeting that family, there will be a rapid increase in cAMP
10 within adipocytes and activation of their cAKs, but no activation in hepatocytes, unless the AC is also stimulated.

Second, general inhibition of a particular isoform of PDE can have certain unavoidable consequences on other cyclic nucleotide pathways since cAMP and cGMP systems are often closely interlinked. Much of this crosstalk arises from PDE regulation by cyclic
15 nucleotides. When cGMP increases in platelets (e.g. following nitric oxide stimulation of soluble GC, or PDE5 inhibition) it inhibits PDE3 and causes a concomitant rise in cAMP (Ashida and Sakuma, 1992). In adrenal glomerulosa cells, atrial natriuretic factor elevates cGMP but inhibits cAMP-stimulated aldosterone synthesis via cGMP-stimulation of PDE2 (MacFarland *et al.*, 1991).

20 Third, the expected effects of PDE inhibition may be modified by differences in local concentrations of substrates, the reason being that most chemical inhibitors of PDE action are competitive with substrate, so their therapeutic profile is dependent on both the Michaelis-Menton equilibrium constant (K_M) and the substrate concentration in which they are operating (Perry and Higgs, 1998). Most effective inhibition will always occur at
25 lowest substrate levels, but as a corollary, a locally increased substrate level will reduce the inhibition attained. In combination with subtle differences in isoform K_M values for an inhibitor, the desired spatial modulation of cyclic nucleotide levels within a cell could be difficult to obtain by simple competitive inhibition of catalytic activity.

Fourth, there is increasing evidence that cells respond to the prolonged use of agents
30 that increase cyclic nucleotide concentrations by increasing the activity of endogenous levels of appropriate phosphodiesterases (Torphy *et al.* 1995), and that one class of mechanism whereby this occurs is by increasing expression levels of PDE proteins (Swinnen *et al.*, 1989, 1991). There is even evidence to suggest that the use of selective inhibitors of different PDE families (eg rolipram for PDE4s, cilostimide for PDE3,
35 zaprinast for PDE5 etc.), encourages cells and tissues to respond to catalytic inhibition

by upregulating PDE:s specifically of the family type that is under inhibition. Full catalytic inhibition of PDE:s may therefore have self-defeating results, as cells attempt to compensate for lack of specific PDE activity. Careful modulation of local cyclic nucleotide levels within a cell through dislocation or inhibition of redistribution, which may not

5 greatly affect global levels of cyclic nucleotide, may therefore prove to be a better and more effective means to achieve long term therapy.

The radically different methods of interference with PDE action as proposed below in this application should avoid many of the problems outlined above, principally because

10 interference will be family and isoform specific and targeted not against catalytic activity of the PDE:s, but their spatial organisation within the cell.

Targeting of signalling enzymes is a recognised mechanism by which sensitivity, specificity, precision and control may be introduced into intracellular signalling pathways

15 (Pawson and Scott, 1997; Faux and Scott, 1996). The importance and occurrence of targeting as a phenomenon are described and discussed in appendix A. Of central importance to this application is the modulation of the effectiveness of signalling PDE:s through interference with their intracellular targeting. As already described, the many PDE:s known share much structural homology, and this is especially true within the
20 catalytic regions found towards the carboxylic acid terminals of the proteins. At the amino terminals much more heterogeneity is found, between families of PDE:s, between isoforms within families, and between splice variants derived from individual gene isoforms (Houslay and Milligan, 1997). Much of this heterogeneity appears to be associated with differences in targeting behaviour, at least in PDE4 isoforms and
25 variants (Scotland *et al.*, 1998, Bolger *et al.*, 1997), and by extension should apply to other PDEs as well since they are in overall character similar protein molecules with similar roles in cellular signalling.

Evidence suggests that the amino terminal regions of PDE:s can serve to target isoforms to specific intracellular sites (Shakur *et al.*, 1995; McPhee *et al.*, 1995; Bolger *et al.*,
30 1996; Pooley *et al.*, 1997) and that they can regulate the functioning of the catalytic unit either through interaction with binding proteins (Shakur *et al.*, 1995; O'Connell *et al.*, 1996; Pyne *et al.*, 1996) or through phosphorylation (Sette and Conti, 1996). Targeting appears to occur through protein-protein interactions with membrane- or cytoskeletally-
located proteins (Houslay, Sullivan and Bolger, 1998), and of these the membrane
35 associated proteins include both integral and peripherally adherent species. Such

interactions have been probed at a gross level through the use of nonionic detergents and elevated ionic strength (Scotland *et al.*, 1998).

Four separate genes are known to produce PDE4:s in human and rat (PDE4A-D), and each of these produces multiple splice variants (more than 20 described to June 98),

- 5 many with unique amino terminal regions (Huston *et al.*, 1997; Bolger *et al.*, 1997; Obornolte *et al.*, 1997). Some variants have extensive deletions, even to the point of removing catalytic activity (Obornolte *et al.*, 1997). Differences in the amino terminal regions are presently contemplated to be important for determining differences in the subcellular localisation, activity and sensitivity to inhibitors amongst PDE4 isozymes
- 10 (Bolger, 1997; Scotland *et al.*, 1998). As an example, PDE4D1 and PDE4D2 are found only in cytosolic fractions, PDE4D3, D4 & D5 are all represented in both cytosolic and particulate fractions. PDE4D3 and D5 are both more sensitive to rolipram inhibition in the cytosolic phase than they are in the particulate fraction (Bolger *et al.*, 1997). Of the 3 "B" isozymes, PDE4B2 is approximately 10 fold more sensitive to rolipram in the particulate
- 15 fraction than in the cytosolic (Huston *et al.*, 1997). Certain PDE4 isozymes are known to have restricted tissue distributions, e.g. PDE4A8 and PDE4C-delta54 are found only in testis, PDE4C-791 in lung and a melanoma cell line G361 (Bolger *et al.*, 1996; Obornolte *et al.*, 1997). In other cells the expression of isozymes changes with cellular differentiation (Verghese *et al.*, 1995; Giorgi *et al.*, 1997; Bolger *et al.*, 1994; Essayan *et al.*, 1997).
- 20

Certain PDE4 isozymes are known to associate with membranes, some with proteins bearing SH3 domains, and some to be purely cytosolic (Scotland *et al.*, 1998; Bolger *et al.*, 1997). A variant of PDE4A ("RD1") transfected into human thyroid carcinoma lines accumulates specifically in Golgi, and at the same time inhibits all expression of "native"

- 25 PDE1 in those cells (Pooley *et al.*, 1997). These distinct locations are believed to reflect very different functions of the specific phosphodiesterases. A very clear demonstration of functional separation of PDE:s has been seen in renal mesangial cells. Immuno-inflammatory stimulation of these cells increases their production of reactive oxygen metabolites (ROM) and simultaneously increases proliferation. Specific inhibition of
- 30 PDE4 suppresses ROM production, but not proliferation. Specific inhibition of PDE3 inhibits proliferation but not ROM production (Chini *et al.*, 1997). Both responses are mediated by PKA but control of the cAMP pool is effectively separated.
- Location of PDE:s to membranes brings them into contact with phospholipids. Certain PDE4 isozymes are activated by anionic phospholipids such as phosphatidyl serine and

phosphatidic acid (Disanto *et al.*, 1995; Nemoz *et al.*, 1997). Dislocation from the membrane will inhibit such activation, and crosstalk with phospholipid signalling systems. Targeting or anchoring of PDE4:s is likely to have its greatest effect through compartmentalisation of cAMP signalling within cells (Houslay and Milligan, 1997).

- 5 Associated with the PDE4:s will be specific ACs together with specific isoforms of the effector cAK, or cAMP-operated ion channels. cAKs will likely be attached to specific AKAPs (A-kinase anchoring proteins). Specific subcellular distributions of these components have been mapped in cells (Houslay and Milligan, 1997; Scott and Pawson, 1997; Coghlan *et al.*, 1995) and allow for spatial and temporal gradients of cAMP to be
- 10 established within cellular compartments. Targeted PDE4 species might serve to control threshold levels of cAMP in the environs of specific cAK molecules, perhaps protecting certain protein complexes from cAK-mediated phosphorylation or manipulating the activity levels of ACs that are necessary before cAK activation may occur.
- 15 Competitive chemical inhibitors are known which can selectively inhibit members of the PDE4 family. There are none known which can effectively select between the different gene products or splice variants of the PDE4 family (Perry and Higgs, 1998). This may be due to the particularly high degree of sequence homology within the proteins of this family around the catalytic site. Without splice-variant selectivity, there are likely to be
- 20 problems with long-term administration of PDE4 inhibitors, such as immunosuppression and metabolic disturbances, possibly with significant CNS effect as well (Teixeira *et al.*, 1997) since PDE4:s are clearly involved in such a wide range of systems at the organismal level. For the family of PDE4 enzymes, the pyrrolidone compound rolipram remains the "gold standard" reference inhibitor. However, its profile of serious side
- 25 effects prevented rolipram from becoming a compound of clinical utility. Principal side effects of rolipram are headaches, nausea, emesis and an unacceptable increase in gastric acid secretion (Barnes, 1995). The PDE4 family is likely to consist of more than the 20 or so isoforms already known in humans (Houslay, Sullivan and Milligan, 1998). Although a potent inhibitor of all known isoforms of PDE4s, the kinetics of inhibition are
- 30 complex and sensitivity varies significantly from isoform to isoform, and even for individual isoforms in different cell backgrounds or cellular compartments (Bolger *et al.*, 1996; Huston *et al.*, 1996; Jacobitz *et al.*, 1996; McPhee *et al.*, 1995; Owens *et al.*, 1997; Wilson *et al.*, 1994). The side effects of rolipram clearly indicate the potential problems associated with general PDE4 inhibition, while different isoform sensitivities, and
- 35 changing sensitivities in different cellular contexts, highlights the potential functional

diversity of the many PDE4 isoforms known, and therefore the therapeutic potential that lies in selective inhibition of individual isoforms.

So far only two PDE5 genes are known and two enzyme variants have been reported. In parallel with other PDE isoforms more splicing variants are to be expected from each gene. The enzyme is a homodimer, each subunit being 93 kDa. The structural organisation of the dimer is very similar to that of the cGKs.

PDE5s exist in two distinct forms: one membrane-bound (mPDE5) and one cytosolic (cPDE5) (Pyne *et al.*, 1996). The mPDE5 is activated by PKA and is inhibited by a G-protein dependent mechanism. It is assumed that cPDE5 is part of a "signalling cassette" with NO-regulated guanylate cyclase and PDE3. The latter construction will lead to very short-lived messages whereas the former allows for generation of prolonged cGMP signals

Targeting or anchoring of PDE5s is likely to have its greatest effect through compartmentalisation of cGMP signalling within cells. Associated with the PDE5s will be specific GCs together with specific isoforms of the effector cGK, or cGMP-operated ion channels. cGKs may be attached to specific G-kinase anchoring proteins. Specific subcellular distributions of these components will allow for spatial and temporal gradients of cGMP to be established within cellular compartments. Targeted PDE5 species might serve to control threshold levels of cGMP in the environs of specific cGK molecules, perhaps protecting certain protein complexes from cGK-mediated phosphorylation or manipulating the activity levels of GCs that are necessary before cGK activation may occur.

Competitive chemical inhibitors are known which can selectively inhibit PDE5s.

Relatively few isoforms of PDE5 are known to date. PDE5 is found rather specifically in vascular and airway smooth muscle. That sildenafil, with its 5 nM IC₅₀ for PDE5, affects only a subset of vascular smooth muscle is puzzling, but strongly suggests that either multiple PDE5 isoforms or states exist in different vascular smooth muscle, presumably with different sensitivities to sildenafil, or more likely, other cGMP-hydrolysing PDEs are important in different vascular smooth muscles.

As to other potentially important cGMP-hydrolysing PDE targets, many are doubtless yet to be discovered. PDE9:s have only been known since the end of 1997, PDE10:s since late 1998. PDE9:s have a rather general distribution (kidney, brain, lung), have a very high affinity for cGMP (about 70 nM) and are inhibitable by the PDE1/5 inhibitor

SCH51866 (1.55 μ M), but "not by sildenafil" (7 μ M, Soderling *et al.*, 1998). Their

physiological roles and regulation have not been defined (Soderling *et al.*, 1998; Fisher *et al.*, 1998), but the best suggestions are that they may be involved in keeping cGMP at very low levels when activated, and may, in kidney, be involved in termination of ANP signalling, and therefore inhibition may help potentiate natriuresis without causing

5 deleterious drops in blood pressure (Soderling *et al.*, 1998).

It is clear that PDEs possess heterogeneity, particularly in their amino terminal, or "regulatory" regions, and the approach outlined in this application exploits those differences between isoforms and splice variants to produce what should be confined
10 and defined therapeutic effects. Furthermore, in many cases it may be expected that dislocation of an active enzyme from a targeted site of action will have little effect on average cellular concentrations of their preferred cyclic nucleotide substrate, although significant increases may occur at the now PDE-free site of action. This may have significance where an acute short-term process is the therapeutic target, but an
15 integrative gene-regulation effect may occur upon general, non-specific PDE inhibition and overall cyclic nucleotide increase in the cell.

Detailed disclosure

In the present specification and claims, the term "influence" covers any influence to
20 which the cellular response comprises a redistribution. Thus, e.g., heating, cooling, high pressure, low pressure, humidifying, or drying are influences on the cellular response on which the resulting redistribution can be quantified, but perhaps the most important influence is the influence of contacting or incubating the cell or cells with a substance which is known or suspected to cause a redistribution or modify a change of
25 redistribution. In another embodiment of the invention the influence could be substances from a compound drug library.

In the present context, the term "green fluorescent protein" (GFP) is intended to indicate a protein which, when expressed by a cell, emits fluorescence upon exposure to light of
30 the correct excitation wavelength (cf. Chalfie, M. *et al.* (1994) Science 263, 802-805). In the following, GFP in which one or more amino acids have been substituted, inserted or deleted is also termed "modified GFP". "GFP" as used herein includes wild-type GFP derived from the jelly fish *Aequorea victoria* and modifications of GFP, such as the blue fluorescent variant of GFP disclosed by Heim *et al.* (Heim, R. *et al.* (1994).

Proc.Natl.Acad.Sci. 91:26, pp 12501-12504), and other modifications that change the spectral properties of the GFP fluorescence, or modifications that exhibit increased fluorescence when expressed in cells at a temperature above about 30°C described in PCT/DK96/00051, published as WO 97/11094 on 27 March 1997 and hereby

- 5 incorporated by reference, and which comprises a fluorescent protein derived from *Aequorea* Green Fluorescent Protein or any functional analogue thereof, wherein the amino acid in position 1 upstream from the chromophore has been mutated to provide an increase of fluorescence intensity when the fluorescent protein of the invention is expressed in cells. Preferred GFP variants are F64L-GFP, F64L-Y66H-GFP and F64L-S65T-GFP. An
- 10 especially preferred variant of GFP for use in all the aspects of this invention is EGFP (DNA encoding EGFP which is a F64L-S65T variant with codons optimized for expression in mammalian cells is available from Clontech, Palo Alto, plasmids containing the EGFP DNA sequence, cf. GenBank Acc. Nos. U55762, U55763).

- 15 The terms "intracellular signalling pathway" and "signal transduction pathway" are intended to indicate the coordinated intracellular processes whereby a living cell transduces an external or internal signal into cellular responses. Said signal transduction will involve an enzymatic reaction said enzymes include but are not limited to protein kinases, GTPases, ATPases, protein phosphatases, phospholipases and cyclic
- 20 nucleotide phosphodiesterases. The cellular responses include but are not limited to gene transcription, secretion, proliferation, mechanical activity, metabolic activity, cell death.

- The term "second messenger" is used to indicate a low molecular weight component
- 25 involved in the early events of intracellular signal transduction pathways.

The term "luminophore" is used to indicate a chemical substance which has the property of emitting light either inherently or upon stimulation with chemical or physical means.

- This includes but is not limited to fluorescence, bioluminescence, phosphorescence,
- 30 chemiluminescence.

The term "mechanically intact living cell" is used to indicate a cell which is considered living according to standard criteria for that particular type of cell such as maintenance of normal membrane potential, energy metabolism, proliferative capability, and has not

experienced any physically invasive treatment designed to introduce external substances into the cell such as microinjection.

In the present context, the term "permeabilised living cell" is used to indicate cells where
5 a pore forming agent such as Streptolysin O or *Staphylococcus Aureus* α -toxin has been applied and thereby incorporated into the plasma membrane in the cells. This creates proteinaceous pores with a defined pore size in the plasma membranes of the exposed cells. Pores could also be made by electroporation, i.e. exposing the cells to high voltage discharges, a procedure that creates small holes in the plasma membrane by
10 coagulating integral membrane proteins. Treatment with a mild detergent such as saponin may accomplish the same thing. Common to all these treatments is that pores are formed only in the plasma membrane without affecting the integrity of cytoplasmic structural elements and organelles. The term living in this context means that the permeabilised cell or cells bathed in a solution mimicking the intracellular milieu still have
15 functional organelles, such as actively respiring mitochondria and endoplasmatic reticulum that can take up and release calcium ions, and functional structural elements. In one embodiment this method is applied so that substances that normally can not traverse the plasma membrane, but most likely exert their influence intracellularly, can be introduced and their influence studied. In another embodiment this method is used to
20 record the response to an influence from many cells simultaneously.

In the present context, the term "permeabilisation" is intended to indicate the selective disruption of the plasma membrane barrier so that soluble substances freely mobile in the cytosol may be lost from the interior of the cells. The permeabilisation can be
25 achieved as described above under "permeabilised living cells" or by using other chemical detergents such as Triton X-100 or digitonin in carefully titrated amounts.

The term "physiologically relevant", when applied to an experimentally determined redistribution of an intracellular component, as measured by a change in the
30 luminescence properties or distribution, is used to indicate that said redistribution can be explained in terms of the underlying biological phenomenon which gives rise to the redistribution.

The terms "image processing" and "image analysis" are used to describe a large family
35 of digital data analysis techniques or combination of such techniques which reduce

ordered arrays of numbers (images) to quantitative information describing those ordered arrays of numbers. When said ordered arrays of numbers represent measured values from a physical process, the quantitative information derived is therefore a measure of the physical process.

5

The term "mammalian cell" is intended to indicate any living cell of mammalian origin. The cell may be an established cell line, many of which are available from The American Type Culture Collection (ATCC, Virginia, USA) or a primary cell with a limited life span derived from a mammalian tissue, including tissues derived from a transgenic animal, or

- 10 a newly established immortal cell line derived from a mammalian tissue including transgenic tissues, or a hybrid cell or cell line derived by fusing different celltypes of mammalian origin e.g. hybridoma cell lines. The cells may optionally express one or more non-native gene products, e.g. receptors, enzymes, enzyme substrates, prior to or in addition to the fluorescent probe. Preferred cell lines include but are not limited to
- 15 those of fibroblast origin, e.g. BHK, CHO, BALB, or of endothelial origin, e.g. HUVEC, BAE (bovine artery endothelial), CPAE (cow pulmonary artery endothelial), HLMVEC (human lung microvascular endothelial cells), or of airway epithelial origin, e.g. BEAS-2B, or of pancreatic origin, e.g. RIN, INS-1, MIN6, bTC3, aTC6, bTC6, HIT, or of hematopoietic origin, e.g. primary isolated human monocytes, macrophages, neutrophils,
- 20 basophils, eosinophils and lymphocyte populations, AML-14, AML-193, HL-60, RBL-1, U937, RAW, JAWS, or of adipocyte origin, e.g. 3T3-L1, human pre-adipocytes, or of neuroendocrine origin, e.g. AtT20, PC12, GH3, muscle origin, e.g. SKMC, A10, C2C12, renal origin, e.g. HEK 293, LLC-PK1, or of neuronal origin, e.g. SK-N-DZ, SK-N-BE(2), HCN-1A, NT2/D1.

25

The term "hybrid polypeptide" is intended to indicate a polypeptide which is a fusion of at least a portion of each of two proteins, in this case at least a portion of the green fluorescent protein, and at least a portion of a catalytic and/or regulatory domain of a protein kinase. Furthermore a hybrid polypeptide is intended to indicate a fusion

- 30 polypeptide comprising a GFP or at least a portion of the green fluorescent protein that contains a functional fluorophore, and at least a portion of a biologically active polypeptide as defined herein provided that said fusion is not the Glucocorticoid Receptor-GFP disclosed by Carey, KL et al. and Guilianio, KA et al., respectively. Thus, GFP may be N- or C-terminally tagged to a biologically active polypeptide, optionally via
- 35 a linker portion or linker peptide consisting of a sequence of one or more amino acids.

The hybrid polypeptide or fusion polypeptide may act as a fluorescent probe in mechanically intact or permeabilised living cells carrying a DNA sequence encoding the hybrid polypeptide under conditions permitting expression of said hybrid polypeptide.

The term hybrid polypeptide or fusion polypeptide is intended also to include the term

- 5 "fluorescent probe", where the latter is used to indicate a fluorescent fusion polypeptide comprising a GFP or any functional part thereof which is N- or C-terminally fused to a biologically active polypeptide as defined herein, optionally via a peptide linker consisting of one or more amino acid residues, where the size of the linker peptide in itself is not critical as long as the desired functionality of the fluorescent probe is maintained. A
- 10 fluorescent probe according to the invention is expressed in a cell and basically mimics the physiological behaviour of the biologically active polypeptide moiety of the fusion polypeptide.

The term "kinase" is intended to indicate an enzyme that is capable of phosphorylating a

15 cellular component.

The term "protein kinase" is intended to indicate an enzyme that is capable of phosphorylating serine and/or threonine and/or tyrosine in peptides and/or proteins.

- 20 The term "phosphatase" is intended to indicate an enzyme that is capable of dephosphorylating phosphoserine and/or phosphothreonine and/or phosphotyrosine in peptides and/or proteins.

- The term "cyclic nucleotide phosphodiesterase" is intended to indicate an enzyme that is
- 25 capable of inactivating the second messengers cAMP and cGMP by hydrolysis of their 3'-ester bond.

- In the present context, the term "biologically active polypeptide" is intended to indicate a polypeptide affecting intracellular processes upon activation, such as an enzyme which
- 30 is active in intracellular processes or a portion thereof comprising a desired amino acid sequence which has a biological function or exerts a biological effect in a cellular system.
- In the polypeptide one or several amino acids may have been deleted, inserted and/or replaced to alter its biological function, e.g. by rendering a catalytic site inactive or by disrupting the targeting sequence. In another embodiment, one or several amino acids
- 35 may have been deleted, inserted and/or replaced without altering the biological function

of the polypeptide, that is, it remains biologically equivalent. Preferably, the biologically active polypeptide is selected from the group consisting of proteins taking part in an intracellular signalling pathway, such as enzymes involved in the intracellular phosphorylation and dephosphorylation processes including kinases, protein kinases
5 and phosphorylases as defined herein, but also proteins making up the cytoskeleton play important roles in intracellular signal transduction and are therefore included in the meaning of "biologically active polypeptide" herein. More preferably, the biologically active polypeptide is a protein which according to its state as activated or non-activated changes localisation within the cell, preferably as an intermediary component in a signal
10 transduction pathway. Included in this preferred group of biologically active polypeptides are cAMP dependent protein kinases, 'inhibitor of NF-kappaB' kinases, and cyclic nucleotide phosphodiesterases.

The term "a substance" is intended to indicate any sample which has a biological
15 function or exerts a biological effect in a cellular system. The sample may be a sample of a biological material such as a sample of a body fluid including blood, plasma, saliva, milk, urine, or a microbial or plant extract, an environmental sample containing pollutants including heavy metals or toxins, or it may be a sample containing a compound or mixture of compounds prepared by organic synthesis or genetic techniques.

20 The phrase "any change in fluorescence" means any change in absorption properties, such as wavelength and intensity, or any change in spectral properties of the emitted light, such as a change of wavelength, fluorescence lifetime, intensity or polarisation, or any change in the intracellular localisation of the fluorophore. It may thus be localised to
25 a specific cellular component (e.g. organelle, membrane, cytoskeleton, molecular structure) or it may be evenly distributed throughout the cell or parts of the cell.

The term "organism" as used herein indicates any unicellular or multicellular organism preferably originating from the animal kingdom including protozoans, but also organisms
30 that are members of the plant kingdoms, such as algae, fungi, bryophytes, and vascular plants are included in this definition.

The term "nucleic acid" is intended to indicate any type of poly- or oligonucleic acid sequence, such as a DNA sequence, a cDNA sequence, or an RNA sequence.

The term "biologically equivalent" as it relates to proteins is intended to mean that a first protein is equivalent to a second protein if the cellular functions of the two proteins may substitute for each other, e.g. if the two proteins are closely related isoforms encoded by different genes, if they are splicing variants, or allelic variants derived from the same
5 gene, if they perform identical cellular functions in different cell types, or in different species. The term "biologically equivalent" as it relates to DNA is intended to mean that a first DNA sequence encoding a polypeptide is equivalent to a second DNA sequence encoding a polypeptide if the functional proteins encoded by the two genes are biologically equivalent.

10

The term "fixed cells" is used to mean cells treated with a cytological fixative such as glutaraldehyde or formaldehyde, treatments which serve to chemically cross-link and stabilize soluble and insoluble proteins within the structure of the cell. Once in this state, such proteins cannot be lost from the structure of the now-dead cell.

15

In the present context a "quantitative fluorescence redistribution assay" is intended to indicate an assay whereby it is possible to observe and quantify the subcellular localisation and possible redistribution of an biologically active polypeptide, or part thereof, genetically or chemically tagged with a luminophore inside an intact living cell or
20 cells or permeabilised living cells. The subcellular location and redistribution may be monitored using fluorescence microscopy or fluorescence imaging microscopy but is preferably monitored using a fluorescence imaging plate reader or a fluorescence plate reader for improved throughput. A more thorough description is given in Appendix A.

25 In the present context a "mortal cell line" is used to indicate animal cells that may grow in vitro, given the right conditions, but that have a definite life span of a number of cell divisions or days, week or months beyond which it is not at present possible to keep them alive.

30 In the present context an "immortalised cell line" is used to indicate cells of animal origin where the normal limitations for cell life and number of cell divisions do not apply. Essentially, such cells can live, grow and divide for an unlimited or very long (years to decades) time.

The term "targeting sequence" is used to indicate the amino-acid sequence of a biologically active polypeptide that contains the actual structure or structures necessary for association of the biologically active polypeptide with its native intracellular binding sites. The term "targeting sequence" is also used to indicate the amino-acid sequence of

5 a protein that contains the actual structure or structures necessary for association of a biologically active polypeptide with the protein.

The term "targeting" is used to indicate the process whereby a spatially distributed protein is directed to the intracellular sites and maintained at the intracellular sites to
10 which it is normally anchored or associated. These anchoring sites are normally assumed to be the intracellular sites where the protein has its optimal function for the cell.

The term "dislocate" and derivatives thereof is used to indicate the process whereby an
15 intracellularly spatially distributed protein is forced to detach from its normal anchoring or association structures in the cells due to intercalation of another, preferably smaller, compound at the site of anchoring or association. This usually means that the optimal function of the protein within the cell is lost or reduced and that a larger portion of the protein molecules are freely mobile within the cytoplasm.

20 In the present context a "screening assay" is intended to mean any measurement protocol, including materials, cells, instruments, chemicals, reagents, detection units, calibration and quantification procedures used to measure a response from mechanically intact or permeabilised living cells relevant to influences on an intracellular pathway.

25 In the present context a "primary screening assay" is used to indicate the first screening assay in a discovery project that is used to select and sort all compounds available to the project according to the quantified effect of the compounds in the assay.

30 In the present context a "counterscreen" is intended to mean a screening assay that is relevant to a phenomenon that is undesirable seen from the point of view of the discovery project.

In the present context a "discovery project" is intended to mean the process whereby
35 general or specific ideas about ways of how to modulate an intracellular signalling

pathway are exploited in order to find new chemical compounds that can be used to modulate the intracellular signalling pathway and thereby treat, reduce or abolish symptoms associated with a condition or a disease that is lethal, degenerative, performance-reducing or just uncomfortable to an animal, preferably a human being. The aim of the discovery project is to produce drug candidates that can be tested as potential drugs in an animal, preferably in human beings. The term "discovery project" also encompasses the actual group of individuals, screening assays, tests, machinery, cells, animals and compounds involved in different aspects of the project.

- 10 The term "tagging" is used to indicate the process whereby a luminophore is genetically or chemically attached to the protein, or part of the protein, of interest to the discovery project.

- The term "primary hit" is used to indicate compounds identified in the primary screening assay as having at least the minimum level of desired effect that has been specified in the discovery project.

- The term "primary lead compound" is used to indicate a primary hit that has at least the minimal level of desired potency and specificity predetermined by the discovery project.

- 20 The term "dose-response relationship" is in the present context intended to mean a clear correlation between the quantified response of cells in a screening assay to application of an influence, such as a compound, and the concentration of the applied influence. The response to the influence may be both an up-regulation and a down-regulation of the quantitated parameter used in the screening assay.

In the present context, the term "potency" is intended to mean the ability of an influence to affect the process under study. The process under study may be, for example a screening assay or a specific physiological or pathophysiological response in an animal.

30 In the present context, the term "selectivity" is intended to mean the difference in potency on the desired process, such as a screening assay, and an undesired process, such as a counterscreen, with the view of the discovery project. An influence or a compound is said to display selectivity if the potency for the desired process is higher than for the undesired process.

In the present context, the term "structure-activity relationship" or "SAR" is intended to mean the situation where a direct relationship exists between a compound and modifications made to the compound and the activity of the compound and the

- 5 modifications made to the compound in one or more screening assays. The process of building a SAR may be used to direct the chemical construction of new compounds with higher potency and selectivity than the original compound.

The term "drug candidate lead" is used to indicate compounds that may be pursued by a

- 10 discovery project as potential candidates for the final outcome of the project.

In the present context, the term "efficacy" is intended to mean the ability of a compound to affect the process or condition under study. It is closely related to the term "potency" but is in the present context used when relating to effects of a compound on more

15 complex screening assays than the primary screening assay or counterscreens and when relating to effects of a compound in animals.

In the present context, the term "toxicity" is intended to mean that a compound in some way is toxic to cells, tissues or animals. The toxicity means that the cells, tissues or

20 animals will in some way be harmed if the compound is applied at a sufficient concentration. The effects may ultimately lead to cell, tissue or animal death or a limited life compared to the normal condition.

In the present context, the term "physiology" is intended to mean the normal function of

25 biological and biochemical processes inside cells, between cells and in the whole organism or animal.

In the present context, the term "pathophysiology" is intended to mean deviations from the normal function of biological and biochemical processes inside cells, between cells

30 and in the whole organism or animal that may be part of a condition or disease.

In the present context, the term "pathogenesis" is intended to mean the process, be it genetical, biological, biochemical, chemical or environmental, that ultimately may explain, at least in part, the apparent pathophysiology associated with a condition or

35 disease in an animal.

00006701 071601

In the present context, the term "fractionated cells" is intended to mean the outcome of a simple division of initially mechanically intact living cells into two fractions, particulate (the components that can be sedimented by centrifugation at more than 10 000xg and
5 not more than 100 000xg for 10 minutes) and soluble fraction (the soluble components and small membrane fragments that do not sediment), after subjecting the cells to plasma membrane disruption either mechanically with some form of homogeniser or sonicator or osmotically (hypoosmotic shock) or through some kind of permeabilisation of the plasma membrane with detergents, toxins or electroporation.

10

The term "parenteral route of administration" is used to indicate the administration of a drug or compound in solution to an animal, such as a mammal or a human, by injection or infusion of the drug or compound into the bloodstream of the animal via an injection needle inserted into one of the animals blood vessels, preferably a vein.

15

The term "oral route of administration" is used to indicate the administration of a drug or compound in solution or as a solid to an animal, such as a mammal or a human, by placing the drug or compound in the mouth of the animal so that the animal itself can swallow the drug or compound or have it delivered to the stomach or intestine by

20 intubation. When the drug or compound enters the stomach and intestine it will be taken up over the mucosa into the bloodstream and administered via the blood stream to the tissues and organs where it is to exert its effect, or it will be acting locally in the stomach and intestine.

25 The term "pulmonary route of administration" is used to indicate the administration of a drug or compound as an aerosol with either solid or liquid particles to an animal, such as a mammal or a human, by placing the drug or compound container close to or in contact with the mouth and/or nose of the animal so that the animal itself can inhale the drug or compound aerosol. When the drug or compound enters the peripheral bronchioloi and
30 alveoli it will be taken up over the alveolar membrane, either into the bloodstream and administered via the blood stream to the tissues and organs where it is to exert its effect or it will act locally in the lungs on lung, vessel and muscle cells as well as any other cell type present there.

The term "cutaneous route of administration" is used to indicate the administration of a drug or compound in solution or as a solid to an animal, such as a mammal or a human, by placing the drug or compound on the skin of the animal. The drug can then enter the blood vessels under the skin as it is permeating the skin and thereby be taken up into the bloodstream and administered via the blood stream to the tissues and organs where it is to exert its effect. It may also exert an effect locally on the site of application on the skin.

The term "rectal route of administration" is used to indicate the administration of a drug or compound in solution or as a solid to an animal, such as a mammal or a human, by placing the drug or compound in the rectal cavity of the animal. When the drug or compound enters the rectum and parts of the large intestine it will be taken up over the mucosa into the bloodstream and administered via the blood stream to the tissues and organs where it is to exert its effect, or it will act locally in the rectum and parts of the large intestine.

Several IKKs and very many phosphodiesterases (PDE:s) are known. They are grouped in families according to functional criteria. Within each family there may be several members - isoforms- encoded by different genes. Each isoform may give rise to several splice variants. This hierarchy is evidenced at the sequence level: isoforms are more similar to each other than to members of other families; splice variants are more similar to each other than to other PDE:s. Each specific PDE thus contains sequences that are unique to itself, as well as sequences that are shared between isoforms and/or families. When setting up a program to identify pharmacological agents that affect the intracellular distribution of a target IKK or PDE, it is first necessary to choose the target from the IKKs and PDE:s known. This may be done according to various criteria. A first criterion is that it is imperative that the target IKK or PDE be present in the tissue or cell type(s) where the pharmacological agent is to exert its effect. A second criterion is that it is desirable that either the target or a specific anchoring/targeting site not be present in tissues or cell types where no pharmacological effects are desired.

Establishing the expression patterns of IKKs and PDE:s in relation to tissues and cell types is best done using the methods of detection of mRNA, e.g. Northern analysis, which is a well established procedure. Briefly, mRNA isolated from a given source is probed with a labelled nucleotide, whose sequence is complementary to the mRNA or a region in a mRNA of interest. The assay allows the investigator to determine the

stringency of the probing, i.e. to correlate the resulting signal(s) with sequence similarities.

As a first step, the nucleotide sequences of IKKs or PDE:s are compiled and inspected to identify regions that are unique to specific IKKs or PDE:s as well as regions that are

- 5 shared among several, many, or all IKKs or PDE:s. Nucleotide sequences may be found in a depository of genetic information, e.g. GenBank, which is a well known resource.

The inspection of the sequences may be aided by using computer programs that were developed to align several or many sequences, and in so doing highlighting regions of similarity or lack of the same. Many of these are presented and explained in great detail

- 10 in e.g. Sequence Data Analysis Guidebook /edited by S.R.Swindell, Methods in Molecular Biology vol. 70 (1997), from Humana Press Inc. Totowa, New Jersey.

When sequences have been identified that are unique to an IKK, or a PDE, or respectively shared by several or many IKKs or PDE:s, oligonucleotide probes based on these sequences may be designed and synthesized. The use of such probes to detect

- 15 mRNA is well established in the research community, see e.g. Basic DNA and RNA Protocols/edited by A.J.Harwood, Methods in Molecular Biology vol. 58 (1996), from Humana Press Inc. Totowa, New Jersey. E.g. Life Technologies offer to synthesize specified oligonucleotides.

- 20 In addition to oligonucleotide probes, mRNA extracted from the tissues and cell types of interest is required, preferably in a form ready to use in Northern analysis. Several companies offer such material, e.g. Invitrogen and Clontech. Briefly, they provide RNA extracted from a great many human and non-human tissues or cell types immobilized on membranes, as an array or size-fractionated.

- 25 In a next step, a detectable label needs to be attached to the oligonucleotide probe(s). The label is traditionally in the form of a radioactive isotope, but may to advantage be a chemiluminescent reagent or a fluorescent agent. See e.g. DNA Probes by Keller and Manak (1993), from Macmillan Publishers. Several companies offer reagents to label nucleotide probes, e.g. Ambion (Austin, Texas) and Molecular Probes (Eugene, Oregon).

- 30 The actual probing procedure involves contacting the immobilized mRNA (s) with the probe(s), washing away unbound probe(s) and detecting the signal(s) from the probe(s) that bound under the conditions tested, a positive signal indicating that the target(s) of the probe(s) was present in the sample(s) subjected to the test. In its simplest form, the test is "one-to-one", i.e. each sample of mRNA is exposed to each probe. However, it

- 35 may be advantageous to exploit the sequence hierarchy of the IKKs or PDE:s, by first

probing arrays of mRNA from multiple sources with family-specific probes, then examining first positives with isotype-specific probes, and then examining the secondary positives in detail with very specific probes. One could also multiplex the probing by adding different distinguishable fluorescent labels to the probes, thus obtaining

5 information from several probes in one experiment.

The outcome of the analysis is information regarding the expression pattern(s) of IKKs and PDE:s.

Based on their expression pattern(s) specific IKKs and/or PDE:s are then selected for further study, and genetic probes are constructed.

10

In general, a genetic probe, i.e. a "GeneX"-GFP fusion or a GFP-"GeneX" fusion, is constructed using PCR with "GeneX"-specific primers followed by a cloning step to fuse "GeneX" in frame with GFP. The fusion may contain a short vector derived sequence between "GeneX" and GFP (e.g. part of a multiple cloning site region in the plasmid) resulting in a peptide linker between "GeneX" and GFP in the resulting fusion protein.

15

The fusion may be made using ploymerase chain reaction techniques, which are common laboratory procedures, see e.g. PCR Protocols/edited by B.A.White, Methods in Molecular Biology vol. 15 (1993), from Humana Press Inc. Totowa, New Jersey.

20 In more detail, the steps involved include:

- Design of gene-specific primers. Inspection of the sequence of the gene allows design of gene-specific primers to be used in a PCR reaction. Typically, the top-strand primer encompasses the ATG start codon of the gene and the following ca. 20 nucleotides, while the bottom-strand primer encompasses the stop codon and the ca. 20 preceding nucleotides, if the gene is to be fused behind GFP, i.e. a GFP-"GeneX" fusion. If the gene is to be fused in front of GFP, i.e. a "GeneX"-GFP fusion, a stop codon must be avoided. Optionally, the full length sequence of GeneX may not be used in the fusion, but merely the part which localizes and redistributes like GeneX in response to a signal.

25

30 In addition to gene-specific sequences, the primers contain at least one recognition sequence for a restriction enzyme, to allow subsequent cloning of the PCR product. The sites are chosen so that they are unique in the PCR product and compatible with sites in the cloning vector. Furthermore, it may be necessary to include an exact number of nucleotides between the restriction enzyme site and the gene-specific sequence in order to establish the correct reading frame of the fusion gene and/or a

35

translation initiation consensus sequence. Lastly, the primers always contain a few nucleotides in front of the restriction enzyme site to allow efficient digestion with the enzyme.

- Identifying a source of the gene to be amplified. In order for a PCR reaction to produce a product with gene-specific primers, the gene-sequence must initially be present in the reaction, e.g. in the form of cDNA. The results of the extensive expression analysis performed previously will provide clear information regarding what tissue(s) are useful as source material. cDNA libraries from a great variety of tissues or cell types from various species are commercially available, e.g. from Clontech (Palo Alto), Stratagene (La Jolla) and Invitrogen (San Diego). Many genes are also available in cloned form from The American Type Tissue Collection (Virginia).
- Optimizing the PCR reaction. Several factors are known to influence the efficiency and specificity of a PCR reaction, including the annealing temperature of the primers, the concentration of ions, notably Mg^{2+} and K^+ , present in the reaction, as well as pH of the reaction. If the result of a PCR reaction is deemed unsatisfactory, it might be because the parameters mentioned above are not optimal. Various annealing temperatures should be tested, e.g. in a PCR machine with a built-in temperature gradient, available from e.g. Stratagene (La Jolla), and/or various buffer compositions should be tried, e.g. the OptiPrime buffer system from Stratagene (La Jolla).
- Cloning the PCR product. The vector into which the amplified gene product will be cloned and fused with GFP will already have been taken into consideration when the primers were designed. When choosing a vector, one should at least consider in which cell types the probe subsequently will be expressed, so that the promoter controlling expression of the probe is compatible with the cells. Most expression vectors also contain one or more selective markers, e.g. conferring resistance to a drug, which is a useful feature when one wants to make stable transfectants. The selective marker should also be compatible with the cells to be used.

The actual cloning of the PCR product should present no difficulty for the person skilled in the art as it typically will be a one-step cloning of a fragment digested with two different restriction enzymes into a vector digested with the same two enzymes. If the cloning proves to be problematic, it may be because the restriction enzymes did not work well with the PCR fragment. In this case one could add longer extensions to the end of the primers to overcome a possible difficulty of digestion close to a fragment end, or one could introduce an intermediate cloning step not based on restriction enzyme digestion.

Several companies offer systems for this approach, e.g. Invitrogen (San Diego) and Clontech (Palo Alto).

- Once the gene has been cloned and, in the process, fused with the GFP gene, the resulting product, usually a plasmid, should be carefully checked to make sure it is as expected. The most exact test would be to obtain the nucleotide sequence of the fusion-gene.

Once a DNA construct for a probe has been generated, its functionality and usefulness may be tested by subjecting it to the following tests:

- 10 - Transfecting it into cells capable of expressing the probe. The fluorescence of the cell is inspected soon after, typically the next day. At this point, two features of cellular fluorescence are noted:
 - The intensity should usually be at least as strong as that of unfused GFP in the cells. If it is not, the sequence or quality of the probe-DNA might be faulty, and should be
 - 15 carefully checked.
 - The sub-cellular localization is an indication of whether the probe is likely to perform well.

- If it localizes as expected for the gene in question, e.g. is excluded from the nucleus, it can immediately go on to a functional test. If the probe is not localized soon after the
- 20 transfection procedure, it may be because of overexpression at this point in time, as the cell typically will have taken of very many copies of the plasmid, and localization will occur in time, e.g. within a few weeks, as plasmid copy number and expression level decreases. If localization does not occur after prolonged time, it may be because the fusion to GFP has destroyed a localization function, e.g. masked a protein sequence
 - 25 essential for interaction with its normal cellular anchor-protein. In this case the opposite fusion might work, e.g. if GeneX-GFP does not work, GFP-GeneX might, as two different parts of GeneX will be affected by the proximity to GFP. If this does not work, the proximity of GFP at either end might be a problem, and it could be attempted to increase the distance by incorporating a longer linker between GeneX and GFP in the DNA
 - 30 construct.

If there is no prior knowledge of localization, and no localization is observed, it may be because the probe should not be localized at this point, because such is the nature of the protein fused to GFP. It should then be subjected to a functional test.

In a functional test, the cells expressing the probe are treated with at least one compound known to perturb, usually by activating, the signalling pathway on which the probe is expected to report by redistributing itself within the cell.

If the redistribution is as expected, e.g. if prior knowledge tell that it should translocate

- 5 from location X to location Y, it has passed the first critical test. In this case it can go on to further characterization and quantification of the response.

If it does not perform as expected, it may be because the cell lacks at least one component of the signalling pathway, e.g. a cell surface receptor, or there is species incompatibility, e.g. if the probe is modelled on sequence information of a human

- 10 gene product, and the cell is of hamster origin. In both instances one should identify other cell types for the testing process where these potential problems would not apply.

If there is no prior knowledge about the pattern of redistribution, the analysis of the redistribution will have to be done in greater depth to identify what the essential and indicative features are, and when this is clear, it can go on to further characterization and

- 15 quantification of the response.

If no feature of redistribution can be identified, the problem might be as mentioned above, and the probe should be retested under more optimal cellular conditions.

Libraries for cloning of cDNA libraries in the present discovery plan are naturally related

- 20 to the target tissues of the projects. For ultimately finding lead compounds useful in the treatment of asthma the cloning libraries should preferably be obtained from one or more of the following tissue or cells types: Bronchial smooth muscle, Lung microvascular endothelial cells, eosinophil granulocytes, Th1 or 2 lymphocytes and alveolar macrophages.

- 25 For ultimately finding lead compounds useful in the treatment of chronic inflammatory diseases the cloning libraries should preferably be obtained from one or more of the following tissue or cell types: Th1 or 2 lymphocytes, T-lymphocytes, B-lymphocytes, Monocytes, Eosinophil granulocytes, Neutrophil granulocytes, Basophil granulocytes, Tissue specific macrophages (such as the liver Kupffer cells and skin Langerhans cells),
30 microvascular endothelial cells, vascular endothelial cells, antigen presenting cells, joint connective and synovial cells. For ultimately finding lead compounds useful in the treatment of depression the cloning libraries should preferably be obtained from one or more of the various tissue regions of the brain containing noradrenergic neurons. For ultimately finding lead compounds useful in the treatment of jet lag or circadian clock

5 more of the following tissue or cell types: vascular smooth muscle, vascular smooth muscle from resistance vessels on the arterial side of the vascular system, vascular smooth muscle from capacitance vessels on the venous side of the vascular system, vascular smooth muscle cells from small arteries, arterioles, venules or veins, smooth vascular cells lines such as T/G HA-VSMCA10 and A7r5.

The cells should always be of animal origin, most likely of mammalian origin and preferably of human origin. The cells could be derived from normal tissue or from tissue of an individual animal having a disease or condition of interest for the project. The cells may also be a mortal or immortalised cell line where the initial cell clone has been derived from a tissue or cell type as described above. Depending on the discovery project the cells of interest for screening assays will vary but may be chosen from the above mentioned categories.

Once a genetic construct containing the protein of interest and the luminophore, from here on referred to as "the original fluorescent probe", has been transfected into a relevant cell type, as described above under 'preferred cell types for cloning libraries' the cells are monitored for the appearance of spatially distributed or randomly distributed intracellular fluorescence. Based on prior knowledge regarding the distribution of the actual protein different patterns can be expected. If for example previous studies have found the protein associated only with the particulate fraction of fractionated cells, it can be expected to find a spatial distribution of the original fluorescent probe to the plasma membrane, internal membrane/organelle structures or structural cytoplasmic elements such as microtubules and microfilaments. If on the other hand previous studies report that the protein has been found mostly in the soluble fraction of fractionated cells one can expect to find a homogenous or nonhomogenous distribution of the original fluorescent probe throughout the cytoplasm and perhaps also in the nucleus. For proteins where previous studies have found a mixed localisation to both the particulate and soluble fraction of fractionated cells any mixture in the two distribution patterns mentioned above for the original fluorescent probe can be expected. For proteins where no prior knowledge is at hand a simple cell fractionation and Western Blotting can be

made, one can use immunohistochemistry of fixed cells of relevance or one can decide to rely on the distribution observed for the original fluorescent probe. At this stage of the project, a normal distribution pattern of the original fluorescent probe may be established after such studies as outlined above. The effects of physiologically important and

- 5 relevant cellular activation on the distributed pattern of the original fluorescent probe is also established. It will also become evident if the pattern of distribution changes, i.e. if a redistribution of the original fluorescent probe occurs as a consequence of applying a physiologically important and relevant influence.

10

The strategy described herein is used to search for chemical entities which can interfere with the protein-protein interactions that occur amongst biologically active polypeptides and their anchoring/regulating partners, and thereby interfere with the effectiveness of a biologically active polypeptide's action within its cellular environment. The strategy will

- 15 have different effects, and require slightly different discovery methods depending on the nature of the interaction. The possibilities are as follows:

1) A biologically active polypeptide is permanently located at its targeting point, and either remains permanently active there, or its activity is modulated in some way by post-translational modification such as phosphorylation or by binding of modulators to non-catalytic regulatory sites. Dislocation from the targeting site will remove the biologically active polypeptide from a localised site of action, and may also lead to inactivation of its inherent catalytic activity.

20

2) A biologically active polypeptide is permanently located at its targeting point, and remains inactive there until its activity is modulated in some way by post-translational modification, such as phosphorylation or by binding of modulators to non-catalytic regulatory sites. Dislocation from the targeting site will remove the biologically active polypeptide from a localised site of action, and may also lead to activation of its inherent catalytic activity, albeit away from its original anchoring site.

25

3) A biologically active polypeptide is inactive in its unattached or untargeted form, and when activated (as described in "1" above), or partially activated, it redistributes within the cell and becomes attached to its targeting site, its activity being restricted to the anchoring site and possibly enhanced by interaction with the anchoring protein or some associated factor, or at some later time inhibited by the anchoring protein or an associated regulatory factor. Any agent which prevents association of the biologically active polypeptide with its anchoring or targeting site will prevent it from locating to the

30

35

4) A biologically active polypeptide is active in its unattached or untargeted form, and when inactivated (as described in "1" above), or partially inactivated, it redistributes within the cell and becomes attached to its targeting site, whereby its activity is inhibited by interaction with the anchoring protein or an associated regulatory factor. Subsequent stimuli may then activate and release the biologically active polypeptide. Any agent which prevents association of the biologically active polypeptide with its anchoring or targeting site will prevent it from relocating to the anchoring position, and may also prevent the biologically active polypeptide from ever being inactivated. In addition, if the biologically active polypeptide cannot target to its anchoring site, it may not be possible subsequently to activate the biologically active polypeptide in the appropriate way in the untargeted state.

- 4) A biologically active polypeptide is active in its unattached or untargeted form, and when inactivated (as described in "1" above), or partially inactivated, it redistributes
- 5 within the cell and becomes attached to its targeting site, whereby its activity is inhibited by interaction with the anchoring protein or an associated regulatory factor. Subsequent stimuli may then activate and release the biologically active polypeptide. Any agent which prevents association of the biologically active polypeptide with its anchoring or targeting site will prevent it from relocating to the anchoring position, and may also
- 10 prevent the biologically active polypeptide from ever being inactivated. In addition, if the biologically active polypeptide cannot target to its anchoring site, it may not be possible subsequently to activate the biologically active polypeptide in the appropriate way in the untargeted state.
- 15 When a specific subcellular distribution of a GFP-based IKK or PDE probe has been identified, it may be advantageous to narrow down which part of the IKK or PDE is responsible for this effect. The advantage is twofold: It may suggest the design of peptide leads, and it may eventually aid in defining the binding partner. Knowledge of both partners involved in specific binding may aid in the selection of compound libraries
- 20 to screen for inhibition of the specific binding.

To identify the region of the IKK or PDE involved in specific binding, one may make GFP-based fusions with progressively shorter parts of the IKK or PDE, and examine the cellular distribution of these constructs. If there is prior knowledge of functional domains,

- 25 one may start with the domain believed to confer specific binding to a subcellular structure. The generation of constructs to test may consist of selecting a particular part of the IKK or PDE to fuse to GFP, or it may involve the generation of in-frame deletions in the IKK or PDE part of the fusion. Both approaches have been widely used in molecular genetic studies.
- 30 When a region has been identified that appears responsible for conferring a specific subcellular distribution upon an IKK or a PDE, the amino acid residues most important for this trait may be identified by a more detailed analysis, e.g. substituting them one by one with e.g. an alanine residue, a so called Ala-scan, which also has been used extensively in molecular genetic studies.
- 35 To identify the identity of the cellular protein partaking in the specific distribution of the IKK or PDE, one may exploit the knowledge about the region of the IKK or PDE

responsible for the subcellular distribution; for example, one may use the region of the IKK or PDE as bait in a genetic two hybrid screen to pull out its binding partner. Several companies offer two hybrid systems, e.g. Life Technologies.

- 5 The knowledge about the normal distribution of the original fluorescent probe is used to establish which part or which parts of the terminal (or entire) amino-acid sequence that is important for the attachment of this fluorescent probe to subcellular structures, giving it its specific spatially distributed pattern in the cell or cells, when such a pattern has been established as the normal distribution of this fluorescent probe. This may be
- 10 accomplished by creating new fluorescent probes where a systematic deletion of short N- or C-terminal or internal sequences (number of DNA bases) of the original fluorescent probe are made. These new shorter variants of the of the original fluorescent probe construct are transfected into the cells of interest and then the cells are examined for spatial distribution of the new fluorescent probes as described above for the original
- 15 fluorescent probe. In those cells where the new fluorescent probe distribution pattern is different from the original fluorescent probe distribution pattern it is evident that part of the, or the entire, targeting sequence has been deleted. The DNA- or amino-acid sequence of the missing part therefore contains the structural information necessary for association of the original fluorescent probe with its intracellular binding sites.
- 20
- Peptides for inhibition of the established normal distribution of the original fluorescent probe are designed according to the hypothesis, that the deduced targeting sequence, or sequences, in the original fluorescent probe amino-acid sequence are the important sequences for the actual spatial distribution of the original fluorescent probe in intact
- 25 living cells, is tested. This is done by producing peptides of identical amino-acid sequence as the deduced targeting sequence or parts thereof and introducing them into the cytoplasm, either by microinjection or transient or permanent permeabilisation, of cells containing the original fluorescent probe and thereafter monitoring the spatial distribution of the original fluorescent probe in the cells. If the deduced targeting
- 30 sequence or sequences are of importance for the actual spatial distribution of the original fluorescent probe in intact living cells, the introduced peptides will self-associate with the anchoring sites for the original fluorescent probe and thereby disrupt the normal distribution of the original fluorescent probe. In order to have this effect, the introduction of the peptides should change the original distribution pattern so that a decrease in
- 35 fluorescence of 10% or more, compared to the pattern before their introduction, can be

detected. This is done by observing the same cells before and after administration of the peptides. When peptides that fulfil this criterion have been found they are called 'peptide leads' and will hereafter be referred to using this expression. These peptide leads can now be used as a basis for the design of organic molecules that can be used eventually

- 5 to disrupt the spatial distribution of the original fluorescent probe but also as control compounds in screening assays.

PS473 and derivatives thereof show a discrete intracellular localisation that allow establishment of assay systems valuable in the screening for compounds that modulate

- 10 targeting of said probes. IKK β interacts with multiple components of the I κ B complex. Construction of the described assay systems has allowed us to screen for compounds that interact with specific or multiple targeting sites. This approach allow for development of compounds that through modulation of one (or several) of multiple targeting sites of IKK β (or other IKKs) will provoke either a partial or a complete inhibition
- 15 of the NF-kappaB activation. In addition cell specific anchoring will allow design of compounds that only affect defined cell types.

In parallel to the above mentioned step wherein peptide leads are defined, the distribution pattern found for the original fluorescent probe is compared to the naturally

- 20 occurring spatial distribution of the protein on which the original fluorescent probe is based. This may be accomplished by observing fixed primary cells separated from or still within the tissue of interest and fixed cells that contain the original fluorescent probe. Thereafter the protein is stained using ordinary immunocytochemical or immunohistochemical methods and the spatial distribution revealed by this staining
- 25 procedure is compared to the spatial distribution of the original fluorescent probe. It is desirable, but not required, that a high degree of correlation between the two patterns obtained in this step can be observed.

Establishment of a primary screening assay is normally done by making use of the cells

- 30 of interest containing the original fluorescent probe as the basis for a screening assay. Depending on the knowledge acquired about the behaviour of the original fluorescent probe when subjecting the cells to physiologically relevant influences the assay procedure can be chosen: 1. If the fluorescent probe normally is targeted to specific sites and stays associated with these sites during stimulation of the intracellular pathway, the
- 35 assay should preferably be designed to detect dislocation of the original fluorescent

probe from the targeting sites in mechanically intact or permeabilised living cells. This is an assay where the dislocation can be detected within minutes after application of an influence and the time frame for the detection and time for exposing the cells to an influence should be chosen to match this. 2. If the desire is to disrupt the actual targeting

5 event rather than dislocate already targeted fluorescent probe the influence may need hours to produce a detectable response. The actual measurement, still of a change in the fluorescence or luminescence distribution pattern compared to the normal distribution pattern for the original fluorescent probe, may be made at two time points; before and after the influence has exerted any effect it may have. This is an assay where the effect
10 of an influence may require several hours to produce a detectable response and the time frame for the detection and time for exposing the cells to an influence should be chosen to match this. 3. If the fluorescent probe normally redistributes between two intracellular sites upon activation of the intracellular pathway one may either want to disrupt the initial targeting or dislocate the original fluorescent probe from its initial or resting anchoring
15 site. In this case procedure no. 1 above may be used. If the desire instead is to inhibit the association of the original fluorescent probe with the site it redistributes to during activation of the intracellular pathway the targeting sequence of this site should be in focus for the lead peptide generation. This is an assay where the redistribution may be detected within minutes after application of an influence and the time frame for the
20 detection and time for exposing the cells to an influence should be chosen to match this. Furthermore, any influence applied to inhibit the targeting of the original fluorescent probe upon its redistribution may need to be added to the cells before activation of the intracellular pathway.

25 While the original fluorescent probe and peptide leads will be used in the actual primary screening assay, it is also desirable to have a counterscreen or counterscreens directed at protein isoforms that one does not wish to affect. In order to accomplish this, constructs are made for new fluorescent probes encoding the protein isoforms tagged with GFP. These constructs are subsequently transfected into the cells of interest. When
30 the new fluorescent probes are expressed in the cells, some of the cells are chosen as the basis for new cell lines that can be used in the counterscreen or counterscreens.

Suitable probes for this purpose comprise DNA constructs encoding fusion polypeptides comprising forms of IKK α , IKK β , IKK γ or NIK and GFP; PDE1, PDE2, PDE3, PDE4,
35 PDE5, PDE6, PDE7, PDE8, PDE9 or PDE10 and GFP; PKA catalytic subunit and GFP.

In a preferred embodiment the DNA constructs will encode fusion polypeptides comprising isoforms of IKK β , PDE 4, mPDE5, PKA catalytic subunit and GFP.

- 5 In a much preferred embodiment the DNA construct is selected from table 1.

Table 1 list of the fusion constructs of the invention by the names used herein as well as by reference to relevant SEQ ID NOs of sequences of DNA encoding the construct and full amino acid sequences

Fusion construct	DNA sequence SEQ ID NO:	Protein Sequence SEQ ID NO:
PDE 4D3 - EGFP	1	2
PDE 4D4 - EGFP	3	4
PDE 4D5 - EGFP	5	6
PDE 5 - EGFP	7	8
IKK β - EGFP	9	10
NF-KappaB - EGFP	11	12
EGFP - IKK β	13	14
EGFP - IKK β IL2	15	16

10

The cell lines established for the primary screen and the counterscreen, or counterscreens, are used to establish peptide leads that more specifically dislocate the desired isoform of the protein of interest compared to other isoforms of the same protein.

- The peptide leads are introduced into the cells as described above and the changes in spatial distribution of the original and counterscreen fluorescent probes are quantified and dose-response relationships are established for each lead peptide. Thereafter the dose-response relationships are compared. A peptide lead is considered specific for the original fluorescent probe if the dose of the peptide required to dislocate at least 10% of the fluorescent probes in the counterscreen or counterscreens are at least two times higher than the dose required to dislocate 10% of the original fluorescent probe. The lead peptides with the biggest dose difference when comparing the primary and the counterscreen dose-response relationships are chosen as the basis for the next step in the discovery project.

- In one embodiment the primary screening assay and counterscreen or counterscreens are used to define specificity of the peptide leads by using a procedure that compares their ability to cause a dislocation, disruption of targeting or inhibition of redistribution of the original fluorescent probe in the primary screening assay to their ability to cause a

dislocation, disruption of targeting or inhibition of redistribution of the new fluorescent probes in the counterscreen or counterscreens.

In a preferred embodiment the dose of a peptide lead required to cause a quantified dislocation, disruption of targeting or inhibition of redistribution of the original fluorescent probe of at least 10% in the primary screening assay is 50% or less of the dose required to cause a quantified dislocation, disruption of targeting or inhibition of redistribution of the new fluorescent probes of at least 10% in the counterscreen or counterscreens.

The invention provides for a specificity index which may be constructed describing a numerical relationship, with the primary screening assay result first, of the dose required to produce half-maximal effect in the primary assay compared to the dose required to produce half-maximal effect in the counterscreen or counterscreens.

In one embodiment the peptide leads chosen for further use in the discovery project have a specificity index of 1 to 2.

In another embodiment the peptide leads chosen for further use in the discovery project have a specificity index between 1 to 2 and 1 to 10.

In a further embodiment the peptide leads chosen for further use in the discovery project have a specificity index between 1 to 11 and 1 to 100.

In yet a further preferred embodiment the peptide leads chosen for further use in the discovery project have a specificity index better than 1 to 100.

Lead peptides are used to create and select libraries of small organic molecules that can be useful in screening assays to find bioactive substances useful as drugs to treat the condition or disease of interest for the project. In this step the amino-acid sequence

information and other structural information about the lead peptide or peptides is used to extract information useful for finding and/or defining and synthesising bioactive organic molecules that can mimic the effect of the lead peptides on the normal spatial distribution pattern of the original fluorescent probe. Such compounds may be useful as drugs to treat the condition or disease of interest for the project. Peptide leads selected by the discovery project are used to design and assemble compound libraries based on the structural and chemical information inherent in the lead peptides using prior chemical knowledge and computational chemistry approaches so that the compounds have a structure that give them the ability to interact with or bind to the targeting sequence of IKK β , PDE 4D X or mPDE5 thereafter testing the compound libraries at a concentration of 10 or 100 micromolar of each compound in the primary screening assay.

When the libraries of compounds have been defined and are at hand it is time to initiate primary screening. In this procedure, cells containing the original fluorescent probe are contacted with the compounds. The compounds are all tested at just one or a few

- 5 concentrations, typically 10 and 100 micromolar, in a highly parallel fashion using a quantitative fluorescence redistribution assay. Compounds that cause a change in the quantitated response (the response scale defined by the range 0 (no change in redistribution) – 100%) of the assay by more than a predetermined value, typically between 10 and 100%, are considered to be "primary hits". The primary hits are then
- 10 further characterised: 1. for potency by establishing a dose-response relationship compared to the lead peptide(s) using the primary screening assay 2. for selectivity by establishing a dose-response relationship in the counterscreen or counterscreens. Primary hits that have low potency, typically when the half-maximal effect of the compound in the primary assay is achieved at a concentration of the compound between
- 15 10 and 100 micromolar, may not need testing in the counterscreen or counterscreens since the likelihood that they will be used beyond this step in the discovery project is small. Primary hits that have equal or lower potency in the primary screening assay compared to the counterscreen or counterscreens are regarded as non-selective and the likelihood that they will be used beyond this step in the discovery project is small.
- 20 Primary hits that display some degree of selectivity, typically half maximal effect in the primary screening assay at a concentration 50% or less of the concentration that gives half maximal effect in the counterscreen or counterscreens are considered interesting as the basis for further chemical synthesis or construction of new libraries of compounds and will hereafter be referred to as "primary lead compounds".
- 25 Compounds that cause a change in the quantitated response, with a response scale from 0 to 100% based on the absence of a response and the maximal response observed with the peptide leads in the primary screening assay, of the assay by more than a predetermined value are selected and called "primary hits".
- In one embodiment the predetermined value is 10%.
- 30 In another embodiment the predetermined value is 50%.
- In yet another embodiment the predetermined value is 70%.
- In one embodiment the primary hits are further characterised for potency and maximal effect by establishing a dose-response relationship and comparing that to the effects of the lead peptides using the primary screening assay and for selectivity by establishing a
- 35 dose-response relationship in the counterscreen or counterscreens.

Primary hits may be deselected by the discovery project when they display a half-maximal potency at a dose corresponding to a concentration of more than 10 micromolar or because they display a selectivity index less than 1 to 2.

- Primary hits may be selected by the discovery project when they display a half-maximal
5 potency at a dose corresponding to a concentration of 10 micromolar or less or because they display a selectivity index higher than 1 to 2, the compounds hereafter also referred to as "primary lead compounds".

- A Structure-Activity Relationship (SAR) is built by iterations of compound library
10 composition and screening to define drug candidate leads. This step is included to further improve the possibilities of finding bioactive compounds with desirable properties for treatment of the diseases or conditions of interest to the project. The primary lead compounds are here used to provide chemical structural information that can be used as the basis for composition or chemical synthesis of new, directed, compound libraries. By
15 systematic chemical modification of part of the structure of one or more primary lead compounds new libraries are assembled. These new libraries of compounds are also investigated using the primary screening assay and counterscreen or counterscreens. Preferably, dose-response relationships are recorded for each chemical modification of the primary lead compound and compared to the primary lead compound itself. Thereby
20 SAR is established. Among the new compounds, the ones that in this step has the best combination of potency and specificity are chosen either as the basis for a new round of compound library synthesis or composition or, as the final step of the SAR building process, as compounds that will be further for actual pharmacological effects in assay systems and animals that are relevant to the underlying physiological and
25 pathophysiological processes of interest to the project. The latter compounds will hereafter be referred to as "drug candidate leads".
- In one embodiment drug candidate leads have a half-maximal potency at a dose corresponding to a concentration of less than 1 micromolar and a selectivity index higher than 1 to 2.
- 30 In one embodiment the drug candidate leads have a half-maximal potency at a dose corresponding to a concentration of less than 1 micromolar and a selectivity index higher than 1 to 10.
- In one embodiment the drug candidate leads have a half-maximal potency at a dose corresponding to a concentration of less than 1 micromolar and a selectivity index higher
35 than 1 to 100.

In one embodiment the drug candidate leads have a half-maximal potency at a dose corresponding to a concentration of less than 0,1 micromolar and a selectivity index higher than 1 to 2.

- In a preferred embodiment the drug candidate leads have a half-maximal potency at a dose corresponding to a concentration of less than 0,1 micromolar and a selectivity index higher than 1 to 10.

In another preferred embodiment the drug candidate leads have a half-maximal potency at a dose corresponding to a concentration of less than 0,1 micromolar and a selectivity index higher than 1 to 100.

10

Drug candidate leads may be further characterised in tissue based, cell based and biochemical assays to validate *in vitro* their efficacy and toxicity. There are many ways to test efficacy of a drug candidate lead. Preferably, the drug candidate lead is tested in assay systems with high relevance to the underlying physiological and

- 15 pathophysiological processes involved in the pathogenesis and pathophysiology of the disease or condition of interest to the project. Likewise, the drug candidate leads are tested for toxic effects, preferably testing for genetic effects (influence on the integrity and arrangement of DNA), metabolic effects (influence on cellular metabolic processes) and cytotoxic effects (influence on cell integrity and organelle integrity). There is a high
20 likelihood that drug candidate leads, that do not show appropriate efficacy or that display toxicity will not be used beyond this step in the discovery project because it is expected that such compounds are less suitable as actual drugs to be used in an animal.

In one embodiment drug candidate leads chosen by the discovery project are tested *in vitro* for efficacy, in assay systems with high degree of relevance to the underlying

- 25 physiological and pathophysiological processes involved in hypotension, inflammatory diseases, and for toxicity, preferably testing for genetic, metabolic and cytotoxic effects, whereafter the drug candidate leads that display the best efficacy and the least, or no, indications of toxicity are chosen to be the candidates that will enter testing in animals.
In another embodiment drug candidate leads chosen by the discovery project are tested
30 *in vitro* for efficacy, in assay systems with high degree of relevance to the underlying physiological and pathophysiological processes involved in inflammatory airway diseases, and for toxicity, preferably testing for genetic, metabolic and cytotoxic effects, whereafter the drug candidate leads that display the best efficacy and the least, or no, indications of toxicity are chosen to be the candidates that will enter testing in animals.

In another embodiment drug candidate leads chosen by the discovery project are tested *in vitro* for efficacy, in assay systems with high degree of relevance to the underlying physiological and patophysiological processes involved in inflammatory joint diseases, and for toxicity, preferably testing for genetic, metabolic and cytotoxic effects, whereafter

- 5 the drug candidate leads that display the best efficacy and the least, or no, indications of toxicity are chosen to be the candidates that will enter testing in animals.

In another embodiment drug candidate leads chosen by the discovery project are tested *in vitro* for efficacy, in assay systems with high degree of relevance to the underlying physiological and patophysiological processes involved in inflammatory bowel diseases, and for toxicity, preferably testing for genetic, metabolic and cytotoxic effects, whereafter

10 the drug candidate leads that display the best efficacy and the least, or no, indications of toxicity are chosen to be the candidates that will enter testing in animals.

In another embodiment drug candidate leads chosen by the discovery project are tested *in vitro* for efficacy, in assay systems with high degree of relevance to the underlying physiological and patophysiological processes involved in autoimmune diseases, and for toxicity, preferably testing for genetic, metabolic and cytotoxic effects, whereafter the drug candidate leads that display the best efficacy and the least, or no, indications of toxicity are chosen to be the candidates that will enter testing in animals.

15

- 20 In a preferred embodiment of the present invention I-kappaB degradation is inhibited by a novel mechanism namely by mis-targeting and/or modulation of the redistribution of specific IKKs. In contrast to previous interventions involving IKK the presented invention does not involve direct inhibition of the IKK enzymatic activity.

- 25 This completely novel mechanism for inhibition of the overall effect of the IKK complex provides clear advantages as it opens for a higher IKK isoform selectivity and a higher cell specificity of the therapy. In addition cell specific anchoring will allow design of compounds that only affect defined cell types.

- 30 In one aspect of the invention the substance is an organic compound, the organic compound being a weak acid in that it is a neutral molecule that can reversibly dissociate into an anion (a negatively charged molecule) and a proton (a hydrogen ion). In another aspect, the organic compound is a weak base in that it is a neutral molecule that can form a cation (a positively charged molecule) by combining with a proton. The functional
- 35 groups of the targeting sequences include functional groups selected from the group

consisting of: methyl-, isopropyl-, isobutyl-, hydroxyl-, thiol-, benzyl-, benzyloyl-, methylindolyl-, methylimidazolyl-, amine-, imine-, carboxyl- and acetamide-groups as parts of amino acids in the targeting sequences.

- 5 In another aspect of the invention the organic compound is a compound having one or more chemical domains capable of interacting with one or more functional groups of the targeting sequence of the native anchoring site of the cyclic nucleotide phosphodiesterase or I-kappaB kinase. In yet another aspect the organic compound is a compound having at least two chemical domains capable of interacting with at least two
- 10 functional groups of the targeting sequence of the native anchoring site for the cyclic nucleotide phosphodiesterase or I-kappaB kinase. In a further aspect the organic compound is a compound having at least three chemical domains capable of interacting with at least three functional groups of the targeting sequence of the native anchoring site for the cyclic nucleotide phosphodiesterase or I-kappaB kinase.

15

The organic compound is, in one aspect of the invention, a compound having at least two chemical domains capable of interacting with at least two functional groups of the targeting sequence of the cyclic nucleotide phosphodiesterase. In a specific embodiment, the organic compound is a compound having at least three chemical

20 domains capable of interacting with at least three functional groups of the targeting sequence of the cyclic nucleotide phosphodiesterase.

- In the next part of the discovery process the drug candidate leads are tested *in vivo* for toxic and unwanted effects in animals such as mice and rats. The drug candidate leads
- 25 are also tested for efficacy in animals that have a disease or condition with high degree of relevance to the disease or condition of interest to the project. The drug candidate leads may also be tested for efficacy in animals which have been treated in a way that make them experience a disease or condition with high degree of relevance to the disease or condition of interest to the project. Drug candidate leads that display efficacy
- 30 in one or more of such animal tests and that does not display any apparent toxicity at a dosage level, preferably 2–10 times higher than the level that gives satisfactory efficacy are chosen to be the final drug candidates that should be considered for further animal testing and initial testing in humans. These compounds are hereafter referred to as “discovery project leads”.

35

35 the underlying physiological and pathophysiological processes involved in hypertension,

THE UNIVERSITY OF CHICAGO

and for toxicity and unwanted side effects, after which the drug candidate leads that display the best efficacy and the least, or no, indications of toxicity or unwanted side effects are chosen to be the candidates, called discovery project leads, that will enter further testing in animals and testing in humans.

- 5 In one embodiment drug candidate leads chosen by the discovery project are tested for efficacy, in healthy animals and animals with a condition with high degree of relevance to the underlying physiological and pathophysiological processes involved in jet-lag and circadian rhythm resetting, and for toxicity and unwanted side effects, after which the drug candidate leads that display the best efficacy and the least, or no, indications of
- 10 toxicity or unwanted side effects are chosen to be the candidates, called discovery project leads, that will enter further testing in animals and testing in humans.
- In one embodiment drug candidate leads chosen by the discovery project are tested for efficacy, in healthy animals and animals with a condition with high degree of relevance to the underlying physiological and pathophysiological processes involved in erectile
- 15 dysfunction, and for toxicity and unwanted side effects, after which the drug candidate leads that display the best efficacy and the least, or no, indications of toxicity or unwanted side effects are chosen to be the candidates, called discovery project leads, that will enter further testing in animals and testing in humans.
- 20 In one embodiment drug candidate leads chosen by the discovery project are tested for efficacy, in healthy animals and animals with a condition with high degree of relevance to the underlying physiological and pathophysiological processes involved in inflammatory airway diseases, and for toxicity and unwanted side effects, whereafter the drug candidate leads that display the best efficacy and the least, or no, indications of toxicity
- 25 or unwanted side effects are chosen to be the candidates, called discovery project leads, that will enter further testing in animals and testing in humans.
- In one embodiment drug candidate leads chosen by the discovery project are tested for efficacy, in healthy animals and animals with a condition with high degree of relevance to the underlying physiological and pathophysiological processes involved in inflammatory
- 30 joint diseases, and for toxicity and unwanted side effects, whereafter the drug candidate leads that display the best efficacy and the least, or no, indications of toxicity or unwanted side effects are chosen to be the candidates, called discovery project leads, that will enter further testing in animals and testing in humans.
- In one embodiment drug candidate leads chosen by the discovery project are tested for
- 35 efficacy, in healthy animals and animals with a condition with high degree of relevance to

00000001 071603

5 that will enter further testing in animals and testing in humans.

10 leads that display the best efficacy and the least, or no, indications of toxicity or unwanted side effects are chosen to be the candidates, called discovery project leads, that will enter further testing in animals and testing in humans.

15 the underlying physiological and pathophysiological processes involved in depression, and for toxicity and unwanted side effects, whereafter the drug candidate leads that display the best efficacy and the least, or no, indications of toxicity or unwanted side effects are chosen to be the candidates, called discovery project leads, that will enter further testing in animals and testing in humans.

25 person skilled in the art that the administration route is dependant on the compound in question, particularly, the choice of administration route depends on the physico-chemical properties of the compound together with the age and weight of the patient and on the particular disease and the severity of the same.

35 The pharmaceutical compositions may be formulated according to conventional

pharmaceutical practice, see, e.g., "Remington's Pharmaceutical Sciences" and "Encyclopedia of Pharmaceutical Technology".

Pharmaceutical compositions according to the present invention may be formulated to release the active compound substantially immediately upon administration or at any

- 5 substantially predetermined time or time period after administration. The latter type of compositions are generally known as controlled release formulations. Controlled release formulations may also be denoted "sustained release", "prolonged release", "programmed release", "time release", "rate-controlled" and/or "targeted release" formulations.
- 10 In the present context every pharmaceutical composition is an actual drug delivery system, since upon administration it presents the active drug substance to the body of the organism.

The compounds of the invention are preferably administered in an amount of about 0.1-

- 15 30 mg per kg body weight per day, such as about 0.5-15 mg per kg body weight per day. The compound in question may be administered orally in the form of tablets, cap-sules, elixirs or syrups, or rectally in the form of suppositories. Parenteral administration of the compounds of the invention, is suitably performed in the form of saline solutions of the compounds or with the compound incorporated into liposomes. In cases where the
- 20 compound in itself is not sufficiently soluble to be dissolved, an acid addition salt of a basic compound can be used, or a solubilizer such as ethanol can be applied.

Oral administration. For compositions adapted for oral administration for systemic use, the dosage is normally 1 mg to 1 g per dose administered 1-4 times daily for 1 week, 12 months or even lifelong depending on the disease to be treated.

- 25 Rectal administration. For compositions adapted for rectal a somewhat higher amount of compound is usually preferred, i.e. from approximately 1 mg to 100 mg per kg body weight per day.

Parenteral administration. For parenteral administration a dose of about 0.1 mg to about 50 mg per kg body weight per day is convenient. For intravenous administration a dose

- 30 of about 0.1 mg to about 20 mg per kg body weight per day. For intraarticular administration a dose of about 0.1 mg to about 20 mg per kg body weight per day is usually preferable. For parenteral administration in general, a solution in an aqueous medium of 0.5-2% or more of the active ingredients may be employed.

Cutaneous administration. For topical administration on the skin a dose of about 1 mg to

- 35 about 5 g administered 1-10 times daily is usually preferable.

EXAMPLES

Example 1: Probes for detection of PDE4D dislocation.

These are specific PDE4D variants fused to a GFP. Currently 5 PDE4D splice variants are known: PDE4D1, PDE4D2, PDE4D3, PDE4D4 and PDE4D5. These all share C-

5 terminal sequences but differ in their N-termini.

Inspection of the scientific literature indicates that the PDE4D1 and PDE4D2 subtypes are found only in the cytosolic fraction, whereas PDE4D3, PDE4D4 and PDE4D5 subtypes appear to associate with some form of cellular structure(s). Targetting sequences of PDE4Ds are presently believed to be located in their N-terminal domain(s).

10 In accordance with this, PDE4D1 and PDE4D2 have much shorter N-terminal domains than PDE4D3, PDE4D4 and PDE4D5. To best preserve the normal distribution of PDE4Ds, the fusions are made between the C-terminus of the PDE4D species and the N-terminal of the GFP.

To construct PDE4D-GFP fusions, PDE4D sequences are amplified using PCR
15 according to standard protocols with specific top-primers as listed below, and the common bottom-primer listed below. The PCR products are digested with restriction enzymes Hind3 and EcoR1, and ligated into pEGFP-N1 (Clontech, Palo Alto; GenBank Accession number U55762) digested with Hind3 and EcoR1. This produces PDE4D-EGFP fusions under the control of a CMV promoter (SEQ ID NOs: 5 and 6 (PDE4D5-EGFP); SEQ ID NOs: 3 and 4 (PDE4D4-EGFP); SEQ ID NOs: 1 and 2 (PDE4D3-EGFP)).

20 Top primers all include specific sequences following the ATG, a Kozak sequence, and a cloning site (Hind3). The bottom primer includes the common C-terminal sequence minus the stop codon, an EcoR1 cloning site, and an extra nucleotide to preserve the
25 reading frame in EGFP-N1.

Sequences of top-primers:

5'-GTAAGCTTCGAACATGATGCACGTGAATAATTTTCCC-3' ; specific for PDE4D3A and PDE4D3B (GenBank Acc. nos. L20970 & U50159).

30 5'-GTAAGCTTCGAACATGGAGGCAGAGGGCAGCAGC-3'; specific for PDE4D4A (GenBank Acc. no. L20969).

5'-GTAAGCTTCGAACATGGCTCAGCAGACAAGCCCG-3'; specific for PDE4D5A
(GenBank Acc. no. AF012073).

Sequence of common bottom-primer:

5 5'-GTGAATTCCCGTCGTGTCTCAGGAGAAGCATCATCTATG-3'.

The resulting plasmids are transfected into a suitable cell line, e.g. MVLEC. The subcellular distribution of the probes is examined carefully by fluorescence microscopy, both under resting conditions, and upon elevation of cAMP, e.g. by activation of
10 adenylate cyclase with forskolin, which may or may not have an effect on the normal distribution.

Example 2: Probes for detection of PDE5 dislocation:

These are specific PDE5 variants fused to a GFP. Currently only one main human variant is known (GenBank Acc.nos. AJ004865 and D89094).

- 15 Inspection of the scientific literature indicates that the catalytic domain is contained in the C-terminal part of the protein, so potential targeting sequences of PDE5 may be located in the N-terminal part. To best preserve the normal distribution of PDE5, the first fusion is made between the C-terminus of the PDE5 species and the N-terminal of the GFP.
- 20 To construct the PDE5-GFP fusions, PDE5 sequences are amplified using PCR according to standard protocols with the specific primers listed below. The PCR product is digested with restriction enzymes EcoR1 and Acc65I, and ligated into pEGFP-N1 (Clontech, Palo Alto; GenBank Accession number U55762) digested with EcoR1 and Acc65I. This produces a PDE5-EGFP fusion under the control of a CMV promoter (SEQ
25 ID NOs: 7 and 8).

The top primer includes specific sequences following the ATG, a Kozak sequence, and a cloning site (EcoR1). The bottom primer includes specific C-terminal sequences minus the stop codon, an Acc65I cloning site, and two extra nucleotides to preserve the reading frame in EGFP-N1.

30

PDE5-top :

5'-GTGAATTCAACCATGGAGCGGGCC-3'

PDE5-bottom:

35 5'-GTGGTACCCAGTTCGCTTGGCC

The resulting plasmids are transfected into a suitable cell line, e.g. MVLEC. The subcellular distribution of the probes is examined carefully by fluorescence microscopy, both under resting conditions, and upon elevation of cGMP, e.g. by activation of cyclase
5 with NO or nitroprusside, which may or may not have an effect on the normal distribution.

EXAMPLE 3: Probes for detection of IKK redistribution.

Modulation of IKK β redistribution by mis-targeting provoke an inhibition of cytokine-induced NF-kappaB activation. In the present example it is shown that specific mis-targeting of IKK β inhibits cytokine-induced NF-kappaB activation. Dislocation of
10 endogenous IKK β from its anchoring sites is achieved by expression of a C-terminal part of IKK β (PS473). The PS473 probe, which is a GFP fusion, allows a simultaneous monitoring of its localisation and redistribution.

Expression of the PS473 probe has a clear inhibitory activity on cytokine-induced
15 activation of NF-kappaB. For the first time we hereby show that dislocating IKK β , without directly affecting its kinase activity, effectively hampers the functional activity of NF-kappaB. This causal relationship between mis-targeting of IKK β and a lacking NF-kappaB activity is studied in two different systems: a) Real-time measurement of NF-kappaB translocation from the cytoplasm to the nucleus, and b) measurement of NF-
20 kappaB induced transcriptional activity.

These are specific IKK subunit variants fused to a GFP. As examples, the following three subunits have been chosen: IKK α (GenBank Acc.no. AF009225) , IKK β (GenBank Acc. No. AF031416), IKK γ (GenBank Acc. No. AF074382) and NIK (GenBank Acc. No.
25 NM003954).

Inspection of the scientific literature indicates that IKK β dissociates transiently from the IKAP complex during activation, and so becomes the first choice for a probe to detect redistribution.

To construct the IKK β -GFP fusion, IKK β sequences are amplified using PCR according
30 to standard protocols with the specific primers listed below. The PCR product is digested with restriction enzymes Hind3 and Acc65I, and ligated into pEGFP-N1 (Clontech, Palo Alto; GenBank Accession number U55762) digested with Hind3 and Acc65I. This produces an IKK β -EGFP fusion under the control of a CMV promoter (SEQ ID NOs: 9 and 10).

The top primer includes specific sequences following the ATG and a cloning site (Hind3). The bottom primer includes specific C-terminal sequences minus the stop codon, an Acc65I cloning site, and two extra nucleotides to preserve the reading frame in EGFP-N1.

5

IKK β -top:

5'-GTAAGCTTACATGAGCTGGTCACCTTCCCTG-3'

IKK β -bottom:

10 5'-GTGGTACCCATGAGGCCTGCTCCAG-3'

The resulting plasmids are transfected into a suitable cell line. The subcellular distribution of the probes is examined carefully by fluorescence microscopy, both under resting conditions, and upon activation, e.g. with TNF α .

15

Probes for detection of activation of the NFkappaB signal transduction pathway.

Plasmid PS377 contains an NFkappaBp65-EGFP fusion. The GenBank accession number of the p65 subunit of NFkappaB is M62399. It is constructed by performing PCR on human cDNA (from Clontech) with specific primers p65-top and p65-bottom. The resulting ca. 1.7 kb PCR product is cut with restriction enzymes Xho1 and Hind3 and cloned into pEGFP-N1 (Clontech) cut with Xho1 and Hind3. This produces an NFkappaB-EGFP fusion (SEQ ID NOs: 11 and 12) under the control of the CMV promoter.

25

p65-top: 5'-TTTCTACTCGAGATGGACGAAGTGTCCCCCTCA-3'

p65-bottom: 5'-TTTGAAGCTTGGAGCTGATCTGACTCAGCAGG-3'

30

Construction of a reporter gene assay for monitoring NFkappaB-induced transcriptional activation:

Plasmid PS397 contains a selectable NFkappaB reporter construct. It is constructed through ligation of two BamH1-Not1 fragments: A 2.4 kb fragment from pNFkappaB-Luc (from Clontech), which contains a luciferase gene and NFkappaB response elements, and a 2.8 kb BamH1-Not1 fragment from pZeoSV (from Invitrogen), which contains

essential plasmid elements and a zeocin selective marker for use in *E. coli* and mammalian cells.

Construction of probes for monitoring IKK β localisation, mis-targeting and redistribution
5 in live cells:

Plasmid PS410 contains an EGFP-IKK β fusion. The GenBank accession number of the beta subunit of IkappaB kinase is AF031416. It is constructed by performing PCR on human cDNA (from Clontech) with specific primers IKK β -top and IKK β -stop. The resulting 2.2 kb PCR product is cut with restriction enzymes Hind3 and Acc65I and
10 cloned into pEGFP-C1 (Clontech) cut with Hind3 and Acc65I. This produces an EGFP-IKK β fusion (SEQ ID NOs: 13 and 14) under the control of the CMV promoter.

IKK β -top: 5'-GTAAGCTTACATGAGCTGGTCACCTTCCCTG-3'

IKK β -stop: 5'-GTGGTACCTCATGAGGCCTGCTCCAG-3'

15 Plasmid PS472 contains a full length IKK β under the control of the CMV promoter. It is constructed by cutting PS410 with restriction enzymes Nhe1 and Hind3, which flank EGFP. This excises EGFP sequences from the plasmid, while placing IKK β immediately downstream of the CMV promoter. The protruding ends generated by the enzymes are
20 then made blunt using Klenow polymerase according to standard protocol, and the plasmid is recircularized with DNA ligase.

PS473 contains EGFP fused to the C-terminal part of IKK β . This part of IKK β contains a putative leucine zipper region, but is without catalytic activity as this function resides in
25 the N-terminal part of IKK β . It is constructed by performing PCR on PS410 with primers IKK β -LZ-top and IKK β -stop. IKK β -LZ-top contains a Hind3 site and specific IKK β sequence from amino acid position 455 in the predicted amino acid sequence. This is almost immediately upstream of the first leucine of the predicted leucine zipper, which is at position 458. The resulting 0.9 kb PCR product is cut with restriction enzymes Hind3
30 and Acc65I and cloned into pEGFP-C1 (Clontech) cut with Hind3 and Acc65I. This produces an EGFP-IKK β -LZdomain fusion (SEQ ID NOs: 15 and 16) under the control of the CMV promoter.

IKK β -LZ-top: 5'-GTAAGCTTCCACCATGATGAATCTCCTCCGAAAC-3'

Plasmid PS474 contains the IKK β C-terminal part under the control of the CMV promoter. It is constructed by cutting PS473 with restriction enzymes Age1 and BspE1, which flank EGFP. This excises EGFP sequences from the plasmid, while placing IKK β sequences immediately downstream of the CMV promoter. As Age1 and BspE1 produce compatible ends, the plasmid is simply recircularized with DNA ligase. The ATG methionine codon at position 455 in the predicted amino acid sequence of IKK β , may serve as initiation codon in this construct.

Transfections and cell culture conditions.

- 10 Chinese hamster ovary cells (CHO), Human epithelial kidney cells (HEK293) and Human epithelial adenocarcinoma cells (HeLa), were transfected with above mentioned plasmids using FuGENE transfection reagent (Boehringer Mannheim). Stable transfectants were selected using 1000 μ g Zeocin/ml (Invitrogen) or 500 μ g G418/ml (*Neo* marker) in the growth medium [DMEM (HEK293 and HeLa) or HAM F12 (CHO) with 1000 mg glucose/l, 10 % fetal bovine serum (FBS), 100 μ g penicillin-streptomycin mixture ml⁻¹, 2 mM L-glutamine purchased from Life Technologies Inc., Gaithersburg, MD, USA).

- For fluorescence microscopy, cells were allowed to adhere to Lab-Tek chambered coverglasses (Nalge Nunc Int., Naperville, IL, USA) for at least 24 hours and cultured to about 80% confluence. Prior to experiments, the cells were cultured over night without selection pressure in DMEM or HAM F-12 medium with glutamax (Life Technologies), 100 μ g penicillin-streptomycin mixture ml⁻¹ and 0.3 % FBS. This medium has low autofluorescence enabling fluorescence microscopy of cells straight from the incubator.

- 25 Microscope imaging of localisation and redistribution in live cells:

Image acquisition of live cells were gathered using a Zeiss Axiovert 135M fluorescence microscope fitted with a Fluor 40X, NA: 1.3 oil immersion objective and coupled to a Photometrics CH250 charged coupled device (CCD) camera. The cells were illuminated with a 100 W HBO arc lamp. For imaging of GFP-based probes we inserted in the light path was a 470 \pm 20 nm excitation filter, a 510 nm dichroic mirror and a 515 \pm 15 nm emission filter. For imaging of the Hoechst 33342 (H1399, Molecular Probes) nuclear stain we used a 380 \pm 20 nm excitation filter, a 410 nm dichroic mirror and a 555 \pm 15 nm emission filter

The cells were kept and monitored to be at 37°C with a custom built stage heater.

Quantification of NF-kappaB redistribution:

Cells are stained with the vital nuclear stain, Hoechst.

A sequence of images with a time separation of 10 sec is acquired. At each time point the sequence consists of one NF-kappaB-GFP image and one image of the Hoechst stained nucleus.

The image sequence is corrected for dark current by performing a pixel-by-pixel subtraction of a dark image (an image taken under the same conditions as the actual image, except the camera shutter is not allowed to open).

The image sequence is corrected for non-uniformity of the illumination by performing a pixel-by-pixel ratio with a flat field correction image (an image taken under the same conditions as the actual image of a uniformly fluorescent specimen).

At each time point the accumulated intensity of the NFkappaB probe in the nucleus is ratioed over the total cytoplasmic intensity. The Hoechst image is used to mask the nucleus.

Results:

The full length IKK β probe (PS410) show an even distribution throughout the cytoplasm when expressed in CHO (Fig. 2) and HEK293 cells. PS473 show a similar localisation after its expression (Fig. 3A). Interestingly however the probe has sensitised the cells to stimuli that induce apoptosis. It is thus observed that the PS473 expressing cells upon 2 hrs of serum starvation undergo apoptosis, in comparison non-transfected cells or PS410 expressing cells did show no sign on apoptosis after similar treatment. The induction of apoptosis could be visualised as a change in the localisation of the PS473 probe from an even distribution throughout the cytoplasm to a discrete punctate localisation (Fig. 3B).

The PS473 provoked mis-tageting of IKK β had pronounced functional consequences. We thus observed a prominent inhibition of IL-1 induced NFkappaB redistribution (Fig. 4). Furthermore we observed an inhibition of IL-1 and TNF α induced activation of the NFkappaB regulated transcription as monitored with the above described luciferase reporter construct (PS397) (Fig. 5).

20 Expression of PS473 inhibits IL-1 (0.5 ng/ml) and TNF- α (0.5 ng/ml) induced NF-kappaB regulated transcription in HEK293 cells.

F

References

- Ashida, S., Sakuma, K., (1992) Adv. Second Messenger Phosphoprotein Res. 25:229-239.
- Baeuerle, P.A., Baltimore, D. (1988) I-kappaB: a specific inhibitor of the NF-kappaB transcription factor. *Science* 242:540-546.
- Baeuerle, P.A., Baltimore, D. (1989) A 65-kappaD subunit of NF-kappaB is required for inhibition of NF-kappaB by I-kappaB. *Genes and Dev.* 3:1689-1698.
- Baldwin, A.S. Jr (1996) The NF-kappaB and I-kappaB proteins: new discoveries and insights. *Annu. Rev. Immunol.* 14:649-683.
- 10 Barnes, P.J. (1995) *Ann. Med.* 27:531-535.
- Beavo, J.A., (1995) *Physiol. Rev* 75:725-748.
- Beavo, J.A., Reifsnnyder, D.H. (1990) *Trends Pharmacol. Sci.* 11:150-155
- Beg, A.A., Finco, T.S., Nantermet, P.V., Baldwin, A.S. (1993) Tumor necrosis factor and interleukin-1 lead to phosphorylation and loss of Ikappa-B α - a mechanism of NF-
- 15 kappaB activation. *Mol. Cell. Biol.* 13:3301-3310.
- Benner, B.M., Ballermann, B.J., Gunning, M.E., Zeidel, M.L. (1990) *Physiol. Rev.* 70:665-699
- Biel, M., Zong, X., Distler, M., Bosse, E., Klugbauer, N., Murakami, M., Flockerzi, V. and Hofmann, F. (1994) Comment in: *Proc Natl Acad Sci USA.* 91: 3505-3509.
- 20 Bird, T.A., Schooley, K., Dower, S.K., Hagen, H., Virca, G.D., (1997) Activation of nuclear transcription factor NF-kappaB by interleukin-1 is accompanied by casein kinase II-mediated phosphorylation of the p65 subunit. 272:32606-32612.
- Blackwell, T.S., Christman, J.W. (1997) The role of nuclear factor-kappa B in cytokine gene regulation. *Am. J. Resp. Cell and Mol. Biol.* 17:3-9.
- 25 Bleasle, K., Burkegaffney, A., Hellewell, P.G. (1998) *Br. J. Pharm.* 124:229-237.
- Bolger *et al.*, (1997) *Biochem. J.* 328:539-548.
- Bolger, G., Michaeli, T., Martins, T., St John, T., Steiner, B., Rodgers, L., Riggs, M., Wigler, M., Ferguson, K. (1993) *Mol. Cell Biol.* 13:6558-6571.
- Bolger, G.B., McPhee, I., Houslay, M.D. (1996) *J. Biol. Chem.* 271:1065-1071
- 30 Bolger, G.B., Rodgers, L., Riggs, M. (1994) *Gene* 149:237-244.
- Bourcier, T., Sukhove, G., Libby P. (1997) The nuclear factor kappa-B signalling pathway participates in dysregulation of vascular smooth muscle cells in vitro and in human atherosclerosis. *J.Biol. Chem.* 272:15817-15824

- Bohrs, V., Dejardin, E., Bonizzi, G., Merville, M.P., Piette, J. (1998) The NF-kappaB transcription factor - role in oncogenesis and in response to anticancer therapeutics. *Medecine Sciences* 14:566-571
- Brattsand, R., Linden, M. (1996) Cytokine modulation by glucocorticoids: mechanisms and actions in cellular studies. *Alimentary Pharmacol. Therapeutics* 10:81-90
- Burns, F., Rodger, I.W. and Pyne, N.J. (1992) *Biochem. J.* 283 (Pt 2): 487-491.
- Chen, ZJ ; Parent, L; Maniatis, T. (1996) Site-specific phosphorylation of i-kappa-b-alpha by a novel ubiquitination-dependent protein-kinase activity. *Cell* 84: 853-862.
- Chini, C.C.S., Grande, J.P., Chini, E.N., Dousa, T.P. (1997) *J. Biol. Chem.* 272:9854-9859.
- Chiu, P.-J., Vemulapalli, S., Chintala, M., Kurowski, S., Tetzloff, G.G., Brown, A.D. and Sybertz, E.J. (1997) *Naunyn-schmiedeberg's Archives of Pharmacology*, 355: 463-469.
- Coghlan, V.M, Hausken, Z.E., Scott, J.D. (1995) *Biochem. Soc. Trans.* 23:592-596.
- Cogswell, P.C., Schienman, R.I., Baldwin, A.S. (1993) Promoter of the human NF-kappaB p50/p105 gene - regulation by NF-kappaB subunits and by c-rel. *J. Immunol.* 150:2794-2804.
- Cohen, L.; Henzel, W.J.; Baeuerle, P.A. (1998) IKAP is a scaffold protein of the Ikb kinase complex . *Nature* 395: 292-296.
- Disanto, M.E., Glaser, K.B., Heaslip, R.J. (1995) *Cell. Sig.* 7:827-835.
- Drewett, J.G. and Garbers, D.L. (1994) *Endocrine Reviews*, 15: 135-162.
- Entman, M.L., Smith, C.W. (1994) *Cardiovasc. Res.* 28:1301-1311
- Essayan, D.M., Kageysootbka, A., Lichenstein, L.M., Huang, S.K.(1997) *J. Pharm. Exp. Ther.* 282:505-512.
- Faux, M.C., Scott, J.D., (1996) *Cell* 85:9-12.
- Ferrari, D., Wesselborg, S., Bauer, M.K.A., Schulze-Osthoff, K., (1997) Extracellular ATP activates transcription factor NF-kappaB through the P2Z purinoreceptor by selectively targeting NF-kappaB p65 (RelA). *J. Cell Biol.* 139:1635-1643
- Fisher, D.A., Smith, J.F., Pillar, J.S., Stdenis, S.H. and Cheng, J.B. (1998) *J. Biol. Chem.* 273: 15559-15564.
- Fujishige, K., Kotera, J., Michibata, H., Yuasa, K., Takebayashi, S., Okumura, K., Omori, K. (1999) *J. Biol. Chem.* 274:18438-18445
- Ghosh, S., *et al.*, (1990) Cloning of the p50 DNA-binding subunit of NF-kappaB: homology to rel and dorsal. *Cell*:62:1007-1018.

- Giorgi, M., Giordano, D., Caniglia, C., Biagioni, S., Augusticocco, G. (1997) *Int. J. Dev. Neurosci.* 15:309-319.
- Giri, D.K., Aggarwal, B.B. (1998) Constitutive activation of NF-kappaB causes resistance to apoptosis in human cutaneous t-cell lymphoma HuT-78 cells - autocrine role of tumor-necrosis factor and reactive oxygen species. 273:14008-14014
- 5 Griswold, D.E. *et al.*, (1993) *Inflammation* 17:333-343.
- Grumont, R.J., Gerondakis, S. (1994) The subunit composition of NF-kappaB complexes changes during B-cell development. *Cell Growth and Diffn.* 5:1321-1331.
- Hallahan, D., Clark, E.T., Kuchibholta, J., Gewertz, B.L., Collins, T. (1995) E-selectin gene induction by ionizing-radiation is independent of cytokine induction. *Biochem. Biophys. Res. Comm.* 217:784-795.
- 10 Hallsworth, M.P., Giembycz, M.A., Barnes, P.J., Lee, T.H. (1996) *Br. J. Pharmacol.* 117:79-86.
- Hattori, Y., Akimoto, K., Murakami, Y., Kasai, K. (1997) Pyrrolidine dithiocarbamate inhibits cytokine-induced VCAM-1 gene expression in rat cardiac myocytes. *Mol. Cell. Biochem.* 177:177-181.
- 15 Hayashi, T., Sekine, T., Okamoto, T. (1993) Identification of a new serine kinase that activates NF-kappaB by direct phosphorylation. *J. Biol. Chem.* 268:26790-26795.
- Hiramoto, M., *et al.*, (1998) Nuclear targeted suppression of NF-kappaB activity by the quinone derivative E3330. *J. Immunol.* 160:810.819.
- 20 Hofmann, F., Dostmann, W., Keilbach, A., Landgraf, W. and Ruth, P. (1992) *Biochimica Et Biophysica Acta*, 1135: 51-60.
- Holliday, L.S., Dean, A.D., Lin, R.H., Greenwald, J.E. and Gluck, S.L. (1997) *Am. J. Physiol.* 272: F283-F291
- 25 Houslay, M.D., Milligan, G. (1997) *Trends in Biochem. Sci.* 22:217-224.
- Houslay, M.D., Sullivan, M., Bolger, G.B. (1998) *Adv. Pharmacol.* 44:225-242
- Hughes B. *et al.*, (1997) *Drug Discov. Today* 2:89-101.
- Hughes, B. *et al.*, (1996) *Br. J. Pharmacol.* 118:1183-1191.
- Huston *et al.*, (1997) *Biochem. J.* 328:549-558.
- 30 Huston, E., Pooley, L., Julien, J., Scotland, G., McPhee, I., Sullivan, M., Bolger, G., Houslay, M.D. (1996) *J. Biol. Chem.* 271:31334-31344.
- Jacobitz, S., McLaughlin, M.M., Livi, G.P., Burman, M., Torphy, T.J. (1996) *Mol. Pharmacol.* 50:891-899.
- Jilg, S. *et al.*, (1996) *J. Pharmacol. Exp. Ther.* 278:421-431.

- Jourd'heuil, D., Morise, Z., Conner, E.M., Grisham, M.B. (1997) Oxidants, transcription factors and intestinal inflammation. *J. Clin. Gastroenterol.* 25:S61-S72.
- Kambayashi, T. *et al.*, (1995) *J. Immunol.* 155:4909-4916.
- Keilbach, A., Ruth, P. and Hofmann, F. (1992) *Eur. J. Biochem.* 208: 467-473.
- 5 Lezoual'ch, F., Behl, C. (1998) Transcription factor NF-kappaB: Friend or foe of neurons? *Mol. Psychiatry* 3:15-20
- Light, D.B., Corbin, J.D. and Stanton, B.A. (1990) *Nature*, 344: 336-339.
- Lincoln, T.M. and Cornwell, T.L. (1993) *Faseb Journal*, 7: 328-338.
- Lincoln, T.M., Komalavilas, P. and Cornwell, T.L. (1994) *Hypertension*, 23: 1141-1147.
- 10 Liu, C., Ding, J.M., Falman, L.E. and Gillette, M.U. (1997) *J. Neuroscience*, 17: 659-666.
- Lochhead, A., Nekrasova, E., Arshavsky, V.Y. and Pyne, N.J. (1997) *J. Biol. Chem.* 272: 18397-18403.
- MacFarland, R.T., Zelus, B.D., Beavo, J.A., (1991) *J. Biol. Chem.* 266:136-142.
- MacMillan-Crow, L.A. and Lincoln, T.M. (1994) *Biochemistry*, 33: 8035-8043.
- 15 Makarov, S.S., Johnston, W.N., Olsen, J.C., Watson, J.M., Mondal, K., Rinehart, C., Haskill, J.S. (1997) NF-kappaB as a target for anti-inflammatory gene therapy - suppression of inflammatory responses in monocytic and stromal cells by stable gene-transfer of I-kappaB α cDNA. *Gene Therapy* 4:846-852
- Mathur, A., Golombek, D.A. and Ralph, M.R. (1996) *Am. J. Physiol.* 270: R1031-R1036
- 20 McPhee, I., *et al.*, (1995) *Biochem. J.* 310:965-974.
- Miotla, J.M., Teixeira, M.M., Jeffery, P.K., Hellewell, P.G. (1995) *Br. J. Pharmacol.* 116:5P.
- Morandini, R., *et al.*, (1996) *Am. J. Physiol.* 270:H807-H816.
- Mukaidd, N. Mahe, Y., Matsushima, K., (1990) Co-operative interaction of NF-kappaB and cis-regulatory enhancer binding protein-like factor binding elements in activation the interleukin-8 gene by pro-inflammatory cytokines. *J. Biol. Chem.* 265:21128-21133.
- 25 Naumann, M., Wulczyn, F.G., Scheidereit, C., (1993) The NF-kappaB precursor p105 and the proto-oncogene product bcl-3 are I-kappaB molecules and control nuclear translocation of NF-kappaB. *EMBO J.* 12:213-222
- 30 Nemoz, G., Prigent, A.F., Moueqqit, M., Fougles, S., Machovschi, O., Pacheco, H. (1985) *Biochem. Pharmacol.* 34:2997-3000.
- Nemoz, G., Sette, C., Conti, M. (1997) *Mol. Pharm.* 51:242-249.

- Neumann, M., Marienfeld, R., Serfling, E. (1997) Rel/NF-kappaB transcription factors and cancer - oncogenesis by dysregulated transcription. *Int. J. Oncology* 11:1335-1347
- Nicholson, C.D., Shahid, M. (1994) *Pulm. Pharmacol.* 7:1-17.
- 5 Nolan, G.P., Fujita, T., Bhatia, K., Huppi, C., Liou, H.C., Scott, M.L., Baltimore, D., (1993) The bcl-3 proto-oncogene encodes a nuclear I-kappaB-like molecule that preferentially interacts with NF-kappaB p50 and p52 in a phosphorylation-dependent manner. *Mol. Cell. Biol.*, 13:3557-3566
- O'Connell, J.C., *et al.*, (1996) *Biochem. J.* 318:255-262.
- 10 O'Neill, L.A., Kaltschmidt, C. (1997) NF-kappaB: a crucial transcription factor for glial and neuronal cell function. *Trends Neurosci.* 20:252-258.
- Obermölte, R., Ratzliff, J., Baecker, P.A., Daniels, D.V., Zuppan, P., Jarnagin, K., Shelton, E.R. (1997) *Biochim. Biophys. Acta* 1353:287-297.
- Owens, R.J., Catterall, C., Batty, D., Jappy, J., Russell, A., Smith, B., O'Connell, J.,
- 15 Perry, M. (1997) *Biochem. J.* 326:53-60.
- Pawson, T., Scott, J.D. (1997) *Science* 278:2075-2080.
- Perry, M.J., Higgs, G.A. (1998) *Curr. Opin. Chem. Biol.* 2:472-481.
- Pettipfer, E.R., *et al.*, (1996) *Br. J. Pharmacol.* 117:1530-1534.
- Pooley, L., Shakur, Y., Rena, G., Houslay, M.D. (1997) *Biochem. J.* 321:177-185.
- 20 Prabhakar, U., *et al.*, (1994) *Int. J. Immunopharmacol.* 16:805-816.
- Pyne, N.J., Arshavsky, V. and Lochhead, A. (1996) *Biochem. Soc. Trans.* 24: 1019-1022.
- Pyne, N.J., Cooper, M.E. and Houslay, M.D. (1987) *Biochemical Journal*, 242: 33-42.
- Raeburn, D. and Karlsson, J.A. (1993) *J. Pharm. Exp. Ther.* 267: 1147-1152.
- 25 Raeburn, D., Advenier, C. (1995) *Int. J. Biochem. Cell Biol.* 27:29-37.
- Rothwarf, D.M., Zandi, E., Natoli, G., Karin, M. (1998) IKK-g is an essential regulatory subunit of the Ikb kinase complex. *Nature* 395: 297-300.
- Schulze-Osthoff, K., Ferrari, D., Riehemann, K., Wesselborg, S. (1997) Regulation of NF-kappaB activation by MAP kinase cascades. *Immunobiol.* 198:35-49.
- 30 Scotland *et al.*, (1998) *Methods - A companion to Meth. Enzymology* 14:65-79.
- Seckel, L. *et al.*, (1995) *Clin. Exp. Immunol.* 100:126-132.
- Sen, R., Baltimore, D., 1986. Inducibility of kappa immunoglobulin enhancer-binding protein NF-kappaB by a post-translational mechanism. *Cell* 47:921-928.
- Sette, C., Conti, M., (1996) *J. Biol. Chem.* 271:16526-16534.
- 35 Sette, C., Conti, M., (1996) *J. Biol. Chem.* 271:16526-16534.

- Shakur, Y. *et al.*, (1995) *Biochem. J.* 310:965-974.
- Smith, R.S., Smith, T.J., Blieden, T.M., Phipps, R.P. (1997) Fibroblasts as sentinel cells. Synthesis of chemokines and regulation of inflammation. *Am. J. Path.* 151:317-322.
- Soderling, S.H., Bayuga, S.J. and Beavo, J.A. (1998) *J. Biol. Chem.* 273: 15553-15558.
- 5 Soderling, S.H., Bayuga, S.J., Beavo, J.A. (1999) *Proc. Natl. Acad. Sci. U.S.A.* 96:7071-7076
- Swinnen, J.V., Joseph, D.R., Conti, M. (1989) *Proc. Natl. Acad. Sci. U.S.A.* 86:8197-8201.
- Swinnen, J.V., Tsikalas, K.E., Conti, M. (1991) *J. Biol. Chem.* 266:18370-18377.
- 10 Teixeira, M.M., Gristwood, R.W., Cooper, N., Hellewell, P.G. (1997) *Trends in Pharm. Science* 18:164-171.
- Teixeira, M.M., Rossi, A.G., Giembycz, M.A., Hellewell, P.G. (1996) *Br. J. Pharmacol.* 118:2099-2106.
- Teixeira, M.M., Rossi, A.G., Williams, T.J., Hellewell, P.G. (1994) *Br. J. Pharmacol.* 112:332-340.
- 15 Thomas, M.K., Francis, S.H. and Corbin, J.D. (1990) *J. Biol. Chem.* 265: 14971-14978.
- Torphy, T.J. (1998) *Am. J. Respir. Crit. Care Med.* 157:351-370.
- Turner, C.R., Andresen, C.J., Smith, W.B., Watson, J.W. (1994) *Am. J. Respir. Crit. Care Med.* 149:1153-1159.
- 20 Vaandrager, A.B. and de Jonge, H.R. (1996) *Mol. Cell. Biochem.* 157: 23-30.
- Vemulapalli, S., Watkins, R.W., Chintala, M., Davis, H., Ahn, H.S., Fawzi, A., Tulshian, D., Chiu, P., Chatterjee, M., Lin, C.C. and Sybertz, E.J. (1996) *J. Cardiovasc. Pharm.* 28: 862-869.
- Verghese, M.W., McConnell, R.T., Lenhard, J.M., Hamacher, L., Jin, S.L.C. (1995) *Mol. Pharm.* 47:1164-1171.
- 25 Wachtel, H. (1982) *Psychopharmacology* 77:309-314.
- Watanabe, N., Iwamura, T., Shinoda, T., Fujita, T. (1997) Regulation of NF-kappaB 1 proteins by the candidate oncoprotein bcl3 - generation of NF-kappaB homodimers from the cytoplasmic pool of p50-p105 and nuclear translocation. *EMBO J.* 16:3609-3620.
- 30 Wilson, M., Sullivan, M, Brown, N., Houslay, M.D. (1994) *Biochem. J.* 304:407-415.
- Wulczyn, F.G., Krappmann, D., Scheidereit, C., (1996) the NF-kappaB B/Rel and I-kappaB gene families: mediators of immune response and inflammation. *J. Mol. Medicine* 74:749-769.

Zhong, H.H., Voll, R.E., Ghosh, S., (1998) Phosphorylation of NF-kappaB p65 by PKA stimulates transcriptional activity by promoting a novel bivalent interaction with the coactivator CBP/p300. *Molecular Cell* 5:661-671.

10979 4026800

22130PC1

ART 34 AMDT

168

International Patent Application No. PCT/DK99/00567

Our ref: 22130PC1, Redistribution targets

BioImage A/S

5 CLAIMS

1. A method for finding a compound that modulates targeting and redistribution of an I-kappa kinase comprising

- recording variation, caused by the compound on a mechanically intact living cell or mechanically intact living cells, in spatially distributed light emitted from a luminophore, the luminophore being part of a fluorescent probe further comprising at least a part of the I-kappa kinase, the fluorescent probe being present in the cell or cells, and
- processing the recorded variation in the spatially distributed light to provide quantitative information correlating the variation in spatial distributed light with the effect of the compound on the cellular response.

2. A method according to any of the preceding claims, wherein the luminophore is a green fluorescent protein (GFP).

3. A method according to any of the preceding claims, wherein the GFP is a fluorescent protein derived from *Aequorea Green Fluorescent Protein* or any functional analogue thereof, wherein the amino acid in position 1 upstream from the chromophore has been mutated to provide an increase of fluorescence intensity when the fluorescent protein of the invention is expressed in cells.

4. A method according to any of the preceding claims, wherein the GFP is F64L-GFP, F64L-Y66H-GFP or F64L-S65T-GFP.

5. A method according to any of the preceding claims, wherein the GFP is EGFP.

6. A method according to any of the preceding claims, wherein the I-kappaB kinase is selected from the group consisting of I-kappaB kinase α , I-kappaB kinase β , I-kappaB kinase γ and NIK.

krav 1 2nd wo 22130pc1 claims.1.doc

22130PC1

69

7. A method according to any of the preceding claims, wherein the I-kappaB kinase is I-kappaB kinase β .

8. A method according to any of the preceding claims, wherein the luminophore comprises a nucleotide sequence encoding the protein corresponding to amino acids 331-360 of SEQ ID

5 NO: 16.

9. A method according to any of the preceding claims, wherein the fluorescent probe is expressed in the cell or cells.

10. A screening assay for carrying out the method of any of the previous claims.

109720-1029869

krav 1 2nd wo.22130pc1.claims.1.doc




Figures**Fig. 1A****Fig. 1B****Fig. 2**

Fig. 3A



Fig. 3B




Fig. 4





Fig. 5



BIRCH, STEWART, KOLASCH & BIRCH, LLP

P.O. Box 747 • Falls Church, Virginia 22040-0747
 Telephone: (703) 205-8000 • Facsimile: (703) 205-8050

PLEASE NOTE:
 YOU MUST
 COMPLETE THE
 FOLLOWING

COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT AND DESIGN APPLICATIONS

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated next to my name; that I verily believe that I am the original, first and sole inventor (if only one inventor is named below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Insert Title:

SPECIFIC THERAPEUTIC INTERVENTIONS OBTAINED BY INTERFERENCE WITH REDISTRIBUTION AND/OR TARGETING OF CYCLIC NUCLEOTIDE PHOSPHODIESTERASES OF 1-KAPPA-B KINASES

Fill in Appropriate
 Information -
 For Use Without
 Specification
 Attached:

the specification of which is attached hereto. If not attached hereto,

the specification was filed on April 4, 2001 as
 United States Application Number 09/806,701 _____;
 and amended on APRIL 4, 2001 _____ (if applicable) and/or
 the specification was filed on October 15, 1999 _____ as PCT
 International Application Number PCT/DK99/00567 _____; and was
 amended under PCT Article 19 on November 16, 2000 _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I do not know and do not believe the same was ever known or used in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representative or assigns more than twelve months (six months for designs) prior to this application, and that no application for patent or inventor's certificate on this invention has been filed in any country foreign to the United States of America prior to this application by me or my legal representatives or assigns, except as follows.

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

Insert Priority
 Information:
 (if appropriate)

PA 1998 01321 (Number)	DENMARK (Country)	October 15, 1998 (Month/Day/Year Filed)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
PA 1999 01322 (Number)	DENMARK (Country)	October 15, 1998 (Month/Day/Year Filed)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
PA 1998 01323 (Number)	DENMARK (Country)	October 15, 1998 (Month/Day/Year Filed)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
_____ (Number)	_____ (Country)	_____ (Month/Day/Year Filed)	<input type="checkbox"/> Yes <input type="checkbox"/> No

I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States provisional applications(s) listed below.

Insert Provisional
 Application(s):
 (if any)

(Application Number)	(Filing Date)
_____ (Application Number)	_____ (Filing Date)

All Foreign Applications, if any, for any Patent or Inventor's Certificate Filed More than 12 Months (6 Months for Designs) Prior to the Filing Date of This Application:

Country	Application Number	Date of Filing (Month/Day/Year)
_____	_____	_____
_____	_____	_____

Insert Requested
 Information:
 (if appropriate)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States and/or PCT application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States and/or PCT application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is material to the patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

Insert Prior U.S.
 Application(s):
 (if any)

(Application Number)	(Filing Date)	(Status - patented, pending, abandoned)
_____ (Application Number)	_____ (Filing Date)	_____ (Status - patented, pending, abandoned)

09/06/01 10:47:30

I hereby appoint the following attorneys to prosecute this application and/or an international application based on this application and to transact all business in the Patent and Trademark Office connected therewith and in connection with the resulting patent based on instructions received from the entity who first sent the application papers to the attorneys identified below, unless the inventor(s) or assignee provides said attorneys with a written notice to the contrary:

Raymond C. Stewart	(Reg. No. 21,066)	Terrell C. Birch	(Reg. No. 19,382)
Joseph A. Kolasch	(Reg. No. 22,463)	James M. Slattery	(Reg. No. 28,380)
Bernard L. Sweeney	(Reg. No. 24,448)	Michael K. Mutter	(Reg. No. 29,680)
Charles Gorenstein	(Reg. No. 29,271)	Gerald M. Murphy, Jr.	(Reg. No. 28,977)
Leonard R. Svensson	(Reg. No. 30,330)	Terry L. Clark	(Reg. No. 32,644)
Andrew D. Meikle	(Reg. No. 32,868)	Marc S. Weiner	(Reg. No. 32,181)
Joe McKinney Muncy	(Reg. No. 32,334)	Donald J. Daley	(Reg. No. 34,313)
John W. Bailey	(Reg. No. 32,881)	John A. Castellano	(Reg. No. 35,094)
Gary D. Yacura	(Reg. No. 35,416)		

Send Correspondence to:

BIRCH, STEWART, KOLASCH & BIRCH, LLPor **Customer No. 2292**

P.O. Box 747 • Falls Church, Virginia 22040-0747

Telephone: (703) 205-8000 • Facsimile: (703) 205-8050

PLEASE NOTE:
YOU MUST
COMPLETE
THE
FOLLOWING:

Full Name of Inventor
as it appears on
the Patent Application
Signature of Inventor
as it appears on the
Patent Application

Insert Residence
Insert Citizenship

Insert Post Office
Address

Full Name of Second
Inventor, if any

Full Name of Third
Inventor, if any

Full Name of Fourth
Inventor, if any

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

GIVEN NAME/FAMILY NAME Per Q. G. Ardhannur	INVENTOR'S SIGNATURE <i>Per Q. G. Ardhannur</i>	DATE 2nd April 27
Residence (City, State & Country) Helsingborg SWEDEN	CITIZENSHIP Swedish	SEX SEX
MAILING ADDRESS (Complete Street Address including City, State & Country) Husengjovagen 97, S-25252 Helsingborg SWEDEN		
GIVEN NAME/FAMILY NAME Bernard Robert TERRY	INVENTOR'S SIGNATURE <i>Bernard R. Terry</i>	DATE 10 May 2001
Residence (City, State & Country) Frederiksberg C DENMARK	CITIZENSHIP British/Danish	SEX G-BN
MAILING ADDRESS (Complete Street Address including City, State & Country) Frederiksberg Alle 15, L, DK-1820 Frederiksberg C DENMARK		
GIVEN NAME/FAMILY NAME Kurt Marshall Scudder	INVENTOR'S SIGNATURE <i>Kurt M. Scudder</i>	DATE 2001-APR-27
Residence (City, State & Country) Virum DENMARK	CITIZENSHIP Danish	SEX DKX
MAILING ADDRESS (Complete Street Address including City, State & Country) Lavendelhaven 70, DK-2830 Virum DENMARK		
GIVEN NAME/FAMILY NAME Sara Petersen BJORN	INVENTOR'S SIGNATURE <i>Sara P. Bjorn</i>	DATE 2001-05-10
Residence (City, State & Country) Lynghy DENMARK	CITIZENSHIP Danish	SEX DKX
MAILING ADDRESS (Complete Street Address including City, State & Country) Klampenborgvej 102, DK-2800 Lynghy DENMARK		

*DATE OF SIGNATURE

Full Name of 7th
Inventor, if any
see above
5-00

GIVEN NAME/FAMILY NAME <u>Cle THASTRUP</u>		INVENTOR'S SIGNATURE <i>Cle Thastrup</i>	DATE <u>10.5.01</u>
Residence (City, State & Country) <u>Birkeroed DENMARK</u>		CITIZENSHIP Danish <u>DKX</u>	
MAILING ADDRESS (Complete Street Address including City, State & Country) <u>Birkevej 37, DK-3460 Birkeroed DENMARK</u>			
GIVEN NAME/FAMILY NAME		INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP	
MAILING ADDRESS (Complete Street Address including City, State & Country)			
GIVEN NAME/FAMILY NAME		INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP	
MAILING ADDRESS (Complete Street Address including City, State & Country)			
GIVEN NAME/FAMILY NAME		INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP	
MAILING ADDRESS (Complete Street Address including City, State & Country)			
GIVEN NAME/FAMILY NAME		INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP	
MAILING ADDRESS (Complete Street Address including City, State & Country)			
GIVEN NAME/FAMILY NAME		INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP	
MAILING ADDRESS (Complete Street Address including City, State & Country)			
GIVEN NAME/FAMILY NAME		INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP	
MAILING ADDRESS (Complete Street Address including City, State & Country)			
GIVEN NAME/FAMILY NAME		INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP	
MAILING ADDRESS (Complete Street Address including City, State & Country)			

Full Name of Sixth
Inventor, if any
see above

Full Name of Seventh
Inventor, if any
see above

Full Name of Eighth
Inventor, if any
see above

Full Name of Ninth
Inventor, if any
see above

Full Name of Tenth
Inventor, if any
see above

Full Name of Eleventh
Inventor, if any
see above

Full Name of Twelfth
Inventor, if any
see above

*DATE OF SIGNATURE

SEQUENCE LISTING

<110> ARKHAMMAR, Per O. et al.

<120> SPECIFIC THERAPEUTIC INTERVENTIONS OBTAINED BY INTERFERENCE WITH REDISTRIBUTION AND/OR TARGETING OF CYCLIC NUCLEOTIDE PHOSPHODIESTERASES OF I-KAPPA-B KINASES

<130> 0459-0573P

<140> 09/806,701

<141> 2001-04-04

<160> 29

<170> PatentIn version 3.1

<210> 1

<211> 2793

<212> DNA

<213> Artificial Sequence

<220>

<223> fusion between Aequorea victoria and human

<220>

<221> CDS

<222> (1)..(2793)

<223>

<400> 1

atg atg cac gtg aat aat ttt ccc ttt aga agg cat tcc tgg ata tgt	48
Met Met His Val Asn Asn Phe Pro Phe Arg Arg His Ser Trp Ile Cys	
1 5 10 15	

ttt gat gtg gac aat ggc aca tct gcg gga cgg agt ccc ttg gat ccc	96
Phe Asp Val Asp Asn Gly Thr Ser Ala Gly Arg Ser Pro Leu Asp Pro	
20 25 30	

atg acc agc cca gga tcc ggg cta att ctc caa gca aat ttt gtc cac	144
Met Thr Ser Pro Gly Ser Gly Leu Ile Leu Gln Ala Asn Phe Val His	
35 40 45	

agt caa cga cgg gag tcc ttc ctg tat cga tcc gac agc gat tat gac	192
Ser Gln Arg Arg Glu Ser Phe Leu Tyr Arg Ser Asp Ser Asp Tyr Asp	
50 55 60	

ctc tct cca aag tct atg tcc cgg aac tcc tcc att gcc agt gat ata	240
Leu Ser Pro Lys Ser Met Ser Arg Asn Ser Ser Ile Ala Ser Asp Ile	
65 70 75 80	

cac gga gat gac ttg att gtg act cca ttt gct cag gtc ttg gcc agt	288
His Gly Asp Asp Leu Ile Val Thr Pro Phe Ala Gln Val Leu Ala Ser	
85 90 95	

ctg cga act gta cga aac aac ttt gct gca tta act aat ttg caa gat	336
Leu Arg Thr Val Arg Asn Asn Phe Ala Ala Leu Thr Asn Leu Gln Asp	
100 105 110	
cga gca cct agc aaa aga tca ccc atg tgc aac caa cca tcc atc aac	384
Arg Ala Pro Ser Lys Arg Ser Pro Met Cys Asn Gln Pro Ser Ile Asn	
115 120 125	
aaa gcc acc ata aca gag gag gcc tac cag aaa ctg gcc agc gag acc	432
Lys Ala Thr Ile Thr Glu Glu Ala Tyr Gln Lys Leu Ala Ser Glu Thr	
130 135 140	
ctg gag gag ctg gac tgg tgt ctg gac cag cta gag acc cta cag acc	480
Leu Glu Glu Leu Asp Trp Cys Leu Asp Gln Leu Glu Thr Leu Gln Thr	
145 150 155 160	
agg cac tcc gtc agt gag atg gcc tcc aac aag ttt aaa agg atg ctt	528
Arg His Ser Val Ser Glu Met Ala Ser Asn Lys Phe Lys Arg Met Leu	
165 170 175	
aat cgg gag ctc acc cat ctc tct gaa atg agt cgg tct gga aat caa	576
Asn Arg Glu Leu Thr His Leu Ser Glu Met Ser Arg Ser Gly Asn Gln	
180 185 190	
gtg tca gag ttt ata tca aac aca ttc tta gat aag caa cat gaa gtg	624
Val Ser Glu Phe Ile Ser Asn Thr Phe Leu Asp Lys Gln His Glu Val	
195 200 205	
gaa att cct tct cca act cag aag gaa aag gag aaa aag aaa aga cca	672
Glu Ile Pro Ser Pro Thr Gln Lys Glu Lys Glu Lys Lys Arg Pro	
210 215 220	
atg tct cag atc agt gga gtc aag aaa ttg atg cac agc tct agt ctg	720
Met Ser Gln Ile Ser Gly Val Lys Lys Leu Met His Ser Ser Ser Leu	
225 230 235 240	
act aat tca agt atc cca agg ttt gga gtt aaa act gaa caa gaa gat	768
Thr Asn Ser Ser Ile Pro Arg Phe Gly Val Lys Thr Glu Gln Glu Asp	
245 250 255	
gtc ctt gcc aag gaa cta gaa gat gtg aac aaa tgg ggt ctt cat gtt	816
Val Leu Ala Lys Glu Leu Glu Asp Val Asn Lys Trp Gly Leu His Val	
260 265 270	
ttc aga ata gca gag ttg tct ggt aac cgg ccc ttg act gtt atc atg	864
Phe Arg Ile Ala Glu Leu Ser Gly Asn Arg Pro Leu Thr Val Ile Met	
275 280 285	
cac acc att ttt cag gaa cgg gat tta tta aaa aca ttt aaa att cca	912
His Thr Ile Phe Gln Glu Arg Asp Leu Leu Lys Thr Phe Lys Ile Pro	
290 295 300	
gta gat act tta att aca tat ctt atg act ctc gaa gac cat tac cat	960
Val Asp Thr Leu Ile Thr Tyr Leu Met Thr Leu Glu Asp His Tyr His	
305 310 315 320	

gct gat gtg gcc tat cac aac aat atc cat gct gca gat gtt gtc cag Ala Asp Val Ala Tyr His Asn Asn Ile His Ala Ala Asp Val Val Gln 325 330 335	1008
tct act cat gtg cta tta tct aca cct gct ttg gag gct gtg ttt aca Ser Thr His Val Leu Leu Ser Thr Pro Ala Leu Glu Ala Val Phe Thr 340 345 350	1056
gat ttg gag att ctt gca gca att ttt gcc agt gca ata cat gat gta Asp Leu Glu Ile Leu Ala Ala Ile Phe Ala Ser Ala Ile His Asp Val 355 360 365	1104
gat cat cct ggt gtg tcc aat caa ttt ctg atc aat aca aac tct gaa Asp His Pro Gly Val Ser Asn Gln Phe Leu Ile Asn Thr Asn Ser Glu 370 375 380	1152
ctt gcc ttg atg tac aat gat tcc tca gtc tta gag aac cat cat ttg Leu Ala Leu Met Tyr Asn Asp Ser Ser Val Leu Glu Asn His His Leu 385 390 395 400	1200
gct gtg ggc ttt aaa ttg ctt cag gaa gaa aac tgt gac att ttc cag Ala Val Gly Phe Lys Leu Leu Gln Glu Glu Asn Cys Asp Ile Phe Gln 405 410 415	1248
aat ttg acc aaa aaa caa aga caa tct tta agg aaa atg gtc att gac Asn Leu Thr Lys Lys Gln Arg Gln Ser Leu Arg Lys Met Val Ile Asp 420 425 430	1296
atc gta ctt gca aca gat atg tca aaa cac atg aat cta ctg gct gat Ile Val Leu Ala Thr Asp Met Ser Lys His Met Asn Leu Leu Ala Asp 435 440 445	1344
ttg aag act atg gtt gaa act aag aaa gtg aca agc tct gga gtt ctt Leu Lys Thr Met Val Glu Thr Lys Lys Val Thr Ser Ser Gly Val Leu 450 455 460	1392
ctt ctt gat aat tat tcc gat agg att cag gtt ctt cag aat atg gtg Leu Leu Asp Asn Tyr Ser Asp Arg Ile Gln Val Leu Gln Asn Met Val 465 470 475 480	1440
cac tgt gca gat ctg agc aac cca aca aag cct ctc cag ctg tac cgc His Cys Ala Asp Leu Ser Asn Pro Thr Lys Pro Leu Gln Leu Tyr Arg 485 490 495	1488
cag tgg acg gac cgg ata atg gag gag ttc ttc cgc caa gga gac cga Gln Trp Thr Asp Arg Ile Met Glu Glu Phe Phe Arg Gln Gly Asp Arg 500 505 510	1536
gag agg gaa cgt ggc atg gag ata agc ccc atg tgt gac aag cac aat Glu Arg Glu Arg Gly Met Glu Ile Ser Pro Met Cys Asp Lys His Asn 515 520 525	1584
gct tcc gtg gaa aaa tca cag gtg ggc ttc ata gac tat att gtt cat Ala Ser Val Glu Lys Ser Gln Val Gly Phe Ile Asp Tyr Ile Val His 530 535 540	1632

ccc ctc tgg gag aca tgg gca gac ctc gtc cac cct gac gcc cag gat Pro Leu Trp Glu Thr Trp Ala Asp Leu Val His Pro Asp Ala Gln Asp 545 550 555 560	1680
att ttg gac act ttg gag gac aat cgt gaa tgg tac cag agc aca atc Ile Leu Asp Thr Leu Glu Asp Asn Arg Glu Trp Tyr Gln Ser Thr Ile 565 570 575	1728
cct cag agc ccc tct cct gca cct gat gac cca gag gag ggc cgg cag Pro Gln Ser Pro Ser Pro Ala Pro Asp Asp Pro Glu Glu Gly Arg Gln 580 585 590	1776
ggc caa act gag aaa ttc cag ttt gaa cta act tta gag gaa gat ggt Gly Gln Thr Glu Lys Phe Gln Phe Glu Leu Thr Leu Glu Glu Asp Gly 595 600 605	1824
gag tca gac acg gaa aag gac agt ggc agt caa gtg gaa gaa gac act Glu Ser Asp Thr Glu Lys Asp Ser Gly Ser Gln Val Glu Glu Asp Thr 610 615 620	1872
agc tgc agt gac tcc aag act ctt tgt act caa gac tca gag tct act Ser Cys Ser Asp Ser Lys Thr Leu Cys Thr Gln Asp Ser Glu Ser Thr 625 630 635 640	1920
gaa att ccc ctt gat gaa cag gtt gaa gag gag gca gta ggg gaa gaa Glu Ile Pro Leu Asp Glu Gln Val Glu Glu Glu Ala Val Gly Glu Glu 645 650 655	1968
gag gaa agc cag cct gaa gcc tgt gtc ata gat gat cgt tct cct gac Glu Glu Ser Gln Pro Glu Ala Cys Val Ile Asp Asp Arg Ser Pro Asp 660 665 670	2016
acg acg gga att ctg cag tgc acg gta ccg cgg gcc cgg gat cca ccg Thr Thr Gly Ile Leu Gln Ser Thr Val Pro Arg Ala Arg Asp Pro Pro 675 680 685	2064
gtc gcc acc atg gtg agc aag ggc gag gag ctg ttc acc ggg gtg gtg Val Ala Thr Met Val Ser Lys Gly Glu Glu Leu Phe Thr Gly Val Val 690 695 700	2112
ccc atc ctg gtc gag ctg gac ggc gac gta aac ggc cac aag ttc agc Pro Ile Leu Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser 705 710 715 720	2160
gtg tcc ggc gag ggc gag ggc gat gcc acc tac ggc aag ctg acc ctg Val Ser Gly Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu 725 730 735	2208
aag ttc atc tgc acc acc ggc aag ctg ccc gtg ccc tgg ccc acc ctc Lys Phe Ile Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu 740 745 750	2256
gtg acc acc ctg acc tac ggc gtg cag tgc ttc agc cgc tac ccc gac Val Thr Thr Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp 755 760 765	2304

cac atg aag cag cac gac ttc ttc aag tcc gcc atg ccc gaa ggc tac 2352
 His Met Lys Gln His Asp Phe Phe Lys Ser Ala Met Pro Glu Gly Tyr
 770 775 780

gtc cag gag cgc acc atc ttc ttc aag gac gac ggc aac tac aag acc 2400
Val Gln Glu Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr
785 790 795 800

cgc gcc gag gtg aag ttc gag ggc gac acc ctg gtg aac cgc atc gag 2448
Arg Ala Glu Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu
805 810 815

ctg aag ggc atc gac ttc aag gag gac ggc aac atc ctg ggg cac aag 2496
Leu Lys Gly Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys
820 825 830

ctg gag tac aac tac aac agc cac aac gtc tat atc atg gcc gac aag 2544
Leu Glu Tyr Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys
835 840 845

cag aag aac ggc atc aag gtg aac ttc aag atc cgc cac aac atc gag 2592
Gln Lys Asn Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu
850 855 860

gac ggc agc gtg cag ctc gcc gac cac tac cag cag aac acc ccc atc 2640
Asp Gly Ser Val Gln Leu Ala Asp His Tyr Gln Gln Asn Thr Pro Ile
865 870 875 880

ggc gac ggc ccc gtg ctg ctg ccc gac aac cac tac ctg agc acc cag 2688
Gly Asp Gly Pro Val Leu Leu Pro Asp Asn His Tyr Leu Ser Thr Gln
885 890 895

tcc gcc ctg agc aaa gac ccc aac gag aag cgc gat cac atg gtc ctg 2736
Ser Ala Leu Ser Lys Asp Pro Asn Glu Lys Arg Asp His Met Val Leu
900 905 910

ctg gag ttc gtg acc gcc gcc ggg atc act ctc ggc atg gac gag ctg 2784
Leu Glu Phe Val Thr Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu
915 920 925

tac aag taa 2793
Tyr Lys
930

<210> 2

<211> 930

<212> PRT

<213> Artificial Sequence

 $\langle 220 \rangle$

<223> fusion between *Aequorea victoria* and human

<400> 2

Met Met His Val Asn Asn Phe Pro Phe Arg Arg His Ser Trp Ile Cys

1					5						10						15		
Phe	Asp	Val	Asp	Asn	Gly	Thr	Ser	Ala	Gly	Arg	Ser	Pro	Leu	Asp	Pro				
			20					25					30						
Met	Thr	Ser	Pro	Gly	Ser	Gly	Leu	Ile	Leu	Gln	Ala	Asn	Phe	Val	His				
		35					40					45							
Ser	Gln	Arg	Arg	Glu	Ser	Phe	Leu	Tyr	Arg	Ser	Asp	Ser	Asp	Tyr	Asp				
		50				55					60								
Leu	Ser	Pro	Lys	Ser	Met	Ser	Arg	Asn	Ser	Ser	Ile	Ala	Ser	Asp	Ile				
65					70					75					80				
His	Gly	Asp	Asp	Leu	Ile	Val	Thr	Pro	Phe	Ala	Gln	Val	Leu	Ala	Ser				
				85					90					95					
Leu	Arg	Thr	Val	Arg	Asn	Asn	Phe	Ala	Ala	Leu	Thr	Asn	Leu	Gln	Asp				
			100					105					110						
Arg	Ala	Pro	Ser	Lys	Arg	Ser	Pro	Met	Cys	Asn	Gln	Pro	Ser	Ile	Asn				
		115					120					125							
Lys	Ala	Thr	Ile	Thr	Glu	Glu	Ala	Tyr	Gln	Lys	Leu	Ala	Ser	Glu	Thr				
		130			135						140								
Leu	Glu	Glu	Leu	Asp	Trp	Cys	Leu	Asp	Gln	Leu	Glu	Thr	Leu	Gln	Thr				
145				150					155					160					
Arg	His	Ser	Val	Ser	Glu	Met	Ala	Ser	Asn	Lys	Phe	Lys	Arg	Met	Leu				
				165					170					175					
Asn	Arg	Glu	Leu	Thr	His	Leu	Ser	Glu	Met	Ser	Arg	Ser	Gly	Asn	Gln				
			180					185					190						
Val	Ser	Glu	Phe	Ile	Ser	Asn	Thr	Phe	Leu	Asp	Lys	Gln	His	Glu	Val				
		195					200					205							
Glu	Ile	Pro	Ser	Pro	Thr	Gln	Lys	Glu	Lys	Glu	Lys	Lys	Lys	Arg	Pro				
	210					215					220								
Met	Ser	Gln	Ile	Ser	Gly	Val	Lys	Lys	Leu	Met	His	Ser	Ser	Ser	Leu				

225

230

235

240

Thr Asn Ser Ser Ile Pro Arg Phe Gly Val Lys Thr Glu Gln Glu Asp
245 250 255

Val Leu Ala Lys Glu Leu Glu Asp Val Asn Lys Trp Gly Leu His Val
260 265 270

Phe Arg Ile Ala Glu Leu Ser Gly Asn Arg Pro Leu Thr Val Ile Met
275 280 285

His Thr Ile Phe Gln Glu Arg Asp Leu Leu Lys Thr Phe Lys Ile Pro
290 295 300

Val Asp Thr Leu Ile Thr Tyr Leu Met Thr Leu Glu Asp His Tyr His
305 310 315 320

Ala Asp Val Ala Tyr His Asn Asn Ile His Ala Ala Asp Val Val Gln
325 330 335

Ser Thr His Val Leu Leu Ser Thr Pro Ala Leu Glu Ala Val Phe Thr
340 345 350

Asp Leu Glu Ile Leu Ala Ala Ile Phe Ala Ser Ala Ile His Asp Val
355 360 365

Asp His Pro Gly Val Ser Asn Gln Phe Leu Ile Asn Thr Asn Ser Glu
370 375 380

Leu Ala Leu Met Tyr Asn Asp Ser Ser Val Leu Glu Asn His His Leu
385 390 395 400

Ala Val Gly Phe Lys Leu Leu Gln Glu Glu Asn Cys Asp Ile Phe Gln
405 410 415

Asn Leu Thr Lys Lys Gln Arg Gln Ser Leu Arg Lys Met Val Ile Asp
420 425 430

Ile Val Leu Ala Thr Asp Met Ser Lys His Met Asn Leu Leu Ala Asp
435 440 445

Leu Lys Thr Met Val Glu Thr Lys Lys Val Thr Ser Ser Gly Val Leu

450

455

460

Leu Leu Asp Asn Tyr Ser Asp Arg Ile Gln Val Leu Gln Asn Met Val
465 470 475 480

His Cys Ala Asp Leu Ser Asn Pro Thr Lys Pro Leu Gln Leu Tyr Arg
485 490 495

Gln Trp Thr Asp Arg Ile Met Glu Glu Phe Phe Arg Gln Gly Asp Arg
500 505 510

Glu Arg Glu Arg Gly Met Glu Ile Ser Pro Met Cys Asp Lys His Asn
515 520 525

Ala Ser Val Glu Lys Ser Gln Val Gly Phe Ile Asp Tyr Ile Val His
530 535 540

Pro Leu Trp Glu Thr Trp Ala Asp Leu Val His Pro Asp Ala Gln Asp
545 550 555 560

Ile Leu Asp Thr Leu Glu Asp Asn Arg Glu Trp Tyr Gln Ser Thr Ile
565 570 575

Pro Gln Ser Pro Ser Pro Ala Pro Asp Asp Pro Glu Glu Gly Arg Gln
* 580 585 590

Gly Gln Thr Glu Lys Phe Gln Phe Glu Leu Thr Leu Glu Glu Asp Gly
595 600 605

Glu Ser Asp Thr Glu Lys Asp Ser Gly Ser Gln Val Glu Glu Asp Thr
610 615 620

Ser Cys Ser Asp Ser Lys Thr Leu Cys Thr Gln Asp Ser Glu Ser Thr
625 630 635 640

Glu Ile Pro Leu Asp Glu Gln Val Glu Glu Glu Ala Val Gly Glu Glu
645 650 655

Glu Glu Ser Gln Pro Glu Ala Cys Val Ile Asp Asp Arg Ser Pro Asp
660 665 670

Thr Thr Gly Ile Leu Gln Ser Thr Val Pro Arg Ala Arg Asp Pro Pro

675

680

685

Val Ala Thr Met Val Ser Lys Gly Glu Glu Leu Phe Thr Gly Val Val
690 695 700

Pro Ile Leu Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser
705 710 715 720

Val Ser Gly Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu
725 730 735

Lys Phe Ile Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu
740 745 750

Val Thr Thr Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp
755 760 765

His Met Lys Gln His Asp Phe Phe Lys Ser Ala Met Pro Glu Gly Tyr
770 775 780

Val Gln Glu Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr
785 790 795 800

Arg Ala Glu Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu
805 810 815

Leu Lys Gly Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys
820 825 830

Leu Glu Tyr Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys
835 840 845

Gln Lys Asn Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu
850 855 860

Asp Gly Ser Val Gln Leu Ala Asp His Tyr Gln Gln Asn Thr Pro Ile
865 870 875 880

Gly Asp Gly Pro Val Leu Leu Pro Asp Asn His Tyr Leu Ser Thr Gln
885 890 895

Ser Ala Leu Ser Lys Asp Pro Asn Glu Lys Arg Asp His Met Val Leu

Leu Glu Phe Val Thr Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu
 915 920 925

Tyr Lys
 930

<210> 3
 <211> 3201
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> fusion between Aequorea victoria and human

<220>
 <221> CDS
 <222> (1)..(3201)
 <223>

<400> 3
 atg gag gca gag ggc agc agc gcg ccg gcc cgg gcg ggc agc gga gag 48
 Met Glu Ala Glu Gly Ser Ser Ala Pro Ala Arg Ala Gly Ser Gly Glu
 1 5 10 15
 ggc agc gac agc gcc ggc ggg gcc acg ctc aaa gcc ccc aag cat ctc 96
 Gly Ser Asp Ser Ala Gly Gly Ala Thr Leu Lys Ala Pro Lys His Leu
 20 25 30
 tgg agg cac gag cag cac cac cag tac ccg ctc cgg cag ccc cag ttc 144
 Trp Arg His Glu Gln His His Gln Tyr Pro Leu Arg Gln Pro Gln Phe
 35 40 45
 cgc ctc ctg cat ccc cat cac cac ctg ccc ccg ccg ccg cca ccc tcg 192
 Arg Leu Leu His Pro His His His Leu Pro Pro Pro Pro Pro Ser
 50 55 60
 ccc cag ccc cag ccc cag tgt ccg cta cag ccg ccg ccg ccg ccc ccc 240
 Pro Gln Pro Gln Pro Gln Cys Pro Leu Gln Pro Pro Pro Pro Pro Pro
 65 70 75 80
 ctg ccg ccg ccc ccg ccg ccg ccc ggg gct gcc cgc ggc cgc tac gcc 288
 Leu Pro Pro Pro Pro Pro Pro Gly Ala Ala Arg Gly Arg Tyr Ala
 85 90 95
 tcg agc ggg gcc acc ggc cgc gtc ccg cat cgc ggc tac tcg gac acc 336
 Ser Ser Gly Ala Thr Gly Arg Val Arg His Arg Gly Tyr Ser Asp Thr
 100 105 110
 gag cgc tac ctg tac tgt cgc gcc atg gac cgc acc tcc tac gcg gtg 384
 Glu Arg Tyr Leu Tyr Cys Arg Ala Met Asp Arg Thr Ser Tyr Ala Val

	115	120	125	
	gag acc ggc cac cgg ccc ggc ctg aag aaa tcc agg atg tcc tgg ccc			432
	Glu Thr Gly His Arg Pro Gly	Leu Lys Lys Ser Arg	Met Ser Trp Pro	
	130	135	140	
	tcc tgc ttc cag gga ctc agg cgt ttt gat gtg gac aat ggc aca tct			480
	Ser Ser Phe Gln Gly Leu Arg Arg Phe Asp	Val Asp Asn Gly Thr Ser		
	145	150	155	160
	gcg gga cgg agt ccc ttg gat ccc atg acc agc cca gga tcc ggg cta			528
	Ala Gly Arg Ser Pro Leu Asp Pro Met Thr Ser Pro Gly Ser Gly Leu			
		165	170	175
	att ctc caa gca aat ttt gtc cac agt caa cga cgg gag tcc ttc ctg			576
	Ile Leu Gln Ala Asn Phe Val His Ser Gln Arg Arg Glu Ser Phe Leu			
		180	185	190
	tat cga tcc gac agc gat tat gac ctc tct cca aag tct atg tcc cgg			624
	Tyr Arg Ser Asp Ser Asp Tyr Asp Leu Ser Pro Lys Ser Met Ser Arg			
		195	200	205
	aac tcc tcc att gcc agt gat ata cac gga gat gac ttg att gtg act			672
	Asn Ser Ser Ile Ala Ser Asp Ile His Gly Asp	Leu Ile Val Thr		
		210	215	220
	cca ttt gct cag gtc ttg gcc agt ctg cga act gta cga aac aac ttt			720
	Pro Phe Ala Gln Val Leu Ala Ser Leu Arg Thr Val Arg Asn Asn Phe			
		225	230	235
	gct gca tta act aat ttg caa gat cga gca cct agc aaa aga tca ccc			768
	Ala Ala Leu Thr Asn Leu Gln Asp Arg Ala Pro Ser Lys Arg Ser Pro			
		245	250	255
	atg tgc aac caa cca tcc atc aac aaa gcc acc ata aca gag gag gcc			816
	Met Cys Asn Gln Pro Ser Ile Asn Lys Ala Thr Ile Thr Glu Glu Ala			
		260	265	270
	tac cag aaa ctg gcc agc gag acc ctg gag gag ctg gac tgg tgt ctg			864
	Tyr Gln Lys Leu Ala Ser Glu Thr Leu Glu Glu Leu Asp Trp Cys Leu			
		275	280	285
	gac cag cta gag acc cta cag acc agg cac tcc gtc agt gag atg gcc			912
	Asp Gln Leu Glu Thr Leu Gln Thr Arg His Ser Val Ser Glu Met Ala			
		290	295	300
	tcc aac aag ttt aaa agg atg ctt aat cgg gag ctc acc cat ctc tct			960
	Ser Asn Lys Phe Lys Arg Met Leu Asn Arg Glu Leu Thr His Leu Ser			
		305	310	315
	gaa atg agt cgg tct gga aat caa gtg tca gag ttt ata tca aac aca			1008
	Glu Met Ser Arg Ser Gly Asn Gln Val Ser Glu Phe Ile Ser Asn Thr			
		325	330	335
	ttc tta gat aag caa cat gaa gtg gaa att cct tct cca act cag aag			1056
	Phe Leu Asp Lys Gln His Glu Val Glu Ile Pro Ser Pro Thr Gln Lys			

340										345										350																			
gaa aag gag aaa aag aaa aga cca atg tct cag atc agt gga gtc aag										1104																													
Glu Lys Glu Lys Lys Lys Arg Pro Met Ser Gln Ile Ser Gly Val Lys																																							
355										360										365																			
aaa ttg atg cac agc tct agt ctg act aat tca agt atc cca agg ttt										1152																													
Lys Leu Met His Ser Ser Ser Leu Thr Asn Ser Ser Ile Pro Arg Phe																																							
370										375										380																			
gga gtt aaa act gaa caa gaa gat gtc ctt gcc aag gaa cta gaa gat										1200																													
Gly Val Lys Thr Glu Gln Glu Asp Val Leu Ala Lys Glu Leu Glu Asp																																							
385										390										395										400									
gtg aac aaa tgg ggt ctt cat gtt ttc aga ata gca gag ttg tct ggt										1248																													
Val Asn Lys Trp Gly Leu His Val Phe Arg Ile Ala Glu Leu Ser Gly																																							
405										410										415																			
aac cgg ccc ttg act gtt atc atg cac acc att ttt cag gaa cgg gat										1296																													
Asn Arg Pro Leu Thr Val Ile Met His Thr Ile Phe Gln Glu Arg Asp																																							
420										425										430																			
tta tta aaa aca ttt aaa att cca gta gat act tta att aca tat ctt										1344																													
Leu Leu Lys Thr Phe Lys Ile Pro Val Asp Thr Leu Ile Thr Tyr Leu																																							
435										440										445																			
atg act ctc gaa gac cat tac cat gct gat gtg gcc tat cac aac aat										1392																													
Met Thr Leu Glu Asp His Tyr His Ala Asp Val Ala Tyr His Asn Asn																																							
450										455										460																			
atc cat gct gca gat gtt gtc cag tct act cat gtg cta tta tct aca										1440																													
Ile His Ala Ala Asp Val Val Gln Ser Thr His Val Leu Leu Ser Thr																																							
465										470										475										480									
cct gct ttg gag gct gtg ttt aca gat ttg gag att ctt gca gca att										1488																													
Pro Ala Leu Glu Ala Val Phe Thr Asp Leu Glu Ile Leu Ala Ala Ile																																							
485										490										495																			
ttt gcc agt gca ata cat gat gta gat cat cct ggt gtg tcc aat caa										1536																													
Phe Ala Ser Ala Ile His Asp Val Asp His Pro Gly Val Ser Asn Gln																																							
500										505										510																			
ttt ctg atc aat aca aac tct gaa ctt gcc ttg atg tac aat gat tcc										1584																													
Phe Leu Ile Asn Thr Asn Ser Glu Leu Ala Leu Met Tyr Asn Asp Ser																																							
515										520										525																			
tca gtc tta gag aac cat cat ttg gct gtg ggc ttt aaa ttg ctt cag										1632																													
Ser Val Leu Glu Asn His His Leu Ala Val Gly Phe Lys Leu Leu Gln																																							
530										535										540																			
gaa gaa aac tgt gac att ttc cag aat ttg acc aaa aaa caa aga caa										1680																													
Glu Glu Asn Cys Asp Ile Phe Gln Asn Leu Thr Lys Lys Gln Arg Gln																																							
545										550										555										560									
tct tta agg aaa atg gtc att gac atc gta ctt gca aca gat atg tca										1728																													
Ser Leu Arg Lys Met Val Ile Asp Ile Val Leu Ala Thr Asp Met Ser																																							

565	570	575	
aaa cac atg aat cta ctg gct gat ttg aag act atg gtt gaa act aag Lys His Met Asn Leu Leu Ala Asp Leu Lys Thr Met Val Glu Thr Lys 580 585 590			1776
aaa gtg aca agc tct gga gtt ctt ctt ctt gat aat tat tcc gat agg Lys Val Thr Ser Ser Gly Val Leu Leu Leu Asp Asn Tyr Ser Asp Arg 595 600 605			1824
att cag gtt ctt cag aat atg gtg cac tgt gca gat ctg agc aac cca Ile Gln Val Leu Gln Asn Met Val His Cys Ala Asp Leu Ser Asn Pro 610 615 620			1872
aca aag cct ctc cag ctg tac cgc cag tgg acg gac cgg ata atg gag Thr Lys Pro Leu Gln Leu Tyr Arg Gln Trp Thr Asp Arg Ile Met Glu 625 630 635 640			1920
gag ttc ttc cgc caa gga gac cga gag agg gaa cgt ggc atg gag ata Glu Phe Phe Arg Gln Gly Asp Arg Glu Arg Glu Arg Gly Met Glu Ile 645 650 655			1968
agc ccc atg tgt gac aag cac aat gct tcc gtg gaa aaa tca cag gtg Ser Pro Met Cys Asp Lys His Asn Ala Ser Val Glu Lys Ser Gln Val 660 665 670			2016
ggc ttc ata gac tat att gtt cat ccc ctc tgg gag aca tgg gca gac Gly Phe Ile Asp Tyr Ile Val His Pro Leu Trp Glu Thr Trp Ala Asp 675 680 685			2064
ctc gtc cac cct gac gcc cag gat att ttg gac act ttg gag gac aat Leu Val His Pro Asp Ala Gln Asp Ile Leu Asp Thr Leu Glu Asp Asn 690 695 700			2112
cgt gaa tgg tac cag agc aca atc cct cag agc ccc tct cct gca cct Arg Glu Trp Tyr Gln Ser Thr Ile Pro Gln Ser Pro Ser Pro Ala Pro 705 710 715 720			2160
gat gac cca gag gag gcc cgg cag ggt caa act gag aaa ttc cag ttt Asp Asp Pro Glu Glu Gly Arg Gln Gly Gln Thr Glu Lys Phe Gln Phe 725 730 735			2208
gaa cta act tta gag gaa gat ggt gag tca gac acg gaa aag gac agt Glu Leu Thr Leu Glu Glu Asp Gly Glu Ser Asp Thr Glu Lys Asp Ser 740 745 750			2256
ggc agt caa gtg gaa gaa gac act agc tgc agt gac tcc aag act ctt Gly Ser Gln Val Glu Glu Asp Thr Ser Cys Ser Asp Ser Lys Thr Leu 755 760 765			2304
tgt act caa gac tca gag tct act gaa att ccc ctt gat gaa cag gtt Cys Thr Gln Asp Ser Glu Ser Thr Thr Glu Ile Pro Leu Asp Glu Gln Val 770 775 780			2352
gaa gag gag gca gta ggg gaa gaa gag gaa agc cag cct gaa gcc tgt Glu Glu Glu Ala Val Gly Glu Glu Glu Glu Ser Gln Pro Glu Ala Cys 785 790 795 800			2400

785	790	795	800	
gtc ata gat gat	cgt tct cct gac	acg acg gga att	ctg cag tcg acg	2448
Val Ile Asp Asp	Arg Ser Pro Asp	Thr Thr Gly Ile	Leu Gln Ser Thr	
	805	810	815	
gta ccg cgg gcc	cgg gat cca ccg	gtc gcc acc atg	gtg agc aag ggc	2496
Val Pro Arg Ala	Arg Asp Pro Pro	Val Ala Thr Met	Val Ser Lys Gly	
	820	825	830	
gag gag ctg ttc	acc ggg gtg gtg	ccc atc ctg gtc	gag ctg gac ggc	2544
Glu Glu Leu Phe	Thr Gly Val Val	Pro Ile Leu Val	Glu Leu Asp Gly	
	835	840	845	
gac gta aac ggc	cac aag ttc agc	gtg tcc ggc gag	ggc gag ggc gat	2592
Asp Val Asn Gly	His Lys Phe Ser	Val Ser Gly Glu	Gly Glu Gly Asp	
	850	855	860	
gcc acc tac ggc	aag ctg acc ctg	aag ttc atc tgc	acc acc ggc aag	2640
Ala Thr Tyr Gly	Lys Leu Thr Leu	Lys Phe Ile Cys	Thr Thr Gly Lys	
	865	870	875	880
ctg ccc gtg ccc	tgg ccc acc ctc	gtg acc acc ctg	acc tac ggc gtg	2688
Leu Pro Val Pro	Trp Pro Thr Leu	Val Thr Thr Leu	Thr Tyr Gly Val	
	885	890	895	
cag tgc ttc agc	cgc tac ccc gac	cac atg aag cag	cac gac ttc ttc	2736
Gln Cys Phe Ser	Arg Tyr Pro Asp	His Met Lys Gln	His Asp Phe Phe	
	900	905	910	
aag tcc gcc atg	ccc gaa ggc tac	gtc cag gag cgc	acc atc ttc ttc	2784
Lys Ser Ala Met	Pro Glu Gly Tyr	Val Gln Glu Arg	Thr Ile Phe Phe	
	915	920	925	
aag gac gac ggc	aac tac aag acc	cgc gcc gag gtg	aag ttc gag ggc	2832
Lys Asp Asp Gly	Asn Tyr Lys Thr	Arg Ala Glu Val	Lys Phe Glu Gly	
	930	935	940	
gac acc ctg gtg	aac cgc atc gag	ctg aag ggc atc	gac ttc aag gag	2880
Asp Thr Leu Val	Asn Arg Ile Glu	Leu Lys Gly Ile	Asp Phe Lys Glu	
	945	950	955	960
gac ggc aac atc	ctg ggg cac aag	ctg gag tac aac	tac aac agc cac	2928
Asp Gly Asn Ile	Leu Gly His Lys	Leu Glu Tyr Asn	Tyr Asn Ser His	
	965	970	975	
aac gtc tat atc	atg gcc gac aag	cag aag aac ggc	atc aag gtg aac	2976
Asn Val Tyr Ile	Met Ala Asp Lys	Gln Lys Asn Gly	Ile Lys Val Asn	
	980	985	990	
ttc aag atc cgc	cac aac atc gag	gac ggc agc gtg	cag ctc gcc gac	3024
Phe Lys Ile Arg	His Asn Ile Glu	Asp Gly Ser Val	Gln Leu Ala Asp	
	995	1000	1005	
cac tac cag cag	aac acc ccc atc	ggc gac ggc ccc	gtg ctg ctg	3069
His Tyr Gln Gln	Asn Thr Pro Ile	Gly Asp Gly Pro	Val Leu Leu	

1010	1015	1020	
ccc gac	aac cac tac ctg agc	acc cag tcc gcc ctg	agc aaa gac
Pro Asp	Asn His Tyr Leu Ser	Thr Gln Ser Ala Leu	Ser Lys Asp
1025	1030	1035	3114
ccc aac	gag aag cgc gat cac	atg gtc ctg ctg gag	ttc gtg acc
Pro Asn	Glu Lys Arg Asp His	Met Val Leu Leu Glu	Phe Val Thr
1040	1045	1050	3159
gcc gcc	ggg atc act ctc ggc	atg gac gag ctg tac	aag taa
Ala Ala	Gly Ile Thr Leu Gly	Met Asp Glu Leu Tyr	Lys
1055	1060	1065	3201
<210> 4			
<211> 1066			
<212> PRT			
<213> Artificial Sequence			
<220>			
<223> fusion between Aequorea victoria and human			
<400> 4			
Met Glu Ala Glu Gly Ser Ser Ala Pro Ala Arg Ala Gly Ser Gly Glu			
1	5	10	15
Gly Ser Asp Ser Ala Gly Gly Ala Thr Leu Lys Ala Pro Lys His Leu			
20	25	30	
Trp Arg His Glu Gln His His Gln Tyr Pro Leu Arg Gln Pro Gln Phe			
35	40	45	
Arg Leu Leu His Pro His His His Leu Pro Pro Pro Pro Pro Ser			
50	55	60	
Pro Gln Pro Gln Pro Gln Cys Pro Leu Gln Pro Pro Pro Pro Pro Pro			
65	70	75	80
Leu Pro Pro Pro Pro Pro Pro Pro Gly Ala Ala Arg Gly Arg Tyr Ala			
85	90	95	
Ser Ser Gly Ala Thr Gly Arg Val Arg His Arg Gly Tyr Ser Asp Thr			
100	105	110	
Glu Arg Tyr Leu Tyr Cys Arg Ala Met Asp Arg Thr Ser Tyr Ala Val			
115	120	125	

Glu Thr Gly His Arg Pro Gly Leu Lys Lys Ser Arg Met Ser Trp Pro
 130 135 140

Ser Ser Phe Gln Gly Leu Arg Arg Phe Asp Val Asp Asn Gly Thr Ser
 145 150 155 160

Ala Gly Arg Ser Pro Leu Asp Pro Met Thr Ser Pro Gly Ser Gly Leu
 165 170 175

Ile Leu Gln Ala Asn Phe Val His Ser Gln Arg Arg Glu Ser Phe Leu
 180 185 190

Tyr Arg Ser Asp Ser Asp Tyr Asp Leu Ser Pro Lys Ser Met Ser Arg
 195 200 205

Asn Ser Ser Ile Ala Ser Asp Ile His Gly Asp Asp Leu Ile Val Thr
 210 215 220

Pro Phe Ala Gln Val Leu Ala Ser Leu Arg Thr Val Arg Asn Asn Phe
 225 230 235 240

Ala Ala Leu Thr Asn Leu Gln Asp Arg Ala Pro Ser Lys Arg Ser Pro
 245 250 255

Met Cys Asn Gln Pro Ser Ile Asn Lys Ala Thr Ile Thr Glu Glu Ala
 260 265 270

Tyr Gln Lys Leu Ala Ser Glu Thr Leu Glu Glu Leu Asp Trp Cys Leu
 275 280 285

Asp Gln Leu Glu Thr Leu Gln Thr Arg His Ser Val Ser Glu Met Ala
 290 295 300

Ser Asn Lys Phe Lys Arg Met Leu Asn Arg Glu Leu Thr His Leu Ser
 305 310 315 320

Glu Met Ser Arg Ser Gly Asn Gln Val Ser Glu Phe Ile Ser Asn Thr
 325 330 335

Phe Leu Asp Lys Gln His Glu Val Glu Ile Pro Ser Pro Thr Gln Lys
 340 345 350

Glu Lys Glu Lys Lys Lys Arg Pro Met Ser Gln Ile Ser Gly Val Lys
 355 360 365

Lys Leu Met His Ser Ser Ser Leu Thr Asn Ser Ser Ile Pro Arg Phe
 370 375 380

Gly Val Lys Thr Glu Gln Glu Asp Val Leu Ala Lys Glu Leu Glu Asp
 385 390 395 400

Val Asn Lys Trp Gly Leu His Val Phe Arg Ile Ala Glu Leu Ser Gly
 405 410 415

Asn Arg Pro Leu Thr Val Ile Met His Thr Ile Phe Gln Glu Arg Asp
 420 425 430

Leu Leu Lys Thr Phe Lys Ile Pro Val Asp Thr Leu Ile Thr Tyr Leu
 435 440 445

Met Thr Leu Glu Asp His Tyr His Ala Asp Val Ala Tyr His Asn Asn
 450 455 460

Ile His Ala Ala Asp Val Val Gln Ser Thr His Val Leu Leu Ser Thr
 465 470 475 480

Pro Ala Leu Glu Ala Val Phe Thr Asp Leu Glu Ile Leu Ala Ala Ile
 485 490 495

Phe Ala Ser Ala Ile His Asp Val Asp His Pro Gly Val Ser Asn Gln
 500 505 510

Phe Leu Ile Asn Thr Asn Ser Glu Leu Ala Leu Met Tyr Asn Asp Ser
 515 520 525

Ser Val Leu Glu Asn His His Leu Ala Val Gly Phe Lys Leu Leu Gln
 530 535 540

Glu Glu Asn Cys Asp Ile Phe Gln Asn Leu Thr Lys Lys Gln Arg Gln
 545 550 555 560

Ser Leu Arg Lys Met Val Ile Asp Ile Val Leu Ala Thr Asp Met Ser
 565 570 575

Lys His Met Asn Leu Leu Ala Asp Leu Lys Thr Met Val Glu Thr Lys
580 585 590

Lys Val Thr Ser Ser Gly Val Leu Leu Leu Asp Asn Tyr Ser Asp Arg
595 600 605

Ile Gln Val Leu Gln Asn Met Val His Cys Ala Asp Leu Ser Asn Pro
610 615 620

Thr Lys Pro Leu Gln Leu Tyr Arg Gln Trp Thr Asp Arg Ile Met Glu
625 630 635 640

Glu Phe Phe Arg Gln Gly Asp Arg Glu Arg Glu Arg Gly Met Glu Ile
645 650 655

Ser Pro Met Cys Asp Lys His Asn Ala Ser Val Glu Lys Ser Gln Val
660 665 670

Gly Phe Ile Asp Tyr Ile Val His Pro Leu Trp Glu Thr Trp Ala Asp
675 680 685

Leu Val His Pro Asp Ala Gln Asp Ile Leu Asp Thr Leu Glu Asp Asn
690 695 700

Arg Glu Trp Tyr Gln Ser Thr Ile Pro Gln Ser Pro Ser Pro Ala Pro
705 710 715 720

Asp Asp Pro Glu Glu Gly Arg Gln Gly Gln Thr Glu Lys Phe Gln Phe
725 730 735

Glu Leu Thr Leu Glu Glu Asp Gly Glu Ser Asp Thr Glu Lys Asp Ser
740 745 750

Gly Ser Gln Val Glu Glu Asp Thr Ser Cys Ser Asp Ser Lys Thr Leu
755 760 765

Cys Thr Gln Asp Ser Glu Ser Thr Glu Ile Pro Leu Asp Glu Gln Val
770 775 780

Glu Glu Glu Ala Val Gly Glu Glu Glu Glu Ser Gln Pro Glu Ala Cys
785 790 795 800

Val Ile Asp Asp Arg Ser Pro Asp Thr Thr Gly Ile Leu Gln Ser Thr
805 810 815

Val Pro Arg Ala Arg Asp Pro Pro Val Ala Thr Met Val Ser Lys Gly
820 825 830

Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu Val Glu Leu Asp Gly
835 840 845

Asp Val Asn Gly His Lys Phe Ser Val Ser Gly Glu Gly Glu Gly Asp
850 855 860

Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile Cys Thr Thr Gly Lys
865 870 875 880

Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr Leu Thr Tyr Gly Val
885 890 895

Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys Gln His Asp Phe Phe
900 905 910

Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu Arg Thr Ile Phe Phe
915 920 925

Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu Val Lys Phe Glu Gly
930 935 940

Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly Ile Asp Phe Lys Glu
945 950 955 960

Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr Asn Tyr Asn Ser His
965 970 975

Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn Gly Ile Lys Val Asn
980 985 990

Phe Lys Ile Arg His Asn Ile Glu Asp Gly Ser Val Gln Leu Ala Asp
995 1000 1005

His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly Pro Val Leu Leu
1010 1015 1020

Pro Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu Ser Lys Asp
1025 1030 1035

Pro Asn Glu Lys Arg Asp His Met Val Leu Leu Glu Phe Val Thr
1040 1045 1050

Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys
1055 1060 1065

<210> 5
<211> 3009
<212> DNA
<213> Artificial Sequence

<220>
<223> fusion between Aequorea victoria and human

<220>
<221> CDS
<222> (1)..(3009)
<223>

<400> 5
atg gct cag cag aca agc ccg gac act tta aca gta cct gaa gtg gat 48
Met Ala Gln Gln Thr Ser Pro Asp Thr Leu Thr Val Pro Glu Val Asp
1 5 10 15
aat ccg cat tgt cca aac ccg tgg ctg aac gaa gac ctt gtg aaa tcc 96
Asn Pro His Cys Pro Asn Pro Trp Leu Asn Glu Asp Leu Val Lys Ser
20 25 30
ttg cga gaa aac ctg ttg cag cat gag aag tcc aag aca gcg agg aaa 144
Leu Arg Glu Asn Leu Leu Gln His Glu Lys Ser Lys Thr Ala Arg Lys
35 40 45
tcg gtt tct ccc aag ctc tct cca gtg atc tct ccg aga aat tcc ccc 192
Ser Val Ser Pro Lys Leu Ser Pro Val Ile Ser Pro Arg Asn Ser Pro
50 55 60
agg ctt ctg cgc aga atg ctt ctc agc agc aac atc ccc aaa cag cgg 240
Arg Leu Leu Arg Arg Met Leu Leu Ser Ser Asn Ile Pro Lys Gln Arg
65 70 75 80
cgt ttc acg gtg gca cat aca tgt ttt gat gtg gac aat gcc aca tct 288
Arg Phe Thr Val Ala His Thr Cys Phe Asp Val Asp Asn Gly Thr Ser
85 90 95
gcg gga cgg agt ccc ttg gat ccc atg acc agc cca gga tcc ggg cta 336
Ala Gly Arg Ser Pro Leu Asp Pro Met Thr Ser Pro Gly Ser Gly Leu
100 105 110

att ctc caa gca aat ttt gtc cac agt caa cga cgg gag tcc ttc ctg Ile Leu Gln Ala Asn Phe Val His Ser Gln Arg Arg Glu Ser Phe Leu 115 120 125	384
tat cga tcc gac agc gat tat gac ctc tct cca aag tct atg tcc cgg Tyr Arg Ser Asp Ser Asp Tyr Asp Leu Ser Pro Lys Ser Met Ser Arg 130 135 140	432
aac tcc tcc att gcc agt gat ata cac gga gat gac ttg att gtg act Asn Ser Ser Ile Ala Ser Asp Ile His Gly Asp Asp Leu Ile Val Thr 145 150 155 160	480
cca ttt gct cag gtc ttg gcc agt ctg cga act gta cga aac aac ttt Pro Phe Ala Gln Val Leu Ala Ser Leu Arg Thr Val Arg Asn Asn Phe 165 170 175	528
gct gca tta act aat ttg caa gat cga gca cct agc aaa aga tca ccc Ala Ala Leu Thr Asn Leu Gln Asp Arg Ala Pro Ser Lys Arg Ser Pro 180 185 190	576
atg tgc aac caa cca tcc atc aac aaa gcc acc ata aca gag gag gcc Met Cys Asn Gln Pro Ser Ile Asn Lys Ala Thr Ile Thr Glu Glu Ala 195 200 205	624
tac cag aaa ctg gcc agc gag acc ctg gag gag ctg gac tgg tgt ctg Tyr Gln Lys Leu Ala Ser Glu Thr Leu Glu Glu Leu Asp Trp Cys Leu 210 215 220	672
gac cag cta gag acc cta cag acc agg cac tcc gtc agt gag atg gcc Asp Gln Leu Glu Thr Leu Gln Thr Arg His Ser Val Ser Glu Met Ala 225 230 235 240	720
tcc aac aag ttt aaa agg atg ctt aat cgg gag ctc acc cat ctc tct Ser Asn Lys Phe Lys Arg Met Leu Asn Arg Glu Leu Thr His Leu Ser 245 250 255	768
gaa atg agt cgg tct gga aat caa gtg tca gag ttt ata tca aac aca Glu Met Ser Arg Ser Gly Asn Gln Val Ser Glu Phe Ile Ser Asn Thr 260 265 270	816
ttc tta gat aag caa cat gaa gtg gaa att cct tct cca act cag aag Phe Leu Asp Lys Gln His Glu Val Glu Ile Pro Ser Pro Thr Gln Lys 275 280 285	864
gaa aag gag aaa aag aaa aga cca atg tct cag atc agt gga gtc aag Glu Lys Glu Lys Lys Arg Pro Met Ser Gln Ile Ser Gly Val Lys 290 295 300	912
aaa ttg atg cac agc tct agt ctg act aat tca agt atc cca agg ttt Lys Leu Met His Ser Ser Ser Leu Thr Asn Ser Ser Ile Pro Arg Phe 305 310 315 320	960
gga gtt aaa act gaa caa gaa gat gtc ctt gcc aag gaa cta gaa gat Gly Val Lys Thr Glu Gln Glu Asp Val Leu Ala Lys Glu Leu Glu Asp 325 330 335	1008

gtg aac aaa tgg ggt ctt cat gtt ttc aga ata gca gag ttg tct ggt Val Asn Lys Trp Gly Leu His Val Phe Arg Ile Ala Glu Leu Ser Gly 340 345 350	1056
aac cgg ccc ttg act gtt atc atg cac acc att ttt cag gaa cgg gat Asn Arg Pro Leu Thr Val Ile Met His Thr Ile Phe Gln Glu Arg Asp 355 360 365	1104
tta tta aaa aca ttt aaa att cca gta gat act tta att aca tat ctt Leu Leu Lys Thr Phe Lys Ile Pro Val Asp Thr Leu Ile Thr Tyr Leu 370 375 380	1152
atg act ctc gaa gac cat tac cat gct gat gtg gcc tat cac aac aat Met Thr Leu Glu Asp His Tyr His Ala Asp Val Ala Tyr His Asn Asn 385 390 395 400	1200
atc cat gct gca gat gtt gtc cag tct act cat gtg cta tta tct aca Ile His Ala Ala Asp Val Val Gln Ser Thr His Val Leu Leu Ser Thr 405 410 415	1248
cct gct ttg gag gct gtg ttt aca gat ttg gag att ctt gca gca att Pro Ala Leu Glu Ala Val Phe Thr Asp Leu Glu Ile Leu Ala Ala Ile 420 425 430	1296
ttt gcc agt gca ata cat gat gta gat cat cct ggt gtg tcc aat caa Phe Ala Ser Ala Ile His Asp Val Asp His Pro Gly Val Ser Asn Gln 435 440 445	1344
ttt ctg atc aat aca aac tct gaa ctt gcc ttg atg tac aat gat tcc Phe Leu Ile Asn Thr Asn Ser Glu Leu Ala Leu Met Tyr Asn Asp Ser 450 455 460	1392
tca gtc tta gag aac cat cat ttg gct gtg ggc ttt aaa ttg ctt cag Ser Val Leu Glu Asn His His Leu Ala Val Gly Phe Lys Leu Leu Gln 465 470 475 480	1440
gaa gaa aac tgt gac att ttc cag aat ttg acc aaa aaa caa aga caa Glu Glu Asn Cys Asp Ile Phe Gln Asn Leu Thr Lys Lys Gln Arg Gln 485 490 495	1488
tct tta agg aaa atg gtc att gac atc gta ctt gca aca gat atg tca Ser Leu Arg Lys Met Val Ile Asp Ile Val Leu Ala Thr Asp Met Ser 500 505 510	1536
aaa cac atg aat cta ctg gct gat ttg aag act atg gtt gaa act aag Lys His Met Asn Leu Leu Ala Asp Leu Lys Thr Met Val Glu Thr Lys 515 520 525	1584
aaa gtg aca agc tct gga gtt ctt ctt ctt gat aat tat tcc gat agg Lys Val Thr Ser Ser Gly Val Leu Leu Leu Asp Asn Tyr Ser Asp Arg 530 535 540	1632
att cag gtt ctt cag aat atg gtg cac tgt gca gat ctg agc aac cca Ile Gln Val Leu Gln Asn Met Val His Cys Ala Asp Leu Ser Asn Pro 545 550 555 560	1680

aca aag cct ctc cag ctg tac cgc cag tgg acg gac cgg ata atg gag Thr Lys Pro Leu Gln Leu Tyr Arg Gln Trp Thr Asp Arg Ile Met Glu 565 570 575	1728
gag ttc ttc cgc caa gga gac cga gag agg gaa cgt ggc atg gag ata Glu Phe Phe Arg Gln Gly Asp Arg Glu Arg Glu Arg Gly Met Glu Ile 580 585 590	1776
agc ccc atg tgt gac aag cac aat gct tcc gtg gaa aaa tca cag gtg Ser Pro Met Cys Asp Lys His Asn Ala Ser Val Glu Lys Ser Gln Val 595 600 605	1824
ggc ttc ata gac tat att gtt cat ccc ctc tgg gag aca tgg gca gac Gly Phe Ile Asp Tyr Ile Val His Pro Leu Trp Glu Thr Trp Ala Asp 610 615 620	1872
ctc gtc cac cct gac gcc cag gat att ttg gac act ttg gag gac aat Leu Val His Pro Asp Ala Gln Asp Ile Leu Asp Thr Leu Glu Asp Asn 625 630 635 640	1920
cgt gaa tgg tac cag agc aca atc cct cag agc ccc tct cct gca cct Arg Glu Trp Tyr Gln Ser Thr Ile Pro Gln Ser Pro Ser Pro Ala Pro 645 650 655	1968
gat gac cca gag gag ggc cgg cag ggt caa act gag aaa ttc cag ttt Asp Asp Pro Glu Glu Gly Arg Gln Gly Gln Thr Glu Lys Phe Gln Phe 660 665 670	2016
gaa cta act tta gag gaa gat ggt gag tca gac acg gaa aag gac agt Glu Leu Thr Leu Glu Glu Asp Gly Glu Ser Asp Thr Glu Lys Asp Ser 675 680 685	2064
ggc agt caa gtg gaa gaa gac act agc tgc agt gac tcc aag act ctt Gly Ser Gln Val Glu Glu Asp Thr Ser Cys Ser Asp Ser Lys Thr Leu 690 695 700	2112
tgt act caa gac tca gag tct act gaa att ccc ctt gat gaa cag gtt Cys Thr Gln Asp Ser Glu Ser Thr Glu Ile Pro Leu Asp Glu Gln Val 705 710 715 720	2160
gaa gag gag gca gta ggg gaa gaa gag gaa agc cag cct gaa gcc tgt Glu Glu Glu Ala Val Gly Glu Glu Glu Glu Ser Gln Pro Glu Ala Cys 725 730 735	2208
gtc ata gat gat cgt tct cct gac acg acg gga att ctg cag tcg acg Val Ile Asp Asp Arg Ser Pro Asp Thr Thr Gly Ile Leu Gln Ser Thr 740 745 750	2256
gta ccg cgg gcc cgg gat cca ccg gtc gcc acc atg gtg agc aag ggc Val Pro Arg Ala Arg Asp Pro Pro Val Ala Thr Met Val Ser Lys Gly 755 760 765	2304
gag gag ctg ttc acc ggg gtg gtg ccc atc ctg gtc gag ctg gac ggc Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu Val Glu Leu Asp Gly 770 775 780	2352

<210> 6
<211> 1002
<212> PRT
<213> Artificial Sequence

<220>
<223> fusion between Aequorea victoria and human

<400> 6

Met Ala Gln Gln Thr Ser Pro Asp Thr Leu Thr Val Pro Glu Val Asp
1 5 10 15

Asn Pro His Cys Pro Asn Pro Trp Leu Asn Glu Asp Leu Val Lys Ser
20 25 30

Leu Arg Glu Asn Leu Leu Gln His Glu Lys Ser Lys Thr Ala Arg Lys
35 40 45

Ser Val Ser Pro Lys Leu Ser Pro Val Ile Ser Pro Arg Asn Ser Pro
50 55 60

Arg Leu Leu Arg Arg Met Leu Leu Ser Ser Asn Ile Pro Lys Gln Arg
65 70 75 80

Arg Phe Thr Val Ala His Thr Cys Phe Asp Val Asp Asn Gly Thr Ser
85 90 95

Ala Gly Arg Ser Pro Leu Asp Pro Met Thr Ser Pro Gly Ser Gly Leu
100 105 110

Ile Leu Gln Ala Asn Phe Val His Ser Gln Arg Arg Glu Ser Phe Leu
115 120 125

Tyr Arg Ser Asp Ser Asp Tyr Asp Leu Ser Pro Lys Ser Met Ser Arg
130 135 140

Asn Ser Ser Ile Ala Ser Asp Ile His Gly Asp Asp Leu Ile Val Thr
145 150 155 160

Pro Phe Ala Gln Val Leu Ala Ser Leu Arg Thr Val Arg Asn Asn Phe
165 170 175

Ala Ala Leu Thr Asn Leu Gln Asp Arg Ala Pro Ser Lys Arg Ser Pro

180

185

190

Met Cys Asn Gln Pro Ser Ile Asn Lys Ala Thr Ile Thr Glu Glu Ala
195 200 205

Tyr Gln Lys Leu Ala Ser Glu Thr Leu Glu Glu Leu Asp Trp Cys Leu
210 215 220

Asp Gln Leu Glu Thr Leu Gln Thr Arg His Ser Val Ser Glu Met Ala
225 230 235 240

Ser Asn Lys Phe Lys Arg Met Leu Asn Arg Glu Leu Thr His Leu Ser
245 250 255

Glu Met Ser Arg Ser Gly Asn Gln Val Ser Glu Phe Ile Ser Asn Thr
260 265 270

Phe Leu Asp Lys Gln His Glu Val Glu Ile Pro Ser Pro Thr Gln Lys
275 280 285

Glu Lys Glu Lys Lys Lys Arg Pro Met Ser Gln Ile Ser Gly Val Lys
290 295 300

Lys Leu Met His Ser Ser Ser Leu Thr Asn Ser Ser Ile Pro Arg Phe
305 310 315 320

Gly Val Lys Thr Glu Gln Glu Asp Val Leu Ala Lys Glu Leu Glu Asp
325 330 335

Val Asn Lys Trp Gly Leu His Val Phe Arg Ile Ala Glu Leu Ser Gly
340 345 350

Asn Arg Pro Leu Thr Val Ile Met His Thr Ile Phe Gln Glu Arg Asp
355 360 365

Leu Leu Lys Thr Phe Lys Ile Pro Val Asp Thr Leu Ile Thr Tyr Leu
370 375 380

Met Thr Leu Glu Asp His Tyr His Ala Asp Val Ala Tyr His Asn Asn
385 390 395 400

Ile His Ala Ala Asp Val Val Gln Ser Thr His Val Leu Leu Ser Thr

405

410

415

Pro Ala Leu Glu Ala Val Phe Thr Asp Leu Glu Ile Leu Ala Ala Ile
420 425 430

Phe Ala Ser Ala Ile His Asp Val Asp His Pro Gly Val Ser Asn Gln
435 440 445

Phe Leu Ile Asn Thr Asn Ser Glu Leu Ala Leu Met Tyr Asn Asp Ser
450 455 460

Ser Val Leu Glu Asn His His Leu Ala Val Gly Phe Lys Leu Leu Gln
465 470 475 480

Glu Glu Asn Cys Asp Ile Phe Gln Asn Leu Thr Lys Lys Gln Arg Gln
485 490 495

Ser Leu Arg Lys Met Val Ile Asp Ile Val Leu Ala Thr Asp Met Ser
500 505 510

Lys His Met Asn Leu Leu Ala Asp Leu Lys Thr Met Val Glu Thr Lys
515 520 525

Lys Val Thr Ser Ser Gly Val Leu Leu Leu Asp Asn Tyr Ser Asp Arg
530 535 540

Ile Gln Val Leu Gln Asn Met Val His Cys Ala Asp Leu Ser Asn Pro
545 550 555 560

Thr Lys Pro Leu Gln Leu Tyr Arg Gln Trp Thr Asp Arg Ile Met Glu
565 570 575

Glu Phe Phe Arg Gln Gly Asp Arg Glu Arg Glu Arg Gly Met Glu Ile
580 585 590

Ser Pro Met Cys Asp Lys His Asn Ala Ser Val Glu Lys Ser Gln Val
595 600 605

Gly Phe Ile Asp Tyr Ile Val His Pro Leu Trp Glu Thr Trp Ala Asp
610 615 620

Leu Val His Pro Asp Ala Gln Asp Ile Leu Asp Thr Leu Glu Asp Asn

625

630

635

640

Arg Glu Trp Tyr Gln Ser Thr Ile Pro Gln Ser Pro Ser Pro Ala Pro
645 650 655

Asp Asp Pro Glu Glu Gly Arg Gln Gly Gln Thr Glu Lys Phe Gln Phe
660 665 670

Glu Leu Thr Leu Glu Glu Asp Gly Glu Ser Asp Thr Glu Lys Asp Ser
675 680 685

Gly Ser Gln Val Glu Glu Asp Thr Ser Cys Ser Asp Ser Lys Thr Leu
690 695 700

Cys Thr Gln Asp Ser Glu Ser Thr Glu Ile Pro Leu Asp Glu Gln Val
705 710 715 720

Glu Glu Glu Ala Val Gly Glu Glu Glu Glu Ser Gln Pro Glu Ala Cys
725 730 735

Val Ile Asp Asp Arg Ser Pro Asp Thr Thr Gly Ile Leu Gln Ser Thr
740 745 750

Val Pro Arg Ala Arg Asp Pro Pro Val Ala Thr Met Val Ser Lys Gly
755 760 765

Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu Val Glu Leu Asp Gly
770 775 780

Asp Val Asn Gly His Lys Phe Ser Val Ser Gly Glu Gly Glu Gly Asp
785 790 795 800

Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile Cys Thr Thr Gly Lys
805 810 815

Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr Leu Thr Tyr Gly Val
820 825 830

Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys Gln His Asp Phe Phe
835 840 845

Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu Arg Thr Ile Phe Phe

850

855

860

Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu Val Lys Phe Glu Gly
 865 870 875 880

Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly Ile Asp Phe Lys Glu
 885 890 895

Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr Asn Tyr Asn Ser His
 900 905 910

Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn Gly Ile Lys Val Asn
 915 920 925

Phe Lys Ile Arg His Asn Ile Glu Asp Gly Ser Val Gln Leu Ala Asp
 930 935 940

His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly Pro Val Leu Leu Pro
 945 950 955 960

Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu Ser Lys Asp Pro Asn
 965 970 975

Glu Lys Arg Asp His Met Val Leu Leu Glu Phe Val Thr Ala Ala Gly
 980 985 990

Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys
 995 1000

<210> 7

<211> 3381

<212> DNA

<213> Artificial Sequence

<220>

<223> fusion between Aequorea victoria and human

<220>

<221> CDS

<222> (1)..(3381)

<223>

<400> 7

atg gag cgg gcc gcc ccc agc ttc ggg cag cag cga cag cag cag cag
 Met Glu Arg Ala Gly Pro Ser Phe Gly Gln Gln Arg Gln Gln Gln Gln

48

1	5	10	15	
ccc cag cag cag aag cag cag cag agg gat cag gac tcg gtc gaa gca				96
Pro Gln Gln Gln Lys Gln Gln Gln Arg Asp Gln Asp Ser Val Glu Ala	20	25	30	
tggtg ctg gac gat cac tgg gac ttt acc ttc tca tac ttt gtt aga aaa				144
Trp Leu Asp Asp His Trp Asp Phe Thr Phe Ser Tyr Phe Val Arg Lys	35	40	45	
gcc acc aga gaa atg gtc aat gca tgg ttt gct gag aga gtt cac acc				192
Ala Thr Arg Glu Met Val Asn Ala Trp Phe Ala Glu Arg Val His Thr	50	55	60	
atc cct gtg tgc aag gaa ggt atc aga ggc cac acc gaa tct tgc tct				240
Ile Pro Val Cys Lys Glu Gly Ile Arg Gly His Thr Glu Ser Cys Ser	65	70	75	80
tgt ccc ttg cag cag agt cct cgt gca gat aac agt gtc cct gga aca				288
Cys Pro Leu Gln Gln Ser Pro Arg Ala Asp Asn Ser Val Pro Gly Thr	85	90	95	
cca acc agg aaa atc tct gcc tct gaa ttt gac cgg cct ctt aga ccc				336
Pro Thr Arg Lys Ile Ser Ala Ser Glu Phe Asp Arg Pro Leu Arg Pro	100	105	110	
att gtt gtc aag gat tct gag gga act gtg agc ttc ctc tct gac tca				384
Ile Val Val Lys Asp Ser Glu Gly Thr Val Ser Phe Leu Ser Asp Ser	115	120	125	
gaa aag aag gaa cag atg cct cta acc cct cca agg ttt gat cat gat				432
Glu Lys Lys Glu Gln Met Pro Leu Thr Pro Pro Arg Phe Asp His Asp	130	135	140	
gaa ggg gac cag tgc tca aga ctc ttg gaa tta gtg aag gat att tct				480
Glu Gly Asp Gln Cys Ser Arg Leu Leu Glu Leu Val Lys Asp Ile Ser	145	150	155	160
agt cat ttg gat gtc aca gcc tta tgt cac aaa att ttc ttg cat atc				528
Ser His Leu Asp Val Thr Ala Leu Cys His Lys Ile Phe Leu His Ile	165	170	175	
cat gga ctg ata tct gct gac cgc tat tcc ctg ttc ctt gtc tgt gaa				576
His Gly Leu Ile Ser Ala Asp Arg Tyr Ser Leu Phe Leu Val Cys Glu	180	185	190	
gac agc tcc aat gac aag ttt ctt atc agc cgc ctc ttt gat gtt gct				624
Asp Ser Ser Asn Asp Lys Phe Leu Ile Ser Arg Leu Phe Asp Val Ala	195	200	205	
gaa ggt tca aca ctg gaa gaa gtt tca aat aac tgt atc cgc tta gaa				672
Glu Gly Ser Thr Leu Glu Glu Val Ser Asn Asn Cys Ile Arg Leu Glu	210	215	220	
tggtg aac aaa ggc att gtg gga cat gtg gca gcg ctt ggt gag ccc ttg				720
Trp Asn Lys Gly Ile Val Gly His Val Ala Ala Leu Gly Glu Pro Leu				

450

455

460

ata ggg gtt tgc caa ctt gtt aat aag atg gag gag aat act ggc aag 1440
 Ile Gly Val Cys Gln Leu Val Asn Lys Met Glu Glu Asn Thr Gly Lys
 465 470 475 480

gtt aag cct ttc aac cga aat gac gaa cag ttt ctg gaa gct ttt gtc 1488
 Val Lys Pro Phe Asn Arg Asn Asp Glu Gln Phe Leu Glu Ala Phe Val
 485 490 495

atc ttt tgt ggc ttg ggg atc cag aac acg cag atg tat gaa gca gtg 1536
 Ile Phe Cys Gly Leu Gly Ile Gln Asn Thr Met Tyr Glu Ala Val
 500 505 510

gag aga gcc atg gcc aag caa atg gtc aca ttg gag gtt ctg tgc tat 1584
 Glu Arg Ala Met Ala Lys Gln Met Val Thr Leu Glu Val Leu Ser Tyr
 515 520 525

cat gct tca gca gca gag gaa gaa aca aga gag cta cag tgc tta gcg 1632
 His Ala Ser Ala Ala Glu Glu Glu Thr Arg Glu Leu Gln Ser Leu Ala
 530 535 540

gct gct gtg gtg cca tct gcc cag acc ctt aaa att act gac ttt agc 1680
 Ala Ala Val Val Pro Ser Ala Gln Thr Leu Lys Ile Thr Asp Phe Ser
 545 550 555 560

ttc agt gac ttt gag ctg tct gat ctg gaa aca gca ctg tgc aca att 1728
 Phe Ser Asp Phe Glu Leu Ser Asp Leu Glu Thr Ala Leu Cys Thr Ile
 565 570 575

cgg atg ttt act gac ctc aac ctt gtg cag aac ttc cag atg aaa cat 1776
 Arg Met Phe Thr Asp Leu Asn Leu Val Gln Asn Phe Gln Met Lys His
 580 585 590

gag gtt ctt tgc aga tgg att tta agt gtt aag aag aat tat cgg aag 1824
 Glu Val Leu Cys Arg Trp Ile Leu Ser Val Lys Lys Asn Tyr Arg Lys
 595 600 605

aat gtt gcc tat cat aat tgg aga cat gcc ttt aat aca gct cag tgc 1872
 Asn Val Ala Tyr His Asn Trp Arg His Ala Phe Asn Thr Ala Gln Cys
 610 615 620

atg ttt gct gct cta aaa gca ggc aaa att cag aac aag ctg act gac 1920
 Met Phe Ala Ala Leu Lys Ala Gly Lys Ile Gln Asn Lys Leu Thr Asp
 625 630 635 640

ctg gag ata ctt gca ttg ctg att gct gca cta agc cac gat ttg gat 1968
 Leu Glu Ile Leu Ala Leu Leu Ile Ala Ala Leu Ser His Asp Leu Asp
 645 650 655

cac cgt ggt gtg aat aac tct tac ata cag cga agt gaa cat cca ctt 2016
 His Arg Gly Val Asn Asn Ser Tyr Ile Gln Arg Ser Glu His Pro Leu
 660 665 670

gcc cag ctt tac tgc cat tca atc atg gaa cac cat cat ttt gac cag 2064
 Ala Gln Leu Tyr Cys His Ser Ile Met Glu His His His Phe Asp Gln

tgc ctg atg att ctt aat agt cca ggc aat cag att ctc agt ggc ctc Cys Leu Met Ile Leu Asn Ser Pro Gly Asn Gln Ile Leu Ser Gly Leu 690 695 700	2112
tcc att gaa gaa tat aag acc acg ttg aaa ata atc aag caa gct att Ser Ile Glu Glu Tyr Lys Thr Thr Leu Lys Ile Ile Lys Gln Ala Ile 705 710 715 720	2160
tta gct aca gac cta gca ctg tac att aag agg cga gga gaa ttt ttt Leu Ala Thr Asp Leu Ala Leu Tyr Ile Lys Arg Arg Gly Glu Phe Phe 725 730 735	2208
gaa ctt ata aga aaa aat caa ttc aat ttg gaa gat cct cat caa aag Glu Leu Ile Arg Lys Asn Gln Phe Asn Leu Glu Asp Pro His Gln Lys 740 745 750	2256
gag ttg ttt ttg gca atg ctg atg aca gct tgt gat ctt tct gca att Glu Leu Phe Leu Ala Met Leu Met Thr Ala Cys Asp Leu Ser Ala Ile 755 760 765	2304
aca aaa ccc tgg cct att caa caa cgg ata gca gaa ctt gta gca act Thr Lys Pro Trp Pro Ile Gln Gln Arg Ile Ala Glu Leu Val Ala Thr 770 775 780	2352
gaa ttt ttt gat caa gga gac aga gag aga aaa gaa ctc aac ata gaa Glu Phe Phe Asp Gln Gly Asp Arg Glu Arg Lys Glu Leu Asn Ile Glu 785 790 795 800	2400
ccc act gat cta atg aac agg gag aag aaa aac aaa atc cca agt atg Pro Thr Asp Leu Met Asn Arg Glu Lys Lys Asn Lys Ile Pro Ser Met 805 810 815	2448
caa gtt ggg ttc ata gat gcc atc tgc ttg caa ctg tat gag gcc ctg Gln Val Gly Phe Ile Asp Ala Ile Cys Leu Gln Leu Tyr Glu Ala Leu 820 825 830	2496
acc cac gtg tca gag gac tgt ttc cct ttg cta gat ggc tgc aga aag Thr His Val Ser Glu Asp Cys Phe Pro Leu Leu Asp Gly Cys Arg Lys 835 840 845	2544
aac agg cag aaa tgg cag gcc ctt gca gaa cag cag gag aag atg ctg Asn Arg Gln Lys Trp Gln Ala Leu Ala Glu Gln Gln Glu Lys Met Leu 850 855 860	2592
att aat ggg gaa agc ggc cag gcc aag cgg aac tgg gta ccg cgg gcc Ile Asn Gly Glu Ser Gly Gln Ala Lys Arg Asn Trp Val Pro Arg Ala 865 870 875 880	2640
cgg gat cca ccg gtc gcc acc atg gtg agc aag ggc gag gag ctg ttc Arg Asp Pro Pro Val Ala Thr Met Val Ser Lys Gly Glu Glu Leu Phe 885 890 895	2688
acc ggg gtg gtg ccc atc ctg gtc gag ctg gac ggc gac gta aac ggc Thr Gly Val Val Pro Ile Leu Val Glu Leu Asp Gly Asp Val Asn Gly 900 905 910	2736

	900	905	910	
	cac aag ttc agc gtg tcc ggc gag ggc gag ggc gat gcc acc tac ggc His Lys Phe Ser Val Ser Gly Glu Gly Gly Asp Ala Thr Tyr Gly 915 920 925			2784
	aag ctg acc ctg aag ttc atc tgc acc acc ggc aag ctg ccc gtg ccc Lys Leu Thr Leu Lys Phe Ile Cys Thr Thr Gly Lys Leu Pro Val Pro 930 935 940			2832
	tgg ccc acc ctc gtg acc acc ctg acc tac ggc gtg cag tgc ttc agc Trp Pro Thr Leu Val Thr Thr Leu Thr Tyr Gly Val Gln Cys Phe Ser 945 950 955 960			2880
	cgc tac ccc gac cac atg aag cag cac gac ttc ttc aag tcc gcc atg Arg Tyr Pro Asp His Met Lys Gln His Asp Phe Phe Lys Ser Ala Met 965 970 975			2928
	ccc gaa ggc tac gtc cag gag cgc acc atc ttc ttc aag gac gac ggc Pro Glu Gly Tyr Val Gln Glu Arg Thr Ile Phe Phe Lys Asp Asp Gly 980 985 990			2976
	aac tac aag acc cgc gcc gag gtg aag ttc gag ggc gac acc ctg gtg Asn Tyr Lys Thr Arg Ala Glu Val Lys Phe Glu Gly Asp Thr Leu Val 995 1000 1005			3024
	aac cgc atc gag ctg aag ggc atc gac ttc aag gag gac ggc aac Asn Arg Ile Glu Leu Lys Gly Ile Asp Phe Lys Glu Asp Gly Asn 1010 1015 1020			3069
	atc ctg ggg cac aag ctg gag tac aac tac aac agc cac aac gtc Ile Leu Gly His Lys Leu Glu Tyr Asn Tyr Asn Ser His Asn Val 1025 1030 1035			3114
	tat atc atg gcc gac aag cag aag aac ggc atc aag gtg aac ttc Tyr Ile Met Ala Asp Lys Gln Lys Asn Gly Ile Lys Val Asn Phe 1040 1045 1050			3159
	aag atc cgc cac aac atc gag gac ggc agc gtg cag ctc gcc gac Lys Ile Arg His Asn Ile Glu Asp Gly Ser Val Gln Leu Ala Asp 1055 1060 1065			3204
	cac tac cag cag aac acc ccc atc ggc gac ggc ccc gtg ctg ctg His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly Pro Val Leu Leu 1070 1075 1080			3249
	ccc gac aac cac tac ctg agc acc cag tcc gcc ctg agc aaa gac Pro Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu Ser Lys Asp 1085 1090 1095			3294
	ccc aac gag aag cgc gat cac atg gtc ctg ctg gag ttc gtg acc Pro Asn Glu Lys Arg Asp His Met Val Leu Leu Glu Phe Val Thr 1100 1105 1110			3339
	gcc gcc ggg atc act ctc ggc atg gac gag ctg tac aag taa Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys			3381

1115

1120

1125

<210> 8

<211> 1126

<212> PRT

<213> Artificial Sequence

<220>

<223> fusion between Aequorea victoria and human

<400> 8

Met Glu Arg Ala Gly Pro Ser Phe Gly Gln Gln Arg Gln Gln Gln Gln
 1 5 10 15

Pro Gln Gln Gln Lys Gln Gln Gln Arg Asp Gln Asp Ser Val Glu Ala
 20 25 30

Trp Leu Asp Asp His Trp Asp Phe Thr Phe Ser Tyr Phe Val Arg Lys
 35 40 45

Ala Thr Arg Glu Met Val Asn Ala Trp Phe Ala Glu Arg Val His Thr
 50 55 60

Ile Pro Val Cys Lys Glu Gly Ile Arg Gly His Thr Glu Ser Cys Ser
 65 70 75 80

Cys Pro Leu Gln Gln Ser Pro Arg Ala Asp Asn Ser Val Pro Gly Thr
 85 90 95

Pro Thr Arg Lys Ile Ser Ala Ser Glu Phe Asp Arg Pro Leu Arg Pro
 100 105 110

Ile Val Val Lys Asp Ser Glu Gly Thr Val Ser Phe Leu Ser Asp Ser
 115 120 125

Glu Lys Lys Glu Gln Met Pro Leu Thr Pro Pro Arg Phe Asp His Asp
 130 135 140

Glu Gly Asp Gln Cys Ser Arg Leu Leu Glu Leu Val Lys Asp Ile Ser
 145 150 155 160

Ser His Leu Asp Val Thr Ala Leu Cys His Lys Ile Phe Leu His Ile
 165 170 175

His Gly Leu Ile Ser Ala Asp Arg Tyr Ser Leu Phe Leu Val Cys Glu
180 185 190

Asp Ser Ser Asn Asp Lys Phe Leu Ile Ser Arg Leu Phe Asp Val Ala
195 200 205

Glu Gly Ser Thr Leu Glu Glu Val Ser Asn Asn Cys Ile Arg Leu Glu
210 215 220

Trp Asn Lys Gly Ile Val Gly His Val Ala Ala Leu Gly Glu Pro Leu
225 230 235 240

Asn Ile Lys Asp Ala Tyr Glu Asp Pro Arg Phe Asn Ala Glu Val Asp
245 250 255

Gln Ile Thr Gly Tyr Lys Thr Gln Ser Ile Leu Cys Met Pro Ile Lys
260 265 270

Asn His Arg Glu Glu Val Val Gly Val Ala Gln Ala Ile Asn Lys Lys
275 280 285

Ser Gly Asn Gly Gly Thr Phe Thr Glu Lys Asp Glu Lys Asp Phe Ala
290 295 300

Ala Tyr Leu Ala Phe Cys Gly Ile Val Leu His Asn Ala Gln Leu Tyr
305 310 315 320

Glu Thr Ser Leu Leu Glu Asn Lys Arg Asn Gln Val Leu Leu Asp Leu
325 330 335

Ala Ser Leu Ile Phe Glu Glu Gln Gln Ser Leu Glu Val Ile Leu Lys
340 345 350

Lys Ile Ala Ala Thr Ile Ile Ser Phe Met Gln Val Gln Lys Cys Thr
355 360 365

Ile Phe Ile Val Asp Glu Asp Cys Ser Asp Ser Phe Ser Ser Val Phe
370 375 380

His Met Glu Cys Glu Glu Leu Glu Lys Ser Ser Asp Thr Leu Thr Arg
385 390 395 400

Glu His Asp Ala Asn Lys Ile Asn Tyr Met Tyr Ala Gln Tyr Val Lys
405 410 415

Asn Thr Met Glu Pro Leu Asn Ile Pro Asp Val Ser Lys Asp Lys Arg
420 425 430

Phe Pro Trp Thr Thr Glu Asn Thr Gly Asn Val Asn Gln Gln Cys Ile
435 440 445

Arg Ser Leu Leu Cys Thr Pro Ile Lys Asn Gly Lys Lys Asn Lys Val
450 455 460

Ile Gly Val Cys Gln Leu Val Asn Lys Met Glu Glu Asn Thr Gly Lys
465 470 475 480

Val Lys Pro Phe Asn Arg Asn Asp Glu Gln Phe Leu Glu Ala Phe Val
485 490 495

Ile Phe Cys Gly Leu Gly Ile Gln Asn Thr Gln Met Tyr Glu Ala Val
500 505 510

Glu Arg Ala Met Ala Lys Gln Met Val Thr Leu Glu Val Leu Ser Tyr
515 520 525

His Ala Ser Ala Ala Glu Glu Glu Thr Arg Glu Leu Gln Ser Leu Ala
530 535 540

Ala Ala Val Val Pro Ser Ala Gln Thr Leu Lys Ile Thr Asp Phe Ser
545 550 555 560

Phe Ser Asp Phe Glu Leu Ser Asp Leu Glu Thr Ala Leu Cys Thr Ile
565 570 575

Arg Met Phe Thr Asp Leu Asn Leu Val Gln Asn Phe Gln Met Lys His
580 585 590

Glu Val Leu Cys Arg Trp Ile Leu Ser Val Lys Lys Asn Tyr Arg Lys
595 600 605

Asn Val Ala Tyr His Asn Trp Arg His Ala Phe Asn Thr Ala Gln Cys
610 615 620

Met Phe Ala Ala Leu Lys Ala Gly Lys Ile Gln Asn Lys Leu Thr Asp
625 630 635 640

Leu Glu Ile Leu Ala Leu Leu Ile Ala Ala Leu Ser His Asp Leu Asp
645 650 655

His Arg Gly Val Asn Asn Ser Tyr Ile Gln Arg Ser Glu His Pro Leu
660 665 670

Ala Gln Leu Tyr Cys His Ser Ile Met Glu His His His Phe Asp Gln
675 680 685

Cys Leu Met Ile Leu Asn Ser Pro Gly Asn Gln Ile Leu Ser Gly Leu
690 695 700

Ser Ile Glu Glu Tyr Lys Thr Thr Leu Lys Ile Ile Lys Gln Ala Ile
705 710 715 720

Leu Ala Thr Asp Leu Ala Leu Tyr Ile Lys Arg Arg Gly Glu Phe Phe
725 730 735

Glu Leu Ile Arg Lys Asn Gln Phe Asn Leu Glu Asp Pro His Gln Lys
740 745 750

Glu Leu Phe Leu Ala Met Leu Met Thr Ala Cys Asp Leu Ser Ala Ile
755 760 765

Thr Lys Pro Trp Pro Ile Gln Gln Arg Ile Ala Glu Leu Val Ala Thr
770 775 780

Glu Phe Phe Asp Gln Gly Asp Arg Glu Arg Lys Glu Leu Asn Ile Glu
785 790 795 800

Pro Thr Asp Leu Met Asn Arg Glu Lys Lys Asn Lys Ile Pro Ser Met
805 810 815

Gln Val Gly Phe Ile Asp Ala Ile Cys Leu Gln Leu Tyr Glu Ala Leu
820 825 830

Thr His Val Ser Glu Asp Cys Phe Pro Leu Leu Asp Gly Cys Arg Lys
835 840 845

Asn Arg Gln Lys Trp Gln Ala Leu Ala Glu Gln Gln Glu Lys Met Leu
850 855 860

Ile Asn Gly Glu Ser Gly Gln Ala Lys Arg Asn Trp Val Pro Arg Ala
865 870 875 880

Arg Asp Pro Pro Val Ala Thr Met Val Ser Lys Gly Glu Glu Leu Phe
885 890 895

Thr Gly Val Val Pro Ile Leu Val Glu Leu Asp Gly Asp Val Asn Gly
900 905 910

His Lys Phe Ser Val Ser Gly Glu Gly Glu Gly Asp Ala Thr Tyr Gly
915 920 925

Lys Leu Thr Leu Lys Phe Ile Cys Thr Thr Gly Lys Leu Pro Val Pro
930 935 940

Trp Pro Thr Leu Val Thr Thr Leu Thr Tyr Gly Val Gln Cys Phe Ser
945 950 955 960

Arg Tyr Pro Asp His Met Lys Gln His Asp Phe Phe Lys Ser Ala Met
965 970 975

Pro Glu Gly Tyr Val Gln Glu Arg Thr Ile Phe Phe Lys Asp Asp Gly
980 985 990

Asn Tyr Lys Thr Arg Ala Glu Val Lys Phe Glu Gly Asp Thr Leu Val
995 1000 1005

Asn Arg Ile Glu Leu Lys Gly Ile Asp Phe Lys Glu Asp Gly Asn
1010 1015 1020

Ile Leu Gly His Lys Leu Glu Tyr Asn Tyr Asn Ser His Asn Val
1025 1030 1035

Tyr Ile Met Ala Asp Lys Gln Lys Asn Gly Ile Lys Val Asn Phe
1040 1045 1050

Lys Ile Arg His Asn Ile Glu Asp Gly Ser Val Gln Leu Ala Asp
1055 1060 1065

His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly Pro Val Leu Leu
1070 1075 1080

Pro Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu Ser Lys Asp
1085 1090 1095

Pro Asn Glu Lys Arg Asp His Met Val Leu Leu Glu Phe Val Thr
1100 1105 1110

Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys
1115 1120 1125

<210> 9
<211> 3024
<212> DNA
<213> Artificial Sequence

<220>
<223> fusion between Aequorea victoria and human

<220>
<221> CDS
<222> (1)..(3024)
<223>

<400> 9
atg agc tgg tca cct tcc ctg aca acg cag aca tgt ggg gcc tgg gaa 48
Met Ser Trp Ser Pro Ser Leu Thr Thr Gln Thr Cys Gly Ala Trp Glu
1 5 10 15
atg aaa gag cgc ctt ggg aca ggg gga ttt gga aat gtc atc cga tgg 96
Met Lys Glu Arg Leu Gly Thr Gly Gly Phe Gly Asn Val Ile Arg Trp
20 25 30
cac aat cag gaa aca ggt gag cag att gcc atc aag cag tgc cgg cag 144
His Asn Gln Glu Thr Gly Glu Gln Ile Ala Ile Lys Gln Cys Arg Gln
35 40 45
gag ctc agc ccc cgg aac cga gag cgg tgg tgc ctg gag atc cag atc 192
Glu Leu Ser Pro Arg Asn Arg Glu Arg Trp Cys Leu Glu Ile Gln Ile
50 55 60
atg aga agg ctg acc cac ccc aat gtg gtg gct gcc cga gat gtc cct 240
Met Arg Arg Leu Thr His Pro Asn Val Val Ala Ala Arg Asp Val Pro
65 70 75 80
gag ggg atg cag aac ttg gcg ccc aat gac ctg ccc ctg ctg gcc atg 288
Glu Gly Met Gln Asn Leu Ala Pro Asn Asp Leu Pro Leu Leu Ala Met
85 90 95

gag tac tgc caa gga gga gat ctc cgg aag tac ctg aac cag ttt gag Glu Tyr Cys Gln Gly Gly Asp Leu Arg Lys Tyr Leu Asn Gln Phe Glu 100 105 110	336
aac tgc tgt ggt ctg cgg gaa ggt gcc atc ctc acc ttg ctg agt gac Asn Cys Cys Gly Leu Arg Glu Gly Ala Ile Leu Thr Leu Ser Asp 115 120 125	384
att gcc tct gcg ctt aga tac ctt cat gaa aac aga atc atc cat cgg Ile Ala Ser Ala Leu Arg Tyr Leu His Glu Asn Arg Ile Ile His Arg 130 135 140	432
gat cta aag cca gaa aac atc gtc ctg cag caa gga gaa cag agg tta Asp Leu Lys Pro Glu Asn Ile Val Leu Gln Gln Gly Leu Gln Arg Leu 145 150 155 160	480
ata cac aaa att att gac cta gga tat gcc aag gag ctg gat cag ggc Ile His Lys Ile Ile Asp Leu Gly Tyr Ala Lys Glu Leu Asp Gln Gly 165 170 175	528
agt ctt tgc aca tca ttc gtg ggg acc ctg cag tac ctg gcc cca gag Ser Leu Cys Thr Ser Phe Val Gly Thr Leu Gln Tyr Leu Ala Pro Glu 180 185 190	576
cta ctg gag cag cag aag tac aca gtg acc gtc gac tac tgg agc ttc Leu Leu Glu Gln Gln Lys Tyr Thr Val Thr Val Asp Tyr Trp Ser Phe 195 200 205	624
ggc acc ctg gcc ttt gag tgc atc acg ggc ttc cgg ccc ttc ctc ccc Gly Thr Leu Ala Phe Glu Cys Ile Thr Gly Phe Arg Pro Phe Leu Pro 210 215 220	672
aac tgg cag ccc gtg cag tgg cat tca aaa gtg cgg cag aag agt gag Asn Trp Gln Pro Val Gln Trp His Ser Lys Val Arg Gln Lys Ser Glu 225 230 235 240	720
gtg gac att gtt gtt agc gaa gac ttg aat gga acg gtg aag ttt tca Val Asp Ile Val Val Ser Glu Asp Leu Asn Gly Thr Val Lys Phe Ser 245 250 255	768
agc tct tta ccc tac ccc aat aat ctt aac agt gtc ctg gct gag cga Ser Ser Leu Pro Tyr Pro Asn Asn Leu Asn Ser Val Leu Ala Glu Arg 260 265 270	816
ctg gag aag tgg ctg caa ctg atg ctg atg tgg cac ccc cga cag agg Leu Glu Lys Trp Leu Gln Leu Met Leu Met Trp His Pro Arg Gln Arg 275 280 285	864
ggc acg gat ccc acg tat ggg ccc aat ggc tgc ttc aag gcc ctg gat Gly Thr Asp Pro Thr Tyr Gly Pro Asn Gly Cys Phe Lys Ala Leu Asp 290 295 300	912
gac atc tta aac tta aag ctg gtt cat atc ttg aac atg gtc acg ggc Asp Ile Leu Asn Leu Lys Leu Val His Ile Leu Asn Met Val Thr Gly 305 310 315 320	960

acc atc cac acc tac cct gtg aca gag gat gag agt ctg cag agc ttg Thr Ile His Thr Tyr Pro Val Thr Glu Asp Glu Ser Leu Gln Ser Leu 325 330 335	1008
aag gcc aga atc caa cag gac acg ggc atc cca gag gag gac cag gag Lys Ala Arg Ile Gln Gln Asp Thr Gly Ile Pro Glu Glu Asp Gln Glu 340 345 350	1056
ctg ctg cag gaa gcg ggc ctg gcg ttg atc ccc gat aag cct gcc act Leu Leu Gln Glu Ala Gly Leu Ala Leu Ile Pro Asp Lys Pro Ala Thr 355 360 365	1104
cag tgt att tca gac ggc aag tta aat gag ggc cac aca ttg gac atg Gln Cys Ile Ser Asp Gly Lys Leu Asn Glu Gly His Thr Leu Asp Met 370 375 380	1152
gat ctt gtt ttt ctc ttt gac aac agt aaa atc acc tat gag act cag Asp Leu Val Phe Leu Phe Asp Asn Ser Lys Ile Thr Tyr Glu Thr Gln 385 390 395 400	1200
atc tcc cca cgg ccc caa cct gaa agt gtc agc tgt atc ctt caa gag Ile Ser Pro Arg Pro Gln Pro Glu Ser Val Ser Cys Ile Leu Gln Glu 405 410 415	1248
ccc aag agg aat ctc gcc ttc ttc cag ctg agg aag gtg tgg ggc cag Pro Lys Arg Asn Leu Ala Phe Phe Gln Leu Arg Lys Val Trp Gly Gln 420 425 430	1296
gtc tgg cac agc atc cag acc ctg aag gaa gat tgc aac cgg ctg cag Val Trp His Ser Ile Gln Thr Leu Lys Glu Asp Cys Asn Arg Leu Gln 435 440 445	1344
cag gga cag cga gcc gcc atg atg aat ctc ctc cga aac aac agc tgc Gln Gly Gln Arg Ala Ala Met Met Asn Leu Leu Arg Asn Asn Ser Cys 450 455 460	1392
ctc tcc aaa atg aag aat tcc atg gct tcc atg tct cag cag ctc aag Leu Ser Lys Met Lys Asn Ser Met Ala Ser Met Ser Gln Gln Leu Lys 465 470 475 480	1440
gcc aag ttg gat ttc ttc aaa acc agc atc cag att gac ctg gag aag Ala Lys Leu Asp Phe Phe Lys Thr Ser Ile Gln Ile Asp Leu Glu Lys 485 490 495	1488
tac agc gag caa acc gag ttt ggg atc aca tca gat aaa ctg ctg ctg Tyr Ser Glu Gln Thr Glu Phe Gly Ile Thr Ser Asp Lys Leu Leu Leu 500 505 510	1536
gcc tgg agg gaa atg gag cag gct gtg gag ctc tgt ggg cgg gag aac Ala Trp Arg Glu Met Glu Gln Ala Val Glu Leu Cys Gly Arg Glu Asn 515 520 525	1584
gaa gtg aaa ctc ctg gta gaa cgg atg atg gct ctg cag acc gac att Glu Val Lys Leu Leu Val Glu Arg Met Met Ala Leu Gln Thr Asp Ile 530 535 540	1632

gtg gac tta cag agg agc ccc atg ggc cgg aag cag ggg gga acg ctg Val Asp Leu Gln Arg Ser Pro Met Gly Lys Gln Gly Gly Thr Leu 545 550 555 560	1680
gac gac cta gag gag caa gca agg gag ctg tac agg aga cta agg gaa Asp Asp Leu Glu Glu Gln Ala Arg Glu Leu Tyr Arg Arg Leu Arg Glu 565 570 575	1728
aaa cct cga gac cag cga act gag ggt gac agt cag gaa atg gta cgg Lys Pro Arg Asp Gln Arg Thr Glu Gly Asp Ser Gln Glu Met Val Arg 580 585 590	1776
ctg ctg ctt cag gca att cag agc ttc gag aag aaa gtg cga gtg atc Leu Leu Leu Gln Ala Ile Gln Ser Phe Glu Lys Lys Val Arg Val Ile 595 600 605	1824
tat acg cag ctc agt aaa act gtg gtt tgc aag cag aag gcg ctg gaa Tyr Thr Gln Leu Ser Lys Thr Val Val Cys Lys Gln Lys Ala Leu Glu 610 615 620	1872
ctg ttg ccc aag gtg gaa gag gtg gtg agc tta atg aat gag gat gag Leu Leu Pro Lys Val Glu Glu Val Val Ser Leu Met Asn Glu Asp Glu 625 630 635 640	1920
aag act gtt gtc cgg ctg cag gag aag cgg cag aag gag ctc tgg aat Lys Thr Val Val Arg Leu Gln Glu Lys Arg Gln Lys Glu Leu Trp Asn 645 650 655	1968
ctc ctg aag att gct tgt agc aag gtc cgt ggt cct gtc agt gga agc Leu Leu Lys Ile Ala Cys Ser Lys Val Arg Gly Pro Val Ser Gly Ser 660 665 670	2016
ccg gat agc atg aat gcc tct cga ctt agc cag cct ggg cag ctg atg Pro Asp Ser Met Asn Ala Ser Arg Leu Ser Gln Pro Gly Gln Leu Met 675 680 685	2064
tct cag ccc tcc acg gcc tcc aac agc tta cct gag cca gcc aag aag Ser Gln Pro Ser Thr Ala Ser Asn Ser Leu Pro Glu Pro Ala Lys Lys 690 695 700	2112
agt gaa gaa ctg gtg gct gaa gca cat aac ctc tgc acc ctg cta gaa Ser Glu Glu Leu Val Ala Glu Ala His Asn Leu Cys Thr Leu Leu Glu 705 710 715 720	2160
aat gcc ata cag gac act gtg agg gaa caa gac cag agt ttc acg gcc Asn Ala Ile Gln Asp Thr Val Arg Glu Gln Asp Gln Ser Phe Thr Ala 725 730 735	2208
cta gac tgg agc tgg tta cag acg gaa gaa gaa gag cac agc tgc ctg Leu Asp Trp Ser Trp Leu Gln Thr Glu Glu Glu Glu His Ser Cys Leu 740 745 750	2256
gag cag gcc tca tgg gta ccg cgg gcc cgg gat cca ccg gtc gcc acc Glu Gln Ala Ser Trp Val Pro Arg Ala Arg Asp Pro Val Ala Thr 755 760 765	2304

atg gtc agc aag ggc gag gag ctg ttc acc ggg gtc gtc ccc atc ctg Met Val Ser Lys Gly Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu 770 775 780	2352
gtc gag ctg gac ggc gac gta aac ggc cac aag ttc agc gtc tcc ggc Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser Val Ser Gly 785 790 795 800	2400
gag ggc gag ggc gat gcc acc tac ggc aag ctg acc ctg aag ttc atc Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile 805 810 815	2448
tgc acc acc ggc aag ctg ccc gtc ccc tgg ccc acc ctc gtc acc acc Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr 820 825 830	2496
ctg acc tac ggc gtc cag tgc ttc agc cgc tac ccc gac cac atg aag Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys 835 840 845	2544
cag cac gac ttc ttc aag tcc gcc atg ccc gaa ggc tac gtc cag gag Gln His Asp Phe Phe Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu 850 855 860	2592
cgc acc atc ttc ttc aag gac gac ggc aac tac aag acc cgc gcc gag Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu 865 870 875 880	2640
gtg aag ttc gag ggc gac acc ctg gtc aac cgc atc gag ctg aag ggc Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly 885 890 895	2688
atc gac ttc aag gag gac ggc aac atc ctg ggg cac aag ctg gag tac Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr 900 905 910	2736
aac tac aac agc cac aac gtc tat atc atg gcc gac aag cag aag aac Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn 915 920 925	2784
ggc atc aag gtc aac ttc aag atc cgc cac aac atc gag gac ggc agc Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu Asp Gly Ser 930 935 940	2832
gtg cag ctc gcc gac cac tac cag cag aac acc ccc atc ggc gac ggc Val Gln Leu Ala Asp His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly 945 950 955 960	2880
ccc gtc ctg ctg ccc gac aac cac tac ctg agc acc cag tcc gcc ctg Pro Val Leu Leu Pro Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu 965 970 975	2928
agc aaa gac ccc aac gag aag cgc gat cac atg gtc ctg ctg gag ttc Ser Lys Asp Pro Asn Glu Lys Arg Asp His Met Val Leu Leu Glu Phe 980 985 990	2976

gtg acc gcc gcc ggg atc act ctc ggc atg gac gag ctg tac aag taa 3024
 Val Thr Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys
 995 1000 1005

<210> 10
 <211> 1007
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> fusion between Aequorea victoria and human

<400> 10

Met Ser Trp Ser Pro Ser Leu Thr Thr Gln Thr Cys Gly Ala Trp Glu
 1 5 10 15

Met Lys Glu Arg Leu Gly Thr Gly Gly Phe Gly Asn Val Ile Arg Trp
 20 25 30

His Asn Gln Glu Thr Gly Glu Gln Ile Ala Ile Lys Gln Cys Arg Gln
 35 40 45

Glu Leu Ser Pro Arg Asn Arg Glu Arg Trp Cys Leu Glu Ile Gln Ile
 50 55 60

Met Arg Arg Leu Thr His Pro Asn Val Val Ala Ala Arg Asp Val Pro
 65 70 75 80

Glu Gly Met Gln Asn Leu Ala Pro Asn Asp Leu Pro Leu Leu Ala Met
 85 90 95

Glu Tyr Cys Gln Gly Gly Asp Leu Arg Lys Tyr Leu Asn Gln Phe Glu
 100 105 110

Asn Cys Cys Gly Leu Arg Glu Gly Ala Ile Leu Thr Leu Leu Ser Asp
 115 120 125

Ile Ala Ser Ala Leu Arg Tyr Leu His Glu Asn Arg Ile Ile His Arg
 130 135 140

Asp Leu Lys Pro Glu Asn Ile Val Leu Gln Gln Gly Glu Gln Arg Leu
 145 150 155 160

Ile His Lys Ile Ile Asp Leu Gly Tyr Ala Lys Glu Leu Asp Gln Gly
 45

Ser Leu Cys Thr Ser Phe Val Gly Thr Leu Gln Tyr Leu Ala Pro Glu
180 185 190

Leu Leu Glu Gln Gln Lys Tyr Thr Val Thr Val Asp Tyr Trp Ser Phe
195 200 205

Gly Thr Leu Ala Phe Glu Cys Ile Thr Gly Phe Arg Pro Phe Leu Pro
210 215 220

Asn Trp Gln Pro Val Gln Trp His Ser Lys Val Arg Gln Lys Ser Glu
225 230 235 240

Val Asp Ile Val Val Ser Glu Asp Leu Asn Gly Thr Val Lys Phe Ser
245 250 255

Ser Ser Leu Pro Tyr Pro Asn Asn Leu Asn Ser Val Leu Ala Glu Arg
260 265 270

Leu Glu Lys Trp Leu Gln Leu Met Leu Met Trp His Pro Arg Gln Arg
275 280 285

Gly Thr Asp Pro Thr Tyr Gly Pro Asn Gly Cys Phe Lys Ala Leu Asp
290 295 300

Asp Ile Leu Asn Leu Lys Leu Val His Ile Leu Asn Met Val Thr Gly
305 310 315 320

Thr Ile His Thr Tyr Pro Val Thr Glu Asp Glu Ser Leu Gln Ser Leu
325 330 335

Lys Ala Arg Ile Gln Gln Asp Thr Gly Ile Pro Glu Glu Asp Gln Glu
340 345 350

Leu Leu Gln Glu Ala Gly Leu Ala Leu Ile Pro Asp Lys Pro Ala Thr
355 360 365

Gln Cys Ile Ser Asp Gly Lys Leu Asn Glu Gly His Thr Leu Asp Met
370 375 380

Asp Leu Val Phe Leu Phe Asp Asn Ser Lys Ile Thr Tyr Glu Thr Gln

385

390

395

400

Ile Ser Pro Arg Pro Gln Pro Glu Ser Val Ser Cys Ile Leu Gln Glu
405 410 415

Pro Lys Arg Asn Leu Ala Phe Phe Gln Leu Arg Lys Val Trp Gly Gln
420 425 430

Val Trp His Ser Ile Gln Thr Leu Lys Glu Asp Cys Asn Arg Leu Gln
435 440 445

Gln Gly Gln Arg Ala Ala Met Met Asn Leu Leu Arg Asn Asn Ser Cys
450 455 460

Leu Ser Lys Met Lys Asn Ser Met Ala Ser Met Ser Gln Gln Leu Lys
465 470 475 480

Ala Lys Leu Asp Phe Phe Lys Thr Ser Ile Gln Ile Asp Leu Glu Lys
485 490 495

Tyr Ser Glu Gln Thr Glu Phe Gly Ile Thr Ser Asp Lys Leu Leu Leu
500 505 510

Ala Trp Arg Glu Met Glu Gln Ala Val Glu Leu Cys Gly Arg Glu Asn
515 520 525

Glu Val Lys Leu Leu Val Glu Arg Met Met Ala Leu Gln Thr Asp Ile
530 535 540

Val Asp Leu Gln Arg Ser Pro Met Gly Arg Lys Gln Gly Gly Thr Leu
545 550 555 560

Asp Asp Leu Glu Glu Gln Ala Arg Glu Leu Tyr Arg Arg Leu Arg Glu
565 570 575

Lys Pro Arg Asp Gln Arg Thr Glu Gly Asp Ser Gln Glu Met Val Arg
580 585 590

Leu Leu Leu Gln Ala Ile Gln Ser Phe Glu Lys Lys Val Arg Val Ile
595 600 605

Tyr Thr Gln Leu Ser Lys Thr Val Val Cys Lys Gln Lys Ala Leu Glu

610

615

620

Leu Leu Pro Lys Val Glu Glu Val Val Ser Leu Met Asn Glu Asp Glu
625 630 635 640

Lys Thr Val Val Arg Leu Gln Glu Lys Arg Gln Lys Glu Leu Trp Asn
645 650 655

Leu Leu Lys Ile Ala Cys Ser Lys Val Arg Gly Pro Val Ser Gly Ser
660 665 670

Pro Asp Ser Met Asn Ala Ser Arg Leu Ser Gln Pro Gly Gln Leu Met
675 680 685

Ser Gln Pro Ser Thr Ala Ser Asn Ser Leu Pro Glu Pro Ala Lys Lys
690 695 700

Ser Glu Glu Leu Val Ala Glu Ala His Asn Leu Cys Thr Leu Leu Glu
705 710 715 720

Asn Ala Ile Gln Asp Thr Val Arg Glu Gln Asp Gln Ser Phe Thr Ala
725 730 735

Leu Asp Trp Ser Trp Leu Gln Thr Glu Glu Glu Glu His Ser Cys Leu
740 745 750

Glu Gln Ala Ser Trp Val Pro Arg Ala Arg Asp Pro Pro Val Ala Thr
755 760 765

Met Val Ser Lys Gly Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu
770 775 780

Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser Val Ser Gly
785 790 795 800

Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile
805 810 815

Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr
820 825 830

Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys

835

840

845

Gln His Asp Phe Phe Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu
850 855 860

Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu
865 870 875 880

Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly
885 890 895

Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr
900 905 910

Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn
915 920 925

Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu Asp Gly Ser
930 935 940

Val Gln Leu Ala Asp His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly
945 950 955 960

Pro Val Leu Leu Pro Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu
965 970 975

Ser Lys Asp Pro Asn Glu Lys Arg Asp His Met Val Leu Leu Glu Phe
980 985 990

Val Thr Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys
995 1000 1005

<210> 11

<211> 2430

<212> DNA

<213> Artificial Sequence

<220>

<223> fusion between Aequorea victoria and human

<220>

<221> CDS

<222> (1)..(2430)

<223>

<400> 11
atg gac gaa ctg ttc ccc ctc atc ttc ccg gca gag cca gcc cag gcc 48
Met Asp Glu Leu Phe Pro Leu Ile Phe Pro Ala Glu Pro Ala Gln Ala
1 5 10 15

tct ggc ccc tat gtg gag atc att gag cag ccc aag cag cgg ggc atg 96
Ser Gly Pro Tyr Val Glu Ile Ile Glu Gln Pro Lys Gln Arg Gly Met
20 25 30

cgc ttc cgc tac aag tgc gag ggg cgc tcc gcg ggc agc atc cca ggc 144
Arg Phe Arg Tyr Lys Cys Glu Gly Arg Ser Ala Gly Ser Ile Pro Gly
35 40 45

gag agg agc aca gat acc acc aag acc cac ccc acc atc aag atc aat 192
Glu Arg Ser Thr Asp Thr Lys Thr His Pro Thr Ile Lys Ile Asn
50 55 60

ggc tac aca gga cca ggg aca gtg cgc atc tcc ctg gtc acc aag gac 240
Gly Tyr Thr Gly Pro Gly Thr Val Arg Ile Ser Leu Val Thr Lys Asp
65 70 75 80

cct cct cac cgg cct cac ccc cac gag ctt gta gga aag gac tgc cgg 288
Pro Pro His Arg Pro His Pro His Glu Leu Val Gly Lys Asp Cys Arg
85 90 95

gat ggc ttc tat gag gct gag ctc tgc ccg gac cgc tgc atc cac agt 336
Asp Gly Phe Tyr Glu Ala Glu Leu Cys Pro Asp Arg Cys Ile His Ser
100 105 110

ttc cag aac ctg gga atc cag tgt gtg aag aag cgg gac ctg gag cag 384
Phe Gln Asn Leu Gly Ile Gln Cys Val Lys Lys Arg Asp Leu Glu Gln
115 120 125

gct atc agt cag cgc atc cag acc aac aac aac ccc ttc caa gtt cct 432
Ala Ile Ser Gln Arg Ile Gln Thr Asn Asn Asn Pro Phe Gln Val Pro
130 135 140

ata gaa gag cag cgt ggg gac tac gac ctg aat gct gtg cgg ctc tgc 480
Ile Glu Glu Gln Arg Gly Asp Tyr Asp Leu Asn Ala Val Arg Leu Cys
145 150 155 160

ttc cag gtg aca gtg cgg gac cca tca ggc agg ccc ctc cgc ctg ccg 528
Phe Gln Val Thr Val Arg Asp Pro Ser Gly Arg Pro Leu Arg Leu Pro
165 170 175

cct gtc ctt cct cat ccc atc ttt gac aat cgt gcc ccc aac act gcc 576
Pro Val Leu Pro His Pro Ile Phe Asp Asn Arg Ala Pro Asn Thr Ala
180 185 190

gag ctc aag atc tgc cga gtg aac cga aac tct ggc agc tgc ctc ggt 624
Glu Leu Lys Ile Cys Arg Val Asn Arg Asn Ser Gly Ser Cys Leu Gly
195 200 205

ggg gat gag atc ttc cta ctg tgt gac aag gtg cag aaa gag gac att 672
Gly Asp Glu Ile Phe Leu Leu Cys Asp Lys Val Gln Lys Glu Asp Ile

210

215

220

720

768

816

864

912

960

1008

1056

1104

1152

1200

1248

1296

1344

$\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

gag gtg tat ttc acg gga cca ggc tgg gag gcc cga ggc tcc ttt tgg
Glu Val Tyr Phe Thr Gly Pro Gly Trp Glu Ala Arg Gly Ser Phe Ser
225 230 235 240

caa gct gat gtg cac cga caa gtg gcc att gtg ttc cgg acc cct ccg
Gln Ala Asp Val His Arg Gln Val Ala Ile Val Phe Arg Thr Pro Pro
245 250 255

tac	gca	gac	ccc	agc	ctg	cag	gct	cct	gtg	cgt	gtc	tcc	atg	cag	ctg
Tyr	Ala	Asp	Pro	Ser	Leu	Gln	Ala	Pro	Val	Arg	Val	Ser	Met	Gln	Leu
			260					265					270		

cgg cgg cct tcc gac cgg gag ctc agt gag ccc atg gaa ttc cag tac
 Arg Arg Pro Ser Asp Arg Glu Leu Ser Glu Pro Met Glu Phe Gln Tyr
 275 280 285

ctg cca gat aca gac gat cgt cac cgg att gag gag aaa cgt aaa agg
Leu Pro Asp Thr Asp Asp Arg His Arg Ile Glu Glu Lys Arg Lys Arg
290 295 300

aca tat gag acc ttc aag agc atc atg aag aag agt cct ttc agc gga
Thr Tyr Glu Thr Phe Lys Ser Ile Met Lys Lys Ser Pro Phe Ser Gly
305 310 315 320

ccc acc gac ccc cgg cct cca cct cga cgc att gct gtg cct tcc cgc
Pro Thr Asp Pro Arg Pro Pro Pro Arg Arg Ile Ala Val Pro Ser Arg
325 330 335

agc tca gct tct gtc ccc aag cca gca ccc cag ccc tat ccc ttt acg
 Ser Ser Ala Ser Val Pro Lys Pro Ala Pro Gln Pro Tyr Pro Phe Thr
 340 345 350

tca tcc ctg agc acc atc aac tat gat gag ttt ccc acc atg gtg ttt
Ser Ser Leu Ser Thr Ile Asn Tyr Asp Glu Phe Pro Thr Met Val Phe
355 360 365

cct tct ggg cag atc agc cag gcc tgc gcc ttg gcc ccg gcc cct ccc
Pro Ser Gly Gln Ile Ser Gln Ala Ser Ala Leu Ala Pro Ala Pro Pro
370 375 380

caa gtc ctg ccc cag gct cca gcc cct gcc cct gct cca gcc atg gta
Gln Val Leu Pro Gln Ala Pro Ala Pro Ala Pro Ala Pro Ala Met Val
385 390 395 400

tca gct ctg gcc cag gcc cca gcc cct gtc cca gtc cta gcc cca ggc
Ser Ala Leu Ala Gln Ala Pro Ala Pro Val Pro Val Leu Ala Pro Gly
405 410 415

cct cct cag gct gtg gcc cca cct gcc ccc aag ccc acc cag gct ggg
Pro Pro Gln Ala Val Ala Pro Pro Ala Pro Lys Pro Thr Gln Ala Gly
420 425 430

Glu Gly Thr Leu Ser Glu Ala Leu Leu Gln Leu Gln Phe Asp Asp Glu

435

440

445

gac ctg ggg gcc ttg ctt ggc aac agc aca gac cca gct gtg ttc aca 1392
 Asp Leu Gly Ala Leu Leu Gly Asn Ser Thr Asp Pro Ala Val Phe Thr
 450 455 460

gac ctg gca tcc gtc gac aac tcc gag ttt cag cag ctg ctg aac cag 1440
 Asp Leu Ala Ser Val Asp Asn Ser Glu Phe Gln Gln Leu Leu Asn Gln
 465 470 475 480

ggc ata cct gtg gcc ccc cac aca act gag ccc atg ctg atg gag tac 1488
 Gly Ile Pro Val Ala Pro His Thr Thr Glu Pro Met Leu Met Glu Tyr
 485 490 495

cct gag gct ata act cgc cta gtg aca ggg gcc cag agg ccc ccc gac 1536
 Pro Glu Ala Ile Thr Arg Leu Val Thr Gly Ala Gln Arg Pro Pro Asp
 500 505 510

cca gct cct gct cca ctg ggg gcc ccg ggg ctg ccc aat ggc ctg ctt 1584
 Pro Ala Pro Ala Pro Leu Gly Ala Pro Gly Leu Pro Asn Gly Leu Leu
 515 520 525

tca gga gat gaa gac ttc tcc tcc att gcg gac atg gac ttc tca gcc 1632
 Ser Gly Asp Glu Asp Phe Ser Ser Ile Ala Asp Met Asp Phe Ser Ala
 530 535 540

ctg ctg agt cag atc agc tcc aag ctt cga att ctg cag tgg acg gta 1680
 Leu Leu Ser Gln Ile Ser Ser Lys Leu Arg Ile Leu Gln Ser Thr Val
 545 550 555 560

ccg cgg gcc cgg gat cca ccg gtc gcc acc atg gtg agc aag ggc gag 1728
 Pro Arg Ala Arg Asp Pro Pro Val Ala Thr Met Val Ser Lys Gly Glu
 565 570 575

gag ctg ttc acc ggg gtg gtg ccc atc ctg gtc gag ctg gac ggc gac 1776
 Glu Leu Phe Thr Gly Val Val Pro Ile Leu Val Glu Leu Asp Gly Asp
 580 585 590

gta aac ggc cac aag ttc agc gtg tcc ggc gag ggc gag ggc gat gcc 1824
 Val Asn Gly His Lys Phe Ser Val Ser Gly Glu Gly Glu Gly Asp Ala
 595 600 605

acc tac ggc aag ctg acc ctg aag ttc atc tgc acc acc ggc aag ctg 1872
 Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile Cys Thr Thr Gly Lys Leu
 610 615 620

ccc gtg ccc tgg ccc acc ctg gtg acc acc ctg acc tac ggc gtg cag 1920
 Pro Val Pro Trp Pro Thr Leu Val Thr Thr Leu Thr Tyr Gly Val Gln
 625 630 635 640

tgc ttc agc cgc tac ccc gac cac atg aag cag cac gac ttc ttc aag 1968
 Cys Phe Ser Arg Tyr Pro Asp His Met Lys Gln His Asp Phe Phe Lys
 645 650 655

tcc gcc atg ccc gaa ggc tac gtc cag gag cgc acc atc ttc ttc aag 2016
 Ser Ala Met Pro Glu Gly Tyr Val Gln Glu Arg Thr Ile Phe Phe Lys

660	665	670	
gac gac ggc aac tac aag acc cgc gcc gag gtg aag ttc gag ggc gac Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu Val Lys Phe Glu Gly Asp 675 680 685			2064
acc ctg gtg aac cgc atc gag ctg aag ggc atc gac ttc aag gag gac Thr Leu Val Asn Arg Ile Glu Leu Lys Gly Ile Asp Phe Lys Glu Asp 690 695 700			2112
ggc aac atc ctg ggg cac aag ctg gag tac aac tac aac agc cac aac Gly Asn Ile Leu Gly His Lys Leu Glu Tyr Asn Tyr Asn Ser His Asn 705 710 715 720			2160
gtc tat atc atg gcc gac aag cag aag aac ggc atc aag gtg aac ttc Val Tyr Ile Met Ala Asp Lys Gln Lys Asn Gly Ile Lys Val Asn Phe 725 730 735			2208
aag atc cgc cac aac atc gag gac ggc agc gtg cag ctc gcc gac cac Lys Ile Arg His Asn Ile Glu Asp Gly Ser Val Gln Leu Ala Asp His 740 745 750			2256
tac cag cag aac acc ccc atc ggc gac ggc ccc gtg ctg ctg ccc gac Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly Pro Val Leu Leu Pro Asp 755 760 765			2304
aac cac tac ctg agc acc cag tcc gcc ctg agc aaa gac ccc aac gag Asn His Tyr Leu Ser Thr Gln Ser Ala Leu Ser Lys Asp Pro Asn Glu 770 775 780			2352
aag cgc gat cac atg gtc ctg ctg gag ttc gtg acc gcc gcc ggg atc Lys Arg Asp His Met Val Leu Leu Glu Phe Val Thr Ala Ala Gly Ile 785 790 795 800			2400
act ctc ggc atg gac gag ctg tac aag taa Thr Leu Gly Met Asp Glu Leu Tyr Lys 805			2430
<210> 12			
<211> 809			
<212> PRT			
<213> Artificial Sequence			
<220>			
<223> fusion between Aequorea victoria and human			
<400> 12			
Met Asp Glu Leu Phe Pro Leu Ile Phe Pro Ala Glu Pro Ala Gln Ala 1 5 10 15			
Ser Gly Pro Tyr Val Glu Ile Ile Glu Gln Pro Lys Gln Arg Gly Met 20 25 30			

Arg Phe Arg Tyr Lys Cys Glu Gly Arg Ser Ala Gly Ser Ile Pro Gly
35 40 45

Glu Arg Ser Thr Asp Thr Thr Lys Thr His Pro Thr Ile Lys Ile Asn
50 55 60

Gly Tyr Thr Gly Pro Gly Thr Val Arg Ile Ser Leu Val Thr Lys Asp
65 70 75 80

Pro Pro His Arg Pro His Pro His Glu Leu Val Gly Lys Asp Cys Arg
85 90 95

Asp Gly Phe Tyr Glu Ala Glu Leu Cys Pro Asp Arg Cys Ile His Ser
100 105 110

Phe Gln Asn Leu Gly Ile Gln Cys Val Lys Lys Arg Asp Leu Glu Gln
115 120 125

Ala Ile Ser Gln Arg Ile Gln Thr Asn Asn Asn Pro Phe Gln Val Pro
130 135 140

Ile Glu Glu Gln Arg Gly Asp Tyr Asp Leu Asn Ala Val Arg Leu Cys
145 150 155 160

Phe Gln Val Thr Val Arg Asp Pro Ser Gly Arg Pro Leu Arg Leu Pro
165 170 175

Pro Val Leu Pro His Pro Ile Phe Asp Asn Arg Ala Pro Asn Thr Ala
180 185 190

Glu Leu Lys Ile Cys Arg Val Asn Arg Asn Ser Gly Ser Cys Leu Gly
195 200 205

Gly Asp Glu Ile Phe Leu Leu Cys Asp Lys Val Gln Lys Glu Asp Ile
210 215 220

Glu Val Tyr Phe Thr Gly Pro Gly Trp Glu Ala Arg Gly Ser Phe Ser
225 230 235 240

Gln Ala Asp Val His Arg Gln Val Ala Ile Val Phe Arg Thr Pro Pro
245 250 255

Tyr Ala Asp Pro Ser Leu Gln Ala Pro Val Arg Val Ser Met Gln Leu
260 265 270

Arg Arg Pro Ser Asp Arg Glu Leu Ser Glu Pro Met Glu Phe Gln Tyr
275 280 285

Leu Pro Asp Thr Asp Asp Arg His Arg Ile Glu Glu Lys Arg Lys Arg
290 295 300

Thr Tyr Glu Thr Phe Lys Ser Ile Met Lys Lys Ser Pro Phe Ser Gly
305 310 315 320

Pro Thr Asp Pro Arg Pro Pro Pro Arg Arg Ile Ala Val Pro Ser Arg
325 330 335

Ser Ser Ala Ser Val Pro Lys Pro Ala Pro Gln Pro Tyr Pro Phe Thr
340 345 350

Ser Ser Leu Ser Thr Ile Asn Tyr Asp Glu Phe Pro Thr Met Val Phe
355 360 365

Pro Ser Gly Gln Ile Ser Gln Ala Ser Ala Leu Ala Pro Ala Pro Pro
370 375 380

Gln Val Leu Pro Gln Ala Pro Ala Pro Ala Pro Ala Met Val
385 390 395 400

Ser Ala Leu Ala Gln Ala Pro Ala Pro Val Pro Val Leu Ala Pro Gly
405 410 415

Pro Pro Gln Ala Val Ala Pro Pro Ala Pro Lys Pro Thr Gln Ala Gly
420 425 430

Glu Gly Thr Leu Ser Glu Ala Leu Leu Gln Leu Gln Phe Asp Asp Glu
435 440 445

Asp Leu Gly Ala Leu Leu Gly Asn Ser Thr Asp Pro Ala Val Phe Thr
450 455 460

Asp Leu Ala Ser Val Asp Asn Ser Glu Phe Gln Gln Leu Leu Asn Gln
465 470 475 480

Gly Ile Pro Val Ala Pro His Thr Thr Glu Pro Met Leu Met Glu Tyr
485 490 495

Pro Glu Ala Ile Thr Arg Leu Val Thr Gly Ala Gln Arg Pro Pro Asp
500 505 510

Pro Ala Pro Ala Pro Leu Gly Ala Pro Gly Leu Pro Asn Gly Leu Leu
515 520 525

Ser Gly Asp Glu Asp Phe Ser Ser Ile Ala Asp Met Asp Phe Ser Ala
530 535 540

Leu Leu Ser Gln Ile Ser Ser Lys Leu Arg Ile Leu Gln Ser Thr Val
545 550 555 560

Pro Arg Ala Arg Asp Pro Pro Val Ala Thr Met Val Ser Lys Gly Glu
565 570 575

Glu Leu Phe Thr Gly Val Val Pro Ile Leu Val Glu Leu Asp Gly Asp
580 585 590

Val Asn Gly His Lys Phe Ser Val Ser Gly Glu Gly Glu Gly Asp Ala
595 600 605

Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile Cys Thr Thr Gly Lys Leu
610 615 620

Pro Val Pro Trp Pro Thr Leu Val Thr Thr Leu Thr Tyr Gly Val Gln
625 630 635 640

Cys Phe Ser Arg Tyr Pro Asp His Met Lys Gln His Asp Phe Phe Lys
645 650 655

Ser Ala Met Pro Glu Gly Tyr Val Gln Glu Arg Thr Ile Phe Phe Lys
660 665 670

Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu Val Lys Phe Glu Gly Asp
675 680 685

Thr Leu Val Asn Arg Ile Glu Leu Lys Gly Ile Asp Phe Lys Glu Asp
690 695 700

Gly Asn Ile Leu Gly His Lys Leu Glu Tyr Asn Tyr Asn Ser His Asn
705 710 715 720

Val Tyr Ile Met Ala Asp Lys Gln Lys Asn Gly Ile Lys Val Asn Phe
725 730 735

Lys Ile Arg His Asn Ile Glu Asp Gly Ser Val Gln Leu Ala Asp His
740 745 750

Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly Pro Val Leu Leu Pro Asp
755 760 765

Asn His Tyr Leu Ser Thr Gln Ser Ala Leu Ser Lys Asp Pro Asn Glu
770 775 780

Lys Arg Asp His Met Val Leu Leu Glu Phe Val Thr Ala Ala Gly Ile
785 790 795 800

Thr Leu Gly Met Asp Glu Leu Tyr Lys
805

<210> 13

<211> 3018

<212> DNA

<213> Artificial Sequence

<220>

<223> fusion between Aequorea victoria and human

<220>

<221> CDS

<222> (1)..(3018)

<223>

<400> 13

atg gtc agc aag ggc gag gag ctg ttc acc ggc gtc gtc ccc atc ctg 48
Met Val Ser Lys Gly Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu
1 5 10 15

gtc gag ctg gac ggc gac gta aac ggc cac aag ttc agc gtc tcc ggc 96
Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser Val Ser Gly
20 25 30

gag ggc gag ggc gat gcc acc tac ggc aag ctg acc ctg aag ttc atc 144
Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile
35 40 45

<p> tgc acc acc ggc aag ctg ccc gtg ccc tgg ccc acc ctc gtg acc acc Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr 50 55 60 </p>	192
<p> ctg acc tac ggc gtg cag tgc ttc agc cgc tac ccc gac cac atg aag Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys 65 70 75 80 </p>	240
<p> cag cac gac ttc ttc aag tcc gcc atg ccc gaa ggc tac gtc cag gag Gln His Asp Phe Phe Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu 85 90 95 </p>	288
<p> cgc acc atc ttc ttc aag gac gac ggc aac tac aag acc cgc gcc gag Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu 100 105 110 </p>	336
<p> gtg aag ttc gag ggc gac acc ctg gtg aac cgc atc gag ctg aag ggc Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly 115 120 125 </p>	384
<p> atc gac ttc aag gag gac ggc aac atc ctg ggg cac aag ctg gag tac Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr 130 135 140 </p>	432
<p> aac tac aac agc cac aac gtc tat atc atg gcc gac aag cag aag aac Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn 145 150 155 160 </p>	480
<p> ggc atc aag gtg aac ttc aag atc cgc cac aac atc gag gac ggc agc Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu Asp Gly Ser 165 170 175 </p>	528
<p> gtg cag ctc gcc gac cac tac cag cag aac acc ccc atc ggc gac ggc Val Gln Leu Ala Asp His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly 180 185 190 </p>	576
<p> ccc gtg ctg ctg ccc gac aac cac tac ctg agc acc cag tcc gcc ctg Pro Val Leu Leu Pro Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu 195 200 205 </p>	624
<p> agc aaa gac ccc aac gag aag cgc gat cac atg gtc ctg ctg gag ttc Ser Lys Asp Pro Asn Glu Lys Arg Asp His Met Val Leu Leu Glu Phe 210 215 220 </p>	672
<p> gtg acc gcc gcc ggg atc act ctc ggc atg gac gag ctg tac aag tcc Val Thr Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys Ser 225 230 235 240 </p>	720
<p> gga ctc aga tct cga gct caa gct tac atg agc tgg tca cct tcc ctg Gly Leu Arg Ser Arg Ala Gln Ala Tyr Met Ser Trp Ser Pro Ser Leu 245 250 255 </p>	768
<p> aca acg cag aca tgt ggg gcc tgg gaa atg aaa gag cgc ctt ggg aca Thr Thr Gln Thr Cys Gly Ala Trp Glu Met Lys Glu Arg Leu Gly Thr 260 265 270 </p>	816

ggg gga ttt gga aat gtc atc cga tgg cac aat cag gaa aca ggt gag Gly Gly Phe Gly Asn Val Ile Arg Trp His Asn Gln Glu Thr Gly Glu 275 280 285	864
cag att gcc atc aag cag tgc cgg cag gag ctc agc ccc cgg aac cga Gln Ile Ala Ile Lys Gln Cys Arg Gln Glu Leu Ser Pro Arg Asn Arg 290 295 300	912
gag cgg tgg tgc ctg gag atc cag atc atg aga agg ctg acc cac ccc Glu Arg Trp Cys Leu Glu Ile Gln Ile Met Arg Arg Leu Thr His Pro 305 310 315 320	960
aat gtg gtg gct gcc cga gat gtc cct gag ggg atg cag aac ttg gcg Asn Val Val Ala Ala Arg Asp Val Pro Glu Gly Met Gln Asn Leu Ala 325 330 335	1008
ccc aat gac ctg ccc ctg ctg gcc atg gag tac tgc caa gga gga gat Pro Asn Asp Leu Pro Leu Leu Ala Met Glu Tyr Cys Gln Gly Gly Asp 340 345 350	1056
ctc cgg aag tac ctg aac cag ttt gag aac tgc tgt ggt ctg cgg gaa Leu Arg Lys Tyr Leu Asn Gln Phe Glu Asn Cys Cys Gly Leu Arg Glu 355 360 365	1104
ggt gcc atc ctc acc ttg ctg agt gac att gcc tct gcg ctt aga tac Gly Ala Ile Leu Thr Leu Leu Ser Asp Ile Ala Ser Ala Leu Arg Tyr 370 375 380	1152
ctt cat gaa aac aga atc atc cat cgg gat cta aag cca gaa aac atc Leu His Glu Asn Arg Ile Ile His Arg Asp Leu Lys Pro Glu Asn Ile 385 390 395 400	1200
gtc ctg cag caa gga gaa cag agg tta ata cac aaa att att gac cta Val Leu Gln Gln Gly Glu Gln Arg Leu Ile His Lys Ile Ile Asp Leu 405 410 415	1248
gga tat gcc aag gag ctg gat cag ggc agt ctt tgc aca tca ttc gtg Gly Tyr Ala Lys Glu Leu Asp Gln Gly Ser Leu Cys Thr Ser Phe Val 420 425 430	1296
ggg acc ctg cag tac ctg gcc cca gag cta ctg gag cag cag aag tac Gly Thr Leu Gln Tyr Leu Ala Pro Glu Leu Leu Glu Gln Gln Lys Tyr 435 440 445	1344
aca gtg acc gtc gac tac tgg agc ttc ggc acc ctg gcc ttt gag tgc Thr Val Thr Val Asp Tyr Trp Ser Phe Gly Thr Leu Ala Phe Glu Cys 450 455 460	1392
atc acg ggc ttc cgg ccc ttc ctc ccc aac tgg cag ccc gtg cag tgg Ile Thr Gly Phe Arg Pro Phe Leu Pro Asn Trp Gln Pro Val Gln Trp 465 470 475 480	1440
cat tca aaa gtg cgg cag aag agt gag gtg gac att gtt gtt agc gaa His Ser Lys Val Arg Gln Lys Ser Glu Val Asp Ile Val Val Ser Glu 485 490 495	1488

gac ttg aat gga acg gtg aag ttt tca agc tct tta ccc tac ccc aat Asp Leu Asn Asn Gly Thr Val Lys Phe Ser Ser Ser Leu Pro Tyr Pro Asn 500 505 510	1536
aat ctt aac agt gtc ctg gct gag cga ctg gag aag tgg ctg caa ctg Asn Leu Asn Ser Val Leu Ala Glu Arg Leu Glu Lys Trp Leu Gln Leu 515 520 525	1584
atg ctg atg tgg cac ccc cga cag agg ggc acg gat ccc acg tat ggg Met Leu Met Trp His Pro Arg Gln Arg Gly Thr Asp Pro Thr Tyr Gly 530 535 540	1632
ccc aat ggc tgc ttc aag gcc ctg gat gac atc tta aac tta aag ctg Pro Asn Gly Cys Phe Lys Ala Leu Asp Asp Ile Leu Asn Leu Lys Leu 545 550 555 560	1680
gtt cat atc ttg aac atg gtc acg ggc acc atc cac acc tac cct gtg Val His Ile Leu Asn Met Val Thr Gly Thr Ile His Thr Tyr Pro Val 565 570 575	1728
aca gag gat gag agt ctg cag agc ttg aag gcc aga atc caa cag gac Thr Glu Asp Glu Ser Leu Gln Ser Leu Lys Ala Arg Ile Gln Gln Asp 580 585 590	1776
acg ggc atc cca gag gag gac cag gag ctg ctg cag gaa gcg ggc ctg Thr Gly Ile Pro Glu Glu Asp Gln Glu Leu Leu Gln Ala Gly Leu 595 600 605	1824
gcg ttg atc ccc gat aag cct gcc act cag tgt att tca gac ggc aag Ala Leu Ile Pro Asp Lys Pro Ala Thr Gln Cys Ile Ser Asp Gly Lys 610 615 620	1872
tta aat gag ggc cac aca ttg gac atg gat ctt gtt ttt ctc ttt gac Leu Asn Glu Gly His Thr Leu Asp Met Asp Leu Val Phe Leu Phe Asp 625 630 635 640	1920
aac agt aaa atc acc tat gag act cag atc tcc cca cgg ccc caa cct Asn Ser Lys Ile Thr Tyr Glu Thr Gln Ile Ser Pro Arg Pro Gln Pro 645 650 655	1968
gaa agt gtc agc tgt atc ctt caa gag ccc aag agg aat ctc gcc ttc Glu Ser Val Ser Cys Ile Leu Gln Glu Pro Lys Arg Asn Leu Ala Phe 660 665 670	2016
ttc cag ctg agg aag gtg tgg ggc cag gtc tgg cac agc atc cag acc Phe Gln Leu Arg Lys Val Trp Gly Gln Val Trp His Ser Ile Gln Thr 675 680 685	2064
ctg aag gaa gat tgc aac cgg ctg cag cag gga cag cga gcc gcc atg Leu Lys Glu Asp Cys Asn Arg Leu Leu Gln Gln Gly Gln Arg Ala Ala Met 690 695 700	2112
atg aat ctc ctc cga aac aac agc tgc ctc tcc aaa atg aag aat tcc Met Asn Leu Leu Arg Asn Asn Ser Cys Leu Ser Lys Met Lys Asn Ser 705 710 715 720	2160

atg gct tcc atg tct cag cag ctc aag gcc aag ttg gat ttc ttc aaa Met Ala Ser Met Ser Gln Gln Leu Lys Ala Lys Leu Asp Phe Phe Lys 725 730 735	2208
acc agc atc cag att gac ctg gag aag tac agc gag caa acc gag ttt Thr Ser Ile Gln Ile Asp Leu Glu Lys Tyr Ser Glu Gln Thr Glu Phe 740 745 750	2256
ggg atc aca tca gat aaa ctg ctg ctg gcc tgg agg gaa atg gag cag Gly Ile Thr Ser Asp Lys Leu Leu Leu Ala Trp Arg Glu Met Glu Gln 755 760 765	2304
gct gtg gag ctc tgt ggg cgg gag aac gaa gtg aaa ctc ctg gta gaa Ala Val Glu Leu Cys Gly Arg Glu Asn Glu Val Lys Leu Leu Val Glu 770 775 780	2352
cgg atg atg gct ctg cag acc gac att gtg gac tta cag agg agc ccc Arg Met Met Ala Leu Gln Thr Asp Ile Val Asp Leu Gln Arg Ser Pro 785 790 795 800	2400
atg ggc cgg aag cag ggg gga acg ctg gac gac cta gag gag caa gca Met Gly Arg Lys Gln Gly Gly Thr Leu Asp Asp Leu Glu Glu Gln Ala 805 810 815	2448
agg gag ctg tac agg aga cta agg gaa aaa cct cga gac cag cga act Arg Glu Leu Tyr Arg Arg Leu Arg Glu Lys Pro Arg Asp Gln Arg Thr 820 825 830	2496
gag ggt gac agt cag gaa atg gta cgg ctg ctg ctt cag gca att cag Glu Gly Asp Ser Gln Glu Met Val Arg Leu Leu Leu Gln Ala Ile Gln 835 840 845	2544
agc ttc gag aag aaa gtg cga gtg atc tat acg cag ctc agt aaa act Ser Phe Glu Lys Lys Val Arg Val Ile Tyr Thr Gln Leu Ser Lys Thr 850 855 860	2592
gtg gtt tgc aag cag aag gcg ctg gaa ctg ttg ccc aag gtg gaa gag Val Val Cys Lys Gln Lys Ala Leu Glu Leu Leu Pro Lys Val Glu Glu 865 870 875 880	2640
gtg gtg agc tta atg aat gag gat gag aag act gtt gtc cgg ctg cag Val Val Ser Leu Met Asn Glu Asp Glu Lys Thr Val Val Arg Leu Gln 885 890 895	2688
gag aag cgg cag aag gag ctc tgg aat ctc ctg aag att gct tgt agc Glu Lys Arg Gln Lys Glu Leu Trp Asn Leu Leu Lys Ile Ala Cys Ser 900 905 910	2736
aag gtc cgt ggt cct gtc agt gga agc ccg gat agc atg aat gcc tct Lys Val Arg Gly Pro Val Ser Gly Ser Pro Asp Ser Met Asn Ala Ser 915 920 925	2784
cga ctt agc cag cct ggg cag ctg atg tct cag ccc tcc acg gcc tcc Arg Leu Ser Gln Pro Gly Gln Leu Met Ser Gln Pro Ser Thr Ala Ser 930 935 940	2832

aac agc tta cct gag cca gcc aag aag agt gaa gaa ctg gtg gct gaa 2880
 Asn Ser Leu Pro Glu Pro Ala Lys Lys Ser Glu Glu Leu Val Ala Glu
 945 950 955 960

gca cat aac ctc tgc acc ctg cta gaa aat gcc ata cag gac act gtg 2928
 Ala His Asn Leu Cys Thr Leu Leu Glu Asn Ala Ile Gln Asp Thr Val
 965 970 975

agg gaa caa gac cag agt ttc acg gcc cta gac tgg agc tgg tta cag 2976
 Arg Glu Gln Asp Gln Ser Phe Thr Ala Leu Asp Trp Ser Trp Leu Gln
 980 985 990

acg gaa gaa gaa gag cac agc tgc ctg gag cag gcc tca tga 3018
 Thr Glu Glu Glu Glu His Ser Cys Leu Glu Gln Ala Ser
 995 1000 1005

<210> 14

<211> 1005

<212> PRT

<213> Artificial Sequence

<220>

<223> fusion between Aequorea victoria and human

<400> 14

Met Val Ser Lys Gly Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu
 1 5 10 15

Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser Val Ser Gly
 20 25 30

Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile
 35 40 45

Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr
 50 55 60

Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys
 65 70 75 80

Gln His Asp Phe Phe Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu
 85 90 95

Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu
 100 105 110

Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly

115

120

125

Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr
130 135 140

Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn
145 150 155 160

Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu Asp Gly Ser
165 170 175

Val Gln Leu Ala Asp His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly
180 185 190

Pro Val Leu Leu Pro Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu
195 200 205

Ser Lys Asp Pro Asn Glu Lys Arg Asp His Met Val Leu Leu Glu Phe
210 215 220

Val Thr Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys Ser
225 230 235 240

Gly Leu Arg Ser Arg Ala Gln Ala Tyr Met Ser Trp Ser Pro Ser Leu
245 250 255

Thr Thr Gln Thr Cys Gly Ala Trp Glu Met Lys Glu Arg Leu Gly Thr
260 265 270

Gly Gly Phe Gly Asn Val Ile Arg Trp His Asn Gln Glu Thr Gly Glu
275 280 285

Gln Ile Ala Ile Lys Gln Cys Arg Gln Glu Leu Ser Pro Arg Asn Arg
290 295 300

Glu Arg Trp Cys Leu Glu Ile Gln Ile Met Arg Arg Leu Thr His Pro
305 310 315 320

Asn Val Val Ala Ala Arg Asp Val Pro Glu Gly Met Gln Asn Leu Ala
325 330 335

Pro Asn Asp Leu Pro Leu Leu Ala Met Glu Tyr Cys Gln Gly Gly Asp

340

345

350

Leu Arg Lys Tyr Leu Asn Gln Phe Glu Asn Cys Cys Gly Leu Arg Glu
355 360 365

Gly Ala Ile Leu Thr Leu Leu Ser Asp Ile Ala Ser Ala Leu Arg Tyr
370 375 380

Leu His Glu Asn Arg Ile Ile His Arg Asp Leu Lys Pro Glu Asn Ile
385 390 395 400

Val Leu Gln Gln Gly Glu Gln Arg Leu Ile His Lys Ile Ile Asp Leu
405 410 415

Gly Tyr Ala Lys Glu Leu Asp Gln Gly Ser Leu Cys Thr Ser Phe Val
420 425 430

Gly Thr Leu Gln Tyr Leu Ala Pro Glu Leu Leu Glu Gln Gln Lys Tyr
435 440 445

Thr Val Thr Val Asp Tyr Trp Ser Phe Gly Thr Leu Ala Phe Glu Cys
450 455 460

Ile Thr Gly Phe Arg Pro Phe Leu Pro Asn Trp Gln Pro Val Gln Trp
465 470 475 480

His Ser Lys Val Arg Gln Lys Ser Glu Val Asp Ile Val Val Ser Glu
485 490 495

Asp Leu Asn Gly Thr Val Lys Phe Ser Ser Ser Leu Pro Tyr Pro Asn
500 505 510

Asn Leu Asn Ser Val Leu Ala Glu Arg Leu Glu Lys Trp Leu Gln Leu
515 520 525

Met Leu Met Trp His Pro Arg Gln Arg Gly Thr Asp Pro Thr Tyr Gly
530 535 540

Pro Asn Gly Cys Phe Lys Ala Leu Asp Asp Ile Leu Asn Leu Lys Leu
545 550 555 560

Val His Ile Leu Asn Met Val Thr Gly Thr Ile His Thr Tyr Pro Val

Thr Glu Asp Glu Ser Leu Gln Ser Leu Lys Ala Arg Ile Gln Gln Asp
580 585 590

Thr Gly Ile Pro Glu Glu Asp Gln Glu Leu Leu Gln Glu Ala Gly Leu
595 600 605

Ala Leu Ile Pro Asp Lys Pro Ala Thr Gln Cys Ile Ser Asp Gly Lys
610 615 620

Leu Asn Glu Gly His Thr Leu Asp Met Asp Leu Val Phe Leu Phe Asp
625 630 635 640

Asn Ser Lys Ile Thr Tyr Glu Thr Gln Ile Ser Pro Arg Pro Gln Pro
645 650 655

Glu Ser Val Ser Cys Ile Leu Gln Glu Pro Lys Arg Asn Leu Ala Phe
660 665 670

Phe Gln Leu Arg Lys Val Trp Gly Gln Val Trp His Ser Ile Gln Thr
675 680 685

Leu Lys Glu Asp Cys Asn Arg Leu Gln Gln Gly Gln Arg Ala Ala Met
690 695 700

Met Asn Leu Leu Arg Asn Asn Ser Cys Leu Ser Lys Met Lys Asn Ser
705 710 715 720

Met Ala Ser Met Ser Gln Gln Leu Lys Ala Lys Leu Asp Phe Phe Lys
725 730 735

Thr Ser Ile Gln Ile Asp Leu Glu Lys Tyr Ser Glu Gln Thr Glu Phe
740 745 750

Gly Ile Thr Ser Asp Lys Leu Leu Leu Ala Trp Arg Glu Met Glu Gln
755 760 765

Ala Val Glu Leu Cys Gly Arg Glu Asn Glu Val Lys Leu Leu Val Glu
770 775 780

Arg Met Met Ala Leu Gln Thr Asp Ile Val Asp Leu Gln Arg Ser Pro

785

790

795

800

Met Gly Arg Lys Gln Gly Gly Thr Leu Asp Asp Leu Glu Glu Gln Ala
805 810 815

Arg Glu Leu Tyr Arg Arg Leu Arg Glu Lys Pro Arg Asp Gln Arg Thr
820 825 830

Glu Gly Asp Ser Gln Glu Met Val Arg Leu Leu Leu Gln Ala Ile Gln
835 840 845

Ser Phe Glu Lys Lys Val Arg Val Ile Tyr Thr Gln Leu Ser Lys Thr
850 855 860

Val Val Cys Lys Gln Lys Ala Leu Glu Leu Leu Pro Lys Val Glu Glu
865 870 875 880

Val Val Ser Leu Met Asn Glu Asp Glu Lys Thr Val Val Arg Leu Gln
885 890 895

Glu Lys Arg Gln Lys Glu Leu Trp Asn Leu Leu Lys Ile Ala Cys Ser
900 905 910

Lys Val Arg Gly Pro Val Ser Gly Ser Pro Asp Ser Met Asn Ala Ser
915 920 925

Arg Leu Ser Gln Pro Gly Gln Leu Met Ser Gln Pro Ser Thr Ala Ser
930 935 940

Asn Ser Leu Pro Glu Pro Ala Lys Lys Ser Glu Glu Leu Val Ala Glu
945 950 955 960

Ala His Asn Leu Cys Thr Leu Leu Glu Asn Ala Ile Gln Asp Thr Val
965 970 975

Arg Glu Gln Asp Gln Ser Phe Thr Ala Leu Asp Trp Ser Trp Leu Gln
980 985 990

Thr Glu Glu Glu Glu His Ser Cys Leu Glu Gln Ala Ser
995 1000 1005

<210> 15

<211> 1659
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> fusion between Aequorea victoria and human

<220>
 <221> CDS
 <222> (1)..(1659)
 <223>

<400> 15
 atg gtg agc aag ggc gag gag ctg ttc acc ggg gtg gtg ccc atc ctg 48
 Met Val Ser Lys Gly Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu
 1 5 10 15

gtc gag ctg gac ggc gac gta aac ggc cac aag ttc agc gtg tcc ggc 96
 Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser Val Ser Gly
 20 25 30

gag ggc gag ggc gat gcc acc tac ggc aag ctg acc ctg aag ttc atc 144
 Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile
 35 40 45

tgc acc acc ggc aag ctg ccc gtg ccc tgg ccc acc ctg gtg acc acc 192
 Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr
 50 55 60

ctg acc tac ggc gtg cag tgc ttc agc cgc tac ccc gac cac atg aag 240
 Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys
 65 70 75 80

cag cac gac ttc ttc aag tcc gcc atg ccc gaa ggc tac gtc cag gag 288
 Gln His Asp Phe Phe Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu
 85 90 95

cgc acc atc ttc ttc aag gac gac ggc aac tac aag acc cgc gcc gag 336
 Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu
 100 105 110

gtg aag ttc gag ggc gac acc ctg gtg aac cgc atc gag ctg aag ggc 384
 Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly
 115 120 125

atc gac ttc aag gag gac ggc aac atc ctg ggg cac aag ctg gag tac 432
 Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr
 130 135 140

aac tac aac agc cac aac gtc tat atc atg gcc gac aag cag aag aac 480
 Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn
 145 150 155 160

ggc atc aag gtg aac ttc aag atc cgc cac aac atc gag gac ggc agc 528
 Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu Asp Gly Ser

gtg cag ctc gcc gac cac tac cag cag aac acc ccc atc ggc gac ggc	165	170	175	576
Val Gln Leu Ala Asp His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly	180	185	190	
ccc gtg ctg ctg ccc gac aac cac tac ctg agc acc cag tcc gcc ctg				624
Pro Val Leu Leu Pro Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu	195	200	205	
agc aaa gac ccc aac gag aag cgc gat cac atg gtc ctg ctg gag ttc				672
Ser Lys Asp Pro Asn Glu Lys Arg Asp His Met Val Leu Leu Glu Phe	210	215	220	
gtg acc gcc gcc ggg atc act ctc ggc atg gac gag ctg tac aag tcc				720
Val Thr Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys Ser	225	230	235	240
gga ctc aga tct cga gct caa gct tcc acc atg atg aat ctc ctc cga				768
Gly Leu Arg Ser Arg Ala Gln Ala Ser Thr Met Met Asn Leu Leu Arg	245	250	255	
aac aac agc tgc ctc tcc aaa atg aag aat tcc atg gct tcc atg tct				816
Asn Asn Ser Cys Leu Ser Lys Met Lys Asn Ser Met Ala Ser Met Ser	260	265	270	
cag cag ctc aag gcc aag ttg gat ttc ttc aaa acc agc atc cag att				864
Gln Gln Leu Lys Ala Lys Leu Asp Phe Phe Lys Thr Ser Ile Gln Ile	275	280	285	
gac ctg gag aag tac agc gag caa acc gag ttt ggg atc aca tca gat				912
Asp Leu Glu Lys Tyr Ser Glu Gln Thr Glu Phe Gly Ile Thr Ser Asp	290	295	300	
aaa ctg ctg ctg gcc tgg agg gaa atg gag cag gct gtg gag ctc tgt				960
Lys Leu Leu Leu Ala Trp Arg Glu Met Glu Gln Ala Val Glu Leu Cys	305	310	315	320
ggg cgg gag aac gaa gtg aaa ctc ctg gta gaa cgg atg atg gct ctg				1008
Gly Arg Glu Asn Glu Val Lys Leu Leu Val Glu Arg Met Met Ala Leu	325	330	335	
cag acc gac att gtg gac tta cag agg agc ccc atg ggc cgg aag cag				1056
Gln Thr Asp Ile Val Asp Leu Gln Arg Ser Pro Met Gly Arg Lys Gln	340	345	350	
ggg gga acg ctg gac gac cta gag gag caa gca agg gag ctg tac agg				1104
Gly Gly Thr Leu Asp Asp Leu Glu Glu Gln Ala Arg Glu Leu Tyr Arg	355	360	365	
aga cta agg gaa aaa cct cga gac cag cga act gag ggt gac agt cag				1152
Arg Leu Arg Glu Lys Pro Arg Asp Gln Arg Thr Glu Gly Asp Ser Gln	370	375	380	
gaa atg gta cgg ctg ctg ctt cag gca att cag agc ttc gag aag aaa				1200
Glu Met Val Arg Leu Leu Leu Gln Ala Ile Gln Ser Phe Glu Lys Lys				

385	390	395	400	
gtg cga gtg atc tat acg cag ctc agt aaa act gtg gtt tgc aag cag				1248
Val Arg Val Ile Tyr Thr Gln Leu Ser Lys Thr Val Val Cys Lys Gln				
405		410	415	
aag gcg ctg gaa ctg ttg ccc aag gtg gaa gag gtg gtg agc tta atg				1296
Lys Ala Leu Glu Leu Leu Pro Lys Val Glu Glu Val Val Ser Leu Met				
420		425	430	
aat gag gat gag aag act gtt gtc cgg ctg gag aag cgg cag aag				1344
Asn Glu Asp Glu Lys Thr Val Val Arg Leu Gln Glu Lys Arg Gln Lys				
435		440	445	
gag ctc tgg aat ctc ctg aag att gct tgt agc aag gtc cgt ggt cct				1392
Glu Leu Trp Asn Leu Leu Lys Ile Ala Cys Ser Lys Val Arg Gly Pro				
450		455	460	
gtc agt gga agc cgg gat agc atg aat gcc tct cga ctt agc cag cct				1440
Val Ser Gly Ser Pro Asp Ser Met Asn Ala Ser Arg Leu Ser Gln Pro				
465		470	475	480
ggg cag ctg atg tct cag ccc tcc acg gcc tcc aac agc tta cct gag				1488
Gly Gln Leu Met Ser Gln Pro Ser Thr Ala Ser Asn Ser Leu Pro Glu				
485		490	495	
cca gcc aag aag agt gaa gaa ctg gtg gct gaa gca cat aac ctc tgc				1536
Pro Ala Lys Lys Ser Glu Glu Leu Val Ala Glu Ala His Asn Leu Cys				
500		505	510	
acc ctg cta gaa aat gcc ata cag gac act gtg agg gaa caa gac cag				1584
Thr Leu Leu Glu Asn Ala Ile Gln Asp Thr Val Arg Glu Gln Asp Gln				
515		520	525	
agt ttc acg gcc cta gac tgg agc tgg tta cag acg gaa gaa gaa gag				1632
Ser Phe Thr Ala Leu Asp Trp Ser Trp Leu Gln Thr Glu Glu Glu Glu				
530		535	540	
cac agc tgc ctg gag cag gcc tca tga				1659
His Ser Cys Leu Glu Gln Ala Ser				
545		550		

<210> 16
 <211> 552
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> fusion between Aequorea victoria and human

<400> 16

Met	Val	Ser	Lys	Gly	Glu	Glu	Leu	Phe	Thr	Gly	Val	Val	Pro	Ile	Leu
1					5					10				15	

Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser Val Ser Gly
20 25 30

Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile
35 40 45

Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr
50 55 60

Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys
65 70 75 80

Gln His Asp Phe Phe Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu
85 90 95

Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu
100 105 110

Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly
115 120 125

Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr
130 135 140

Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn
145 150 155 160

Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu Asp Gly Ser
165 170 175

Val Gln Leu Ala Asp His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly
180 185 190

Pro Val Leu Leu Pro Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu
195 200 205

Ser Lys Asp Pro Asn Glu Lys Arg Asp His Met Val Leu Leu Glu Phe
210 215 220

Val Thr Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys Ser
225 230 235 240

Gly Leu Arg Ser Arg Ala Gln Ala Ser Thr Met Met Asn Leu Leu Arg
245 250 255

Asn Asn Ser Cys Leu Ser Lys Met Lys Asn Ser Met Ala Ser Met Ser
260 265 270

Gln Gln Leu Lys Ala Lys Leu Asp Phe Phe Lys Thr Ser Ile Gln Ile
275 280 285

Asp Leu Glu Lys Tyr Ser Glu Gln Thr Glu Phe Gly Ile Thr Ser Asp
290 295 300

Lys Leu Leu Leu Ala Trp Arg Glu Met Glu Gln Ala Val Glu Leu Cys
305 310 315 320

Gly Arg Glu Asn Glu Val Lys Leu Leu Val Glu Arg Met Met Ala Leu
325 330 335

Gln Thr Asp Ile Val Asp Leu Gln Arg Ser Pro Met Gly Arg Lys Gln
340 345 350

Gly Gly Thr Leu Asp Asp Leu Glu Gln Ala Arg Glu Leu Tyr Arg
355 360 365

Arg Leu Arg Glu Lys Pro Arg Asp Gln Arg Thr Glu Gly Asp Ser Gln
370 375 380

Glu Met Val Arg Leu Leu Leu Gln Ala Ile Gln Ser Phe Glu Lys Lys
385 390 395 400

Val Arg Val Ile Tyr Thr Gln Leu Ser Lys Thr Val Val Cys Lys Gln
405 410 415

Lys Ala Leu Glu Leu Leu Pro Lys Val Glu Glu Val Val Ser Leu Met
420 425 430

Asn Glu Asp Glu Lys Thr Val Val Arg Leu Gln Glu Lys Arg Gln Lys
435 440 445

Glu Leu Trp Asn Leu Leu Lys Ile Ala Cys Ser Lys Val Arg Gly Pro
450 455 460

Val Ser Gly Ser Pro Asp Ser Met Asn Ala Ser Arg Leu Ser Gln Pro
465 470 475 480

Gly Gln Leu Met Ser Gln Pro Ser Thr Ala Ser Asn Ser Leu Pro Glu
485 490 495

Pro Ala Lys Lys Ser Glu Glu Leu Val Ala Glu Ala His Asn Leu Cys
500 505 510

Thr Leu Leu Glu Asn Ala Ile Gln Asp Thr Val Arg Glu Gln Asp Gln
515 520 525

Ser Phe Thr Ala Leu Asp Trp Ser Trp Leu Gln Thr Glu Glu Glu Glu
530 535 540

His Ser Cys Leu Glu Gln Ala Ser
545 550

<210> 17
<211> 37
<212> DNA
<213> Artificial sequence

<220>
<223> Primer targeted to Homo sapiens

<400> 17
gtaagcttcg aacatgatgc acgtgaataa ttttccc

37

<210> 18
<211> 34
<212> DNA
<213> Artificial sequence

<220>
<223> Primer targeted to Homo sapiens

<400> 18
gtaagcttcg aacatggagg cagagggcag cagc

34

<210> 19
<211> 34
<212> DNA
<213> Artificial sequence

<220>
<223> Primer targeted to Homo sapiens

<400> 19
gtaagcttcg aacatggctc agcagacaag cccg

34

<210> 20
<211> 37
<212> DNA
<213> Artificial sequence

<220>
<223> Primer targeted to Homo sapiens

<400> 20
gtgaattccc gtcgtgtcag gagaagcatc atctatg

37

<210> 21
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> Primer targeted to Homo sapiens

<400> 21
gtgaattcaa ccatggagcg ggcc

24

<210> 22
<211> 23
<212> DNA
<213> Artificial sequence

<220>
<223> Primer targeted to Homo sapiens

<400> 22
gtggtaccca gttccgcttg gcc

23

<210> 23
<211> 31
<212> DNA
<213> Artificial sequence

<220>
<223> Primer targeted to Homo sapiens

<400> 23
gtaagcttac atgagctggt caccttcct g

31

<210> 24
<211> 25
<212> DNA

<213> Artificial sequence
 <220>
 <223> Primer targeted to Homo sapiens
 <400> 24
 gtgggtaccca tgaggcctgc tccag 25
 <210> 25
 <211> 33
 <212> DNA
 <213> Artificial sequence
 <220>
 <223> Primer targeted to Homo sapiens
 <400> 25
 ttttactcga gatggacgaa ctgttccccc tca 33
 <210> 26
 <211> 33
 <212> DNA
 <213> Artificial sequence
 <220>
 <223> Primer targeted to Homo sapiens
 <400> 26
 ttttgaagct tggagctgat ctgactcagc agg 33
 <210> 27
 <211> 31
 <212> DNA
 <213> Artificial sequence
 <220>
 <223> Primer targeted to Homo sapiens
 <400> 27
 gtaagcttac atgagctggg caccttcct g 31
 <210> 28
 <211> 26
 <212> DNA
 <213> Artificial sequence
 <220>
 <223> Primer targeted to Homo sapiens
 <400> 28
 gtgggtaccto atgaggcctg ctccag 26

34

75

JA

PCT09

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/806,701

DATE: 08/30/2001

TIME: 11:41:14

Input Set : A:\ES.txt

Output Set: N:\CRF3\08302001\I806701.raw

ENTERED

3 <110> APPLICANT: ARKHAMMAR, Per O. et al.

5 <120> TITLE OF INVENTION: SPECIFIC THERAPEUTIC INTERVENTIONS OBTAINED BY INTERFERENCE

WITH

6 REDISTRIBUTION AND/OR TARGETING OF CYCLIC NUCLEOTIDE PHOSPHODIESTERASES OF I-

7 KAPPA-B KINASES

9 <130> FILE REFERENCE: 0459-0573P

11 <140> CURRENT APPLICATION NUMBER: 09/806,701

12 <141> CURRENT FILING DATE: 2001-04-04

14 <160> NUMBER OF SEQ ID NOS: 29

16 <170> SOFTWARE: PatentIn version 3.1

18 <210> SEQ ID NO: 1

19 <211> LENGTH: 2793

20 <212> TYPE: DNA

21 <213> ORGANISM: Artificial Sequence

22 <220> FEATURE:

23 <223> OTHER INFORMATION: fusion between Aequorea victoria and human ✓

24 <220> FEATURE:

25 <221> NAME/KEY: CDS

26 <222> LOCATION: (1)..(2793)

27 <223> OTHER INFORMATION:

32 <400> SEQUENCE: 1

33 atg atg cac gtg aat aat ttt ccc ttt aga agg cat tcc tgg ata tgt 48

34 Met Met His Val Asn Asn Phe Pro Phe Arg Arg His Ser Trp Ile Cys

35 1 5 10 15

36 ttt gat gtg gac aat ggc aca tct gcg gga cgg agt ccc ttg gat ccc 96

37 Phe Asp Val Asp Asn Gly Thr Ser Ala Gly Arg Ser Pro Leu Asp Pro

38 20 25 30

39 atg acc agc cca gga tcc ggg cta att ctc caa gca aat ttt gtc cac 144

40 Met Thr Ser Pro Gly Ser Gly Leu Ile Leu Gln Ala Asn Phe Val His

41 35 40 45

42 agt caa cga cgg gag tcc ttc ctg tat cga tcc gac agc gat tat gac 192

43 Ser Gln Arg Arg Glu Ser Phe Leu Tyr Arg Ser Asp Ser Asp Tyr Asp

44 50 55 60

45 ctc tct cca aag tct atg tcc cgg aac tcc tcc att gcc agt gat ata 240

46 Leu Ser Pro Lys Ser Met Ser Arg Asn Ser Ser Ile Ala Ser Asp Ile

47 65 70 75 80

48 cac gga gat gac ttg att gtg act cca ttt gct cag gtc ttg gcc agt 288

49 His Gly Asp Asp Leu Ile Val Thr Pro Phe Ala Gln Val Leu Ala Ser

50 85 90 95

51 ctg cga act gta cga aac aac ttt gct gca tta act aat ttg caa gat 336

52 Leu Arg Thr Val Arg Asn Asn Phe Ala Ala Leu Thr Asn Leu Gln Asp

53 100 105 110

54 cga gca cct agc aaa aga tca ccc atg tgc aac caa cca tcc atc aac 384

55 Arg Ala Pro Ser Lys Arg Ser Pro Met Cys Asn Gln Pro Ser Ile Asn

56 115 120 125

57 aaa gcc acc ata aca gag gag gcc tac cag aaa ctg gcc agc gag acc 432

58 Lys Ala Thr Ile Thr Glu Ala Tyr Gln Lys Leu Ala Ser Glu Thr

59 130 135 140

RAW SEQUENCE LISTING

DATE: 08/30/2001

PATENT APPLICATION: US/09/806,701

TIME: 11:41:14

Input Set : A:\ES.txt

Output Set: N:\CRF3\08302001\I806701.raw

69	ctg	gag	gag	ctg	gac	tgg	tgt	ctg	gac	cag	cta	gag	acc	cta	cag	acc	480
70	Leu	Glu	Glu	Leu	Asp	Trp	Cys	Leu	Asp	Gln	Leu	Glu	Thr	Leu	Gln	Thr	
71	145					150					155					160	
73	agg	cac	tcc	gtc	agt	gag	atg	gcc	tcc	aac	aag	ttt	aaa	agg	atg	ctt	528
74	Arg	His	Ser	Val	Ser	Glu	Met	Ala	Ser	Asn	Lys	Phe	Lys	Arg	Met	Leu	
75				165						170					175		
77	aat	cgg	gag	ctc	acc	cat	ctc	tct	gaa	atg	agt	cgg	tct	gga	aat	caa	576
78	Asn	Arg	Glu	Leu	Thr	His	Leu	Ser	Glu	Met	Ser	Arg	Ser	Gly	Asn	Gln	
79				180					185					190			
81	gtg	tca	gag	ttt	ata	tca	aac	aca	ttc	tta	gat	aag	caa	cat	gaa	gtg	624
82	Val	Ser	Glu	Phe	Ile	Ser	Asn	Thr	Phe	Leu	Asp	Lys	Gln	His	Glu	Val	
83		195					200					205					
85	gaa	att	oct	tcc	cca	act	cag	aag	gaa	aag	gag	aaa	aag	aaa	aga	cca	672
86	Glu	Ile	Pro	Ser	Pro	Thr	Gln	Lys	Glu	Lys	Glu	Lys	Lys	Lys	Arg	Pro	
87		210					215					220					
89	atg	tct	cag	atc	agt	gga	gtc	aag	aaa	ttg	atg	cac	agc	tct	agt	ctg	720
90	Met	Ser	Gln	Ile	Ser	Gly	Val	Lys	Lys	Leu	Met	His	Ser	Ser	Ser	Leu	
91	225				230					235						240	
93	act	aat	tca	agt	atc	cca	agg	ttt	gga	gtt	aaa	act	gaa	caa	gaa	gat	768
94	Thr	Asn	Ser	Ser	Ile	Pro	Arg	Phe	Gly	Val	Lys	Thr	Glu	Gln	Glu	Asp	
95				245					250					255			
97	gtc	ctt	gcc	aag	gaa	cta	gaa	gat	gtg	aac	aaa	tgg	ggt	ctt	cat	gtt	816
98	Val	Leu	Ala	Lys	Glu	Leu	Glu	Asp	Val	Asn	Lys	Trp	Gly	Leu	His	Val	
99			260				265						270				
101	ttc	aga	ata	gca	gag	ttg	tct	ggt	aac	cgg	ccc	ttg	act	ggt	atc	atg	864
102	Phe	Arg	Ile	Ala	Glu	Leu	Ser	Gly	Asn	Arg	Pro	Leu	Thr	Val	Ile	Met	
103			275				280					285					
105	cac	acc	att	ttt	cag	gaa	cgg	gat	tta	tta	aaa	aca	ttt	aaa	att	cca	912
106	His	Thr	Ile	Phe	Gln	Glu	Arg	Asp	Leu	Leu	Lys	Thr	Phe	Lys	Ile	Pro	
107		290					295					300					
109	gta	gat	act	tta	att	aca	tat	ctt	atg	act	ctc	gaa	gac	cat	tac	cat	960
110	Val	Asp	Thr	Leu	Ile	Thr	Tyr	Leu	Met	Thr	Leu	Glu	Asp	His	Tyr	His	
111	305					310					315					320	
113	gct	gat	gtg	gcc	tat	cac	aac	aat	atc	cat	gct	gca	gat	gtt	gtc	cag	1008
114	Ala	Asp	Val	Ala	Tyr	His	Asn	Asn	Ile	His	Ala	Ala	Asp	Val	Val	Gln	
115				325					330					335			
117	tct	act	cat	gtg	cta	tta	tct	aca	cct	gct	ttg	gag	gct	gtg	ttt	aca	1056
118	Ser	Thr	His	Val	Leu	Leu	Ser	Thr	Pro	Ala	Leu	Glu	Ala	Val	Phe	Thr	
119				340					345					350			
121	gat	ttg	gag	att	ctt	gca	gca	att	ttt	gcc	agt	gca	ata	cat	gat	gta	1104
122	Asp	Leu	Glu	Ile	Leu	Ala	Ala	Ile	Phe	Ala	Ser	Ala	Ile	His	Asp	Val	
123			355				360						365				
125	gat	cat	cct	ggt	gtg	tcc	aat	caa	ttt	ctg	atc	aat	aca	aac	tct	gaa	1152
126	Asp	His	Pro	Gly	Val	Ser	Asn	Gln	Phe	Leu	Ile	Asn	Thr	Asn	Ser	Glu	
127		370					375					380					
129	ctt	gcc	ttg	atg	tac	aat	gat	tcc	tca	gtc	tta	gag	aac	cat	cat	ttg	1200
130	Leu	Ala	Leu	Met	Tyr	Asn	Asp	Ser	Ser	Val	Leu	Glu	Asn	His	His	Leu	
131	385					390					395					400	
133	gct	gtg	ggc	ttt	aaa	ttg	ctt	cag	gaa	gaa	aac	tgt	gac	att	ttc	cag	1248

RAW SEQUENCE LISTING

DATE: 08/30/2001

PATENT APPLICATION: US/09/806,701

TIME: 11:41:14

Input Set : A:\ES.txt

Output Set: N:\CRF3\08302001\I806701.raw

134	Ala	Val	Gly	Phe	Lys	Leu	Leu	Gln	Glu	Glu	Asn	Cys	Asp	Ile	Phe	Gln	
135				405						410					415		
137	aat	ttg	acc	aaa	aaa	caa	aga	caa	tct	tta	agg	aaa	atg	gtc	att	gac	1296
138	Asn	Leu	Thr	Lys	Lys	Gln	Arg	Gln	Ser	Leu	Arg	Lys	Met	Val	Ile	Asp	
139				420					425					430			
141	atc	gta	ctt	gca	aca	gat	atg	tca	aaa	cac	atg	aat	cta	ctg	gct	gat	1344
142	Ile	Val	Leu	Ala	Thr	Asp	Met	Ser	Lys	His	Met	Asn	Leu	Leu	Ala	Asp	
143				435				440					445				
145	ttg	aag	act	atg	gtt	gaa	act	aag	aaa	gtg	aca	agc	tct	gga	gtt	ctt	1392
146	Leu	Lys	Thr	Met	Val	Glu	Thr	Lys	Lys	Val	Thr	Ser	Ser	Gly	Val	Leu	
147				450			455					460					
149	ctt	ctt	gat	aat	tat	tcc	gat	agg	att	cag	gtt	ctt	cag	aat	atg	gtg	1440
150	Leu	Leu	Asp	Asn	Tyr	Ser	Asp	Arg	Ile	Gln	Val	Leu	Gln	Asn	Met	Val	
151	465				470					475					480		
153	cac	tgt	gca	gat	ctg	agc	aac	cca	aca	aag	cct	ctc	cag	ctg	tac	cgc	1488
154	His	Cys	Ala	Asp	Leu	Ser	Asn	Pro	Thr	Lys	Pro	Leu	Leu	Tyr	Tyr	Arg	
155				485						490				495			
157	cag	tggt	acg	gac	cggt	ata	atg	gag	gag	ttc	ttc	cgc	caa	gga	gac	cga	1536
158	Gln	Trp	Thr	Asp	Arg	Ile	Met	Glu	Glu	Phe	Phe	Arg	Gln	Gly	Asp	Arg	
159				500				505					510				
161	gag	agg	gaa	cgt	ggc	atg	gag	ata	agc	ccc	atg	tgt	gac	aag	cac	aat	1584
162	Glu	Arg	Glu	Arg	Gly	Met	Glu	Ile	Ser	Pro	Met	Cys	Asp	Lys	His	Asn	
163				515			520					525					
165	gct	tcc	gtg	gaa	aaa	tca	cag	gtg	ggc	ttc	ata	gac	tat	att	gtt	cat	1632
166	Ala	Ser	Val	Glu	Lys	Ser	Gln	Val	Gly	Phe	Ile	Asp	Tyr	Ile	Val	His	
167				530		535						540					
169	ccc	ctc	tggt	gag	aca	tggt	gca	gac	ctc	gtc	cac	cct	gac	gcc	cag	gat	1680
170	Pro	Leu	Trp	Glu	Thr	Trp	Ala	Asp	Leu	Val	His	Pro	Asp	Ala	Gln	Asp	
171	545				550					555				560			
173	att	ttg	gac	act	ttg	gag	gac	aat	cgt	gaa	tggt	tac	cag	agc	aca	atc	1728
174	Ile	Leu	Asp	Thr	Leu	Glu	Asp	Asn	Arg	Glu	Trp	Tyr	Gln	Ser	Thr	Ile	
175				565						570				575			
177	cct	cag	agc	ccc	tct	cct	gca	cct	gat	cag	cca	gag	gag	ggc	cgg	cag	1776
178	Pro	Gln	Ser	Pro	Ser	Pro	Ala	Pro	Asp	Asp	Pro	Glu	Glu	Gly	Arg	Gln	
179				580			585							590			
181	ggt	caa	act	gag	aaa	ttc	cag	ttt	gaa	cta	act	tta	gag	gaa	gat	ggt	1824
182	Gly	Gln	Thr	Glu	Lys	Phe	Gln	Phe	Glu	Leu	Thr	Leu	Glu	Glu	Asp	Gly	
183				595		600						605					
185	gag	tca	gac	acg	gaa	aag	gac	agt	ggc	agt	caa	gtg	gaa	gaa	gac	act	1872
186	Glu	Ser	Asp	Thr	Glu	Lys	Asp	Ser	Gly	Ser	Gln	Val	Glu	Glu	Asp	Thr	
187				610		615				620							
189	agc	tggt	agt	gac	tcc	aag	act	ctt	tgt	act	caa	gac	tca	gag	tct	act	1920
190	Ser	Cys	Ser	Asp	Ser	Lys	Thr	Leu	Cys	Thr	Gln	Asp	Ser	Glu	Ser	Thr	
191	625				630					635				640			
193	gaa	att	ccc	ctt	gat	gaa	cag	gtt	gaa	gag	gag	gca	gta	ggg	gaa	gaa	1968
194	Glu	Ile	Pro	Leu	Asp	Glu	Gln	Val	Glu	Glu	Glu	Ala	Val	Gly	Glu	Glu	
195				645						650				655			
197	gag	gaa	agc	cag	cct	gaa	gcc	tgt	gtc	ata	gat	gat	cgt	tct	cct	gac	2016
198	Glu	Glu	Ser	Gln	Pro	Glu	Ala	Cys	Val	Ile	Asp	Asp	Arg	Ser	Pro	Asp	

RAW SEQUENCE LISTING

DATE: 08/30/2001

PATENT APPLICATION: US/09/806,701

TIME: 11:41:14

Input Set : A:\ES.txt

Output Set: N:\CRF3\08302001\I806701.raw

199	660	665	670	
201 acg acg gga att ctg cag tgc acg gta ccg cgg gcc cgg gat cca ccg	2064			
202 Thr Thr Gly Ile Leu Gln Ser Thr Val Pro Arg Ala Arg Asp Pro Pro				
203 675 680 685				
205 gtc gcc acc atg gtg agc aag ggc gag gag ctg ttc acc ggg gtg gtg	2112			
206 Val Ala Thr Met Val Ser Lys Gly Glu Glu Leu Phe Thr Gly Val Val				
207 690 695 700				
209 ccc atc ctg gtc gag ctg gac ggc gac gta aac ggc cac aag ttc agc	2160			
210 Pro Ile Leu Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser				
211 705 710 715 720				
213 gtc tcc ggc gag ggc gag ggc gat gcc acc tac ggc aag ctg acc ctg	2208			
214 Val Ser Gly Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu				
215 725 730 735				
217 aag ttc atc tgc acc acc ggc aag ctg ccc gtg ccc tgg ccc acc ctc	2256			
218 Lys Phe Ile Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu				
219 740 745 750				
221 gtc acc acc ctg acc tac ggc gtg cag tgc ttc agc cgc tac ccc gac	2304			
222 Val Thr Thr Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp				
223 755 760 765				
225 cac atg aag cag cac gac ttc ttc aag tcc gcc atg ccc gaa ggc tac	2352			
226 His Met Lys Gln His Asp Phe Phe Lys Ser Ala Met Pro Gly Tyr				
227 770 775 780				
229 gtc cag gag cgc acc atc ttc ttc aag gac gac ggc aac tac aag acc	2400			
230 Val Gln Glu Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr				
231 785 790 795 800				
233 cgc gcc gag gtg aag ttc gag ggc gac acc ctg gtg aac cgc atc gag	2448			
234 Arg Ala Glu Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu				
235 805 810 815				
237 ctg aag ggc atc gac ttc aag gag gac ggc aac atc ctg ggg cac aag	2496			
238 Leu Lys Gly Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys				
239 820 825 830				
241 ctg gag tac aac tac aac agc cac aac gtc tat atc atg gcc gac aag	2544			
242 Leu Glu Tyr Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys				
243 835 840 845				
245 cag aag aac ggc atc aag gtg aac ttc aag atc cgc cac aac atc gag	2592			
246 Gln Lys Asn Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu				
247 850 855 860				
249 gac ggc agc gtg cag ctc gcc gac cac tac cag cag aac acc ccc atc	2640			
250 Asp Gly Ser Val Gln Leu Ala Asp His Tyr Gln Gln Asn Thr Pro Ile				
251 865 870 875 880				
253 ggc gac ggc ccc gtg ctg ctg ccc gac aac cac tac ctg agc acc cag	2688			
254 Gly Asp Gly Pro Val Leu Leu Pro Asp Asn His Tyr Leu Ser Thr Gln				
255 885 890 895				
257 tcc gcc ctg agc aaa gac ccc aac gag aag cgc gat cac atg gtc ctg	2736			
258 Ser Ala Leu Ser Lys Asp Pro Asn Glu Lys Arg Asp His Met Val Leu				
259 900 905 910				
261 ctg gag ttc gtg acc gcc gcc ggg atc act ctc ggc atg gac gag ctg	2784			
262 Leu Glu Phe Val Thr Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu				
263 915 920 925				

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/806,701

DATE: 08/30/2001
TIME: 11:41:14

Input Set : A:\ES.txt
Output Set: N:\CRF3\08302001\I806701.raw

265 tac aag taa 2793
266 Tyr Lys
267 930
270 <210> SEQ ID NO: 2
271 <211> LENGTH: 930
272 <212> TYPE: PRT
273 <213> ORGANISM: Artificial Sequence
275 <220> FEATURE:
276 <223> OTHER INFORMATION: fusion between Aequorea victoria and human ✓
278 <400> SEQUENCE: 2
280 Met Met His Val Asn Asn Phe Pro Phe Arg Arg His Ser Trp Ile Cys
281 1 5 10 15
284 Phe Asp Val Asp Asn Gly Thr Ser Ala Gly Arg Ser Pro Leu Asp Pro
285 20 25 30
288 Met Thr Ser Pro Gly Ser Gly Leu Ile Leu Gln Ala Asn Phe Val His
289 35 40 45
292 Ser Gln Arg Arg Glu Ser Phe Leu Tyr Arg Ser Asp Ser Asp Tyr Asp
293 50 55 60
296 Leu Ser Pro Lys Ser Met Ser Arg Asn Ser Ser Ile Ala Ser Asp Ile
297 65 70 75 80
300 His Gly Asp Asp Leu Ile Val Thr Pro Phe Ala Gln Val Leu Ala Ser
301 85 90 95
304 Leu Arg Thr Val Arg Asn Asn Phe Ala Ala Leu Thr Asn Leu Asn Asp
305 100 105 110
308 Arg Ala Pro Ser Lys Arg Ser Pro Met Cys Asn Gln Pro Ser Ile Asn
309 115 120 125
312 Lys Ala Thr Ile Thr Glu Glu Ala Tyr Gln Lys Leu Ala Ser Glu Thr
313 130 135 140
316 Leu Glu Glu Leu Asp Trp Cys Leu Asp Gln Leu Glu Thr Leu Gln Thr
317 145 150 155 160
320 Arg His Ser Val Ser Glu Met Ala Ser Asn Lys Phe Lys Arg Met Leu
321 165 170 175
324 Asn Arg Glu Leu Thr His Leu Ser Glu Met Ser Arg Ser Gly Asn Gln
325 180 185 190
328 Val Ser Glu Phe Ile Ser Asn Thr Phe Leu Asp Lys Gln His Glu Val
329 195 200 205
332 Glu Ile Pro Ser Pro Thr Gln Lys Glu Lys Glu Lys Lys Arg Pro
333 210 215 220
336 Met Ser Gln Ile Ser Gly Val Lys Lys Leu Met His Ser Ser Ser Leu
337 225 230 235 240
340 Thr Asn Ser Ser Ile Pro Arg Phe Gly Val Lys Thr Glu Gln Glu Asp
341 245 250 255
344 Val Leu Ala Lys Glu Leu Glu Asp Val Asn Lys Trp Gly Leu His Val
345 260 265 270
348 Phe Arg Ile Ala Glu Leu Ser Gly Asn Arg Pro Leu Thr Val Ile Met
349 275 280 285
352 His Thr Ile Phe Gln Glu Arg Asp Leu Leu Lys Thr Phe Lys Ile Pro
353 290 295 300
356 Val Asp Thr Leu Ile Thr Tyr Leu Met Thr Leu Glu Asp His Tyr His

STATISTICS SUMMARY

PATENT APPLICATION: US/09/806,701

DATE: 08/30/2001

TIME: 11:41:15

Input Set : A:\ES.txt

Output Set: N:\CRF3\08302001\I806701.raw

Application Serial Number: US/09/806,701

Alpha or Numeric: Numeric

Application Class:

Application File Date: 04-04-2001

Art Unit: PCT09

Software Application: PatentIn

Total Number of Sequences: 29

Total Nucleotides: 22917

Total Amino Acids: 7497

Number of Errors: 0

Number of Warnings: 0

Number of Corrections: 0

MESSAGE SUMMARY

08/30/2001 11:41:15

SEQUENCE LISTING

<110> BioImage A/S

<120> Specific therapeutic interventions
obtained by interference with redistribution and/or
targetting

<130> 22130PC1

<160> 16

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 2793

<212> DNA

<213> Aequorea victoria and human

<220>

<221> CDS

<222> (1)...(2793)

<400> 1

atg atg cac gtg aat aat ttt ccc ttt aga agg cat tcc tgg ata tgt	48
Met Met His Val Asn Asn Phe Pro Phe Arg Arg His Ser Trp Ile Cys	
1 5 10 15	
ttt gat gtg gac aat ggc aca tct gcg gga cgg agt ccc ttg gat ccc	96
Phe Asp Val Asp Asn Gly Thr Ser Ala Gly Arg Ser Pro Leu Asp Pro	
20 25 30	
atg acc agc cca gga tcc ggg cta att ctc caa gca aat ttt gtc cac	144
Met Thr Ser Pro Gly Ser Gly Leu Ile Leu Gln Ala Asn Phe Val His	
35 40 45	
agt caa cga cgg gag tcc ttc ctg tat cga tcc gac agc gat tat gac	192
Ser Gln Arg Arg Glu Ser Phe Leu Tyr Arg Ser Asp Ser Asp Tyr Asp	
50 55 60	
ctc tct cca aag tct atg tcc cgg aac tcc tcc att gcc agt gat ata	240
Leu Ser Pro Lys Ser Met Ser Arg Asn Ser Ser Ile Ala Ser Asp Ile	
65 70 75 80	
cac gga gat gac ttg att gtg act cca ttt gct cag gtc ttg gcc agt	288
His Gly Asp Asp Leu Ile Val Thr Pro Phe Ala Gln Val Leu Ala Ser	
85 90 95	
ctg cga act gta cga aac aac ttt gct gca tta act aat ttg caa gat	336
Leu Arg Thr Val Arg Asn Asn Phe Ala Ala Leu Thr Asn Leu Gln Asp	
100 105 110	
cga gca cct agc aaa aga tca ccc atg tgc aac caa cca tcc atc aac	384
Arg Ala Pro Ser Lys Arg Ser Pro Met Cys Asn Gln Pro Ser Ile Asn	
115 120 125	
aaa gcc acc ata aca gag gag gcc tac cag aaa ctg gcc agc gag acc	432
Lys Ala Thr Ile Thr Glu Glu Ala Tyr Gln Lys Leu Ala Ser Glu Thr	

09606701-076071

130					135					140						
ctg	gag	gag	ctg	gac	tgg	tgt	ctg	gac	cag	cta	gag	acc	cta	cag	acc	480
Leu	Glu	Glu	Leu	Asp	Trp	Cys	Leu	Asp	Gln	Leu	Glu	Thr	Leu	Gln	Thr	
145					150					155					160	
agg	cac	tcc	gtc	agt	gag	atg	gcc	tcc	aac	aag	ttt	aaa	agg	atg	ctt	528
Arg	His	Ser	Val	Ser	Glu	Met	Ala	Ser	Asn	Lys	Phe	Lys	Arg	Met	Leu	
				165					170					175		
aat	cgg	gag	ctc	acc	cat	ctc	tct	gaa	atg	agt	cgg	tct	gga	aat	caa	576
Asn	Arg	Glu	Leu	Thr	His	Leu	Ser	Glu	Met	Ser	Arg	Ser	Gly	Asn	Gln	
				180					185					190		
gtg	tca	gag	ttt	ata	tca	aac	aca	ttc	tta	gat	aag	caa	cat	gaa	gtg	624
Val	Ser	Glu	Phe	Ile	Ser	Asn	Thr	Phe	Leu	Asp	Lys	Gln	His	Glu	Val	
				195				200						205		
gaa	att	cct	tct	cca	act	cag	aag	gaa	aag	gag	aaa	aag	aaa	aga	cca	672
Glu	Ile	Pro	Ser	Pro	Thr	Gln	Lys	Glu	Lys	Glu	Lys	Lys	Lys	Arg	Pro	
				210				215								
atg	tct	cag	atc	agt	gga	gtc	aag	aaa	ttg	atg	cac	agc	tct	agt	ctg	720
Met	Ser	Gln	Ile	Ser	Gly	Val	Lys	Lys	Leu	Met	His	Ser	Ser	Ser	Leu	
				225					230						240	
act	aat	tca	agt	atc	cca	agg	ttt	gga	gtt	aaa	act	gaa	caa	gaa	gat	768
Thr	Asn	Ser	Ser	Ile	Pro	Arg	Phe	Gly	Val	Lys	Thr	Glu	Gln	Glu	Asp	
				245					250					255		
gtc	ctt	gcc	aag	gaa	cta	gaa	gat	gtg	aac	aaa	tgg	ggt	ctt	cat	gtt	816
Val	Leu	Ala	Lys	Glu	Leu	Glu	Asp	Val	Asn	Lys	Trp	Gly	Leu	His	Val	
				260				265						270		
ttc	aga	ata	gca	gag	ttg	tct	ggt	aac	cgg	ccc	ttg	act	gtt	atc	atg	864
Phe	Arg	Ile	Ala	Glu	Leu	Ser	Gly	Asn	Arg	Pro	Leu	Thr	Val	Ile	Met	
				275				280						285		
cac	acc	att	ttt	cag	gaa	cgg	gat	tta	tta	aaa	aca	ttt	aaa	att	cca	912
His	Thr	Ile	Phe	Gln	Glu	Arg	Asp	Leu	Leu	Lys	Thr	Phe	Lys	Ile	Pro	
				290				295								
gta	gat	act	tta	att	aca	tat	ctt	atg	act	ctc	gaa	gac	cat	tac	cat	960
Val	Asp	Thr	Leu	Ile	Thr	Tyr	Leu	Met	Thr	Leu	Glu	Asp	His	Tyr	His	
				305				310							320	
gct	gat	gtg	gcc	tat	cac	aac	aat	atc	cat	gct	gca	gat	gtt	gtc	cag	1008
Ala	Asp	Val	Ala	Tyr	His	Asn	Asn	Ile	His	Ala	Ala	Asp	Val	Val	Gln	
				325					330					335		
tct	act	cat	gtg	cta	tta	tct	aca	cct	gct	ttg	gag	gct	gtg	ttt	aca	1056
Ser	Thr	His	Val	Leu	Leu	Ser	Thr	Pro	Ala	Leu	Glu	Ala	Val	Phe	Thr	
				340				345						350		
gat	ttg	gag	att	ctt	gca	gca	att	ttt	gcc	agt	gca	ata	cat	gat	gta	1104
Asp	Leu	Glu	Ile	Leu	Ala	Ala	Ile	Phe	Ala	Ser	Ala	Ile	His	Asp	Val	
				355				360						365		
gat	cat	cct	ggt	gtg	tcc	aat	caa	ttt	ctg	atc	aat	aca	aac	tct	gaa	1152

Asp His Pro Gly Val Ser Asn Gln Phe Leu Ile Asn Thr Asn Ser Glu	
370 375 380	
ctt gcc ttg atg tac aat gat tcc tca gtc tta gag aac cat cat ttg	1200
Leu Ala Leu Met Tyr Asn Asp Ser Ser Val Leu Glu Asn His His Leu	
385 390 395 400	
gct gtg ggc ttt aaa ttg ctt cag gaa gaa aac tgt gac att ttc cag	1248
Ala Val Gly Phe Lys Leu Leu Gln Glu Glu Asn Cys Asp Ile Phe Gln	
405 410 415	
aat ttg acc aaa caa aga caa tct tta agg aaa atg gtc att gac	1296
Asn Leu Thr Lys Lys Gln Arg Gln Ser Leu Arg Lys Met Val Ile Asp	
420 425 430	
atc gta ctt gca aca gat atg tca aaa cac atg aat cta ctg gct gat	1344
Ile Val Leu Ala Thr Asp Met Ser Lys His Met Asn Leu Leu Ala Asp	
435 440 445	
ttg aag act atg gtt gaa act aag aaa gtg aca agc tct gga gtt ctt	1392
Leu Lys Thr Met Val Glu Thr Lys Lys Val Thr Ser Ser Gly Val Leu	
450 455 460	
ctt ctt gat aat tat tcc gat agg att cag gtt ctt cag aat atg gtg	1440
Leu Leu Asp Asn Tyr Ser Asp Arg Ile Gln Val Leu Gln Asn Met Val	
465 470 475 480	
cac tgt gca gat ctg agc aac cca aca aag cct ctc cag ctg tac cgc	1488
His Cys Ala Asp Leu Ser Asn Pro Thr Lys Pro Leu Gln Leu Tyr Arg	
485 490 495	
cag tgg acg gac cgg ata atg gag gag ttc ttc cgc caa gga gac cga	1536
Gln Trp Thr Asp Arg Ile Met Glu Glu Phe Phe Arg Gln Gly Asp Arg	
500 505 510	
gag agg gaa cgt ggc atg gag ata agc ccc atg tgt gac aag cac aat	1584
Glu Arg Glu Arg Gly Met Glu Ile Ser Pro Met Cys Asp Lys His Asn	
515 520 525	
gct tcc gtg gaa aaa tca cag gtg ggc ttc ata gac tat att gtt cat	1632
Ala Ser Val Glu Lys Ser Gln Val Gly Phe Ile Asp Tyr Ile Val His	
530 535 540	
ccc ctc tgg gag aca tgg gca gac ctc gtc cac cct gac gcc cag gat	1680
Pro Leu Trp Glu Thr Trp Ala Asp Leu Val His Pro Asp Ala Gln Asp	
545 550 555 560	
att ttg gac act ttg gag gac aat cgt gaa tgg tac cag agc aca atc	1728
Ile Leu Asp Thr Leu Glu Asp Asn Arg Glu Trp Tyr Gln Ser Thr Ile	
565 570 575	
cct cag agc ccc tct cct gca cct gat gac cca gag gag gcc cgg cag	1776
Pro Gln Ser Pro Ser Pro Ala Pro Asp Asp Pro Glu Glu Gly Arg Gln	
580 585 590	
ggt caa act gag aaa ttc cag ttt gaa cta act tta gag gaa gat ggt	1824
Gly Gln Thr Glu Lys Phe Gln Phe Glu Leu Thr Leu Glu Glu Asp Gly	
595 600 605	

gac Glu	tca Ser	gac Asp	acg Thr	gaa Glu	aag Lys	gac Asp	agt Ser	ggc Gly	agt Ser	caa Gln	gtg Glu	gaa Glu	gac Glu	act Thr	1872
610						615					620				
agc Ser	tgc Cys	agt Ser	gac Asp	tcc Ser	aag Lys	act Thr	ctt Leu	tgt Cys	act Thr	caa Gln	gac Asp	tca Ser	gag Glu	tct Ser	1920
625					630					635				640	
gaa Glu	att Ile	ccc Pro	ctt Leu	gat Asp	gaa Glu	cag Gln	gtt Val	gaa Glu	gag Glu	gag Glu	gca Ala	gta Val	ggg Gly	gaa Glu	1968
				645				650						655	
gag Glu	gaa Glu	agc Ser	gac Gln	cct Pro	gaa Glu	gcc Ala	tgt Cys	gtc Val	ata Ile	gat Asp	gat Asp	cgt Arg	tct Pro	cct Pro	2016
				660				665					670		
acg Thr	acg Thr	gga Gly	att Ile	ctg Leu	cag Gln	tcg Ser	acg Ser	gta Val	ccg Pro	cgg Arg	gcc Ala	cgg Ala	gat Asp	cca Pro	2064
		675					680						685		
gtc Val	gcc Ala	acc Thr	atg Met	gtg Val	agc Ser	aag Lys	ggc Gly	gag Glu	gag Glu	ctg Leu	ttc Phe	acc Thr	ggg Gly	gtg Val	2112
		690				695					700				
ccc Pro	atc Ile	ctg Leu	gtc Val	gag Glu	ctg Leu	gac Asp	ggc Gly	gac Asp	gta Val	aac Asn	ggc Gly	cac His	aag Lys	ttc Phe	2160
		705			710					715				720	
gtg Val	tcc Ser	ggc Gly	gag Glu	ggc Gly	gag Glu	ggc Asp	gat Ala	gcc Ala	acc Thr	tac Tyr	ggc Tyr	aag Lys	ctg Leu	acc Thr	2208
				725					730					735	
aag Lys	ttc Phe	atc Ile	tgc Cys	acc Thr	acc Thr	ggc Gly	aag Lys	ctg Leu	ccc Pro	gtg Val	ccc Pro	tgg Trp	ccc Pro	acc Thr	2256
			740					745					750		
gtg Val	acc Thr	acc Thr	ctg Leu	acc Thr	tac Tyr	ggc Gly	gtg Val	cag Gln	tgc Cys	ttc Phe	agc Ser	cgc Arg	tac Tyr	ccc Pro	2304
			755				760					765			
cac His	atg Met	aag Lys	cag Gln	cac His	gac Asp	ttc Phe	ttc Phe	aag Lys	tcc Ser	gcc Ala	atg Met	ccc Pro	gaa Glu	ggc Gly	2352
			770		775						780				
gtc Val	cag Gln	gag Glu	cgc Arg	acc Thr	atc Ile	ttc Phe	ttc Phe	aag Lys	gac Asp	gac Asp	ggc Gly	aac Asn	tac Tyr	aag Lys	2400
					790					795				800	
cgc Arg	gcc Ala	gag Ala	gtg Val	aag Lys	ttc Phe	gag Glu	ggc Gly	gac Asp	acc Thr	ctg Leu	gtg Val	aac Asn	cgc Arg	ile Glu	2448
				805					810					815	
ctg Leu	aag Lys	ggc Gly	atc Ile	gac Asp	ttc Phe	aag Lys	gag Glu	gac Asp	ggc Gly	aac Asn	atc Ile	ctg Leu	ggg Gly	cac His	2496
			820					825					830		
ctg Leu	gag Glu	tac Tyr	aac Asn	tac Asn	aac Asn	agc Ser	cac His	aac Asn	gtc Val	tat Tyr	atc Ile	atg Met	gcc Ala	gac Asp	2544
		835					840					845			

aga aag aac ggc atc aag gtg aac ttc aag atc cgc cac aac atc gag	2592
Gln Lys Asn Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu	
850 855	
gac ggc agc gtg cag ctc gcc gac cac tac cag cag aac acc ccc atc	2640
Asp Gly Ser Val Gln Leu Ala Asp His Tyr Gln Gln Asn Thr Pro Ile	
865 870 875	
ggc gac ggc ccc gtg ctg ctg ccc gac aac cac tac ctg agc acc cag	2688
Gly Asp Gly Pro Val Leu Leu Pro Asp Asn His Tyr Leu Ser Thr Gln	
885 890 895	
tcc gcc ctg agc aaa gac ccc aac glu aag cgc gat cac gtc ctg	2736
Ser Ala Leu Ser Lys Asp Pro Asn Gln Lys Arg Asp His Met Val Leu	
900 905 910	
ctg gag ttc gtg acc gcc gcc ggg atc act ctc ggc atg gac gag ctg	2784
Leu Glu Phe Val Thr Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu	
915 920 925	
tac aag taa	2793
Tyr Lys *	
930	

```
<210> 2
<211> 930
<212> PRT
<213> Aequorea victoria and human
```

<400> 2																	
Met	Met	His	Val	Asn	Asn	Phe	Pro	Phe	Arg	Arg	His	Ser	Trp	Ile	Cys		
1				5				10						15			
Phe	Asp	Val	Asp	Asn	Gly	Thr	Ser	Ala	Gly	Arg	Ser	Pro	Leu	Asp	Pro		
			20					25					30				
Met	Thr	Ser	Pro	Gly	Ser	Gly	Leu	Ile	Leu	Gln	Ala	Asn	Phe	Val	His		
		35					40					45					
Ser	Gln	Arg	Arg	Glu	Ser	Phe	Leu	Tyr	Arg	Ser	Asp	Ser	Asp	Tyr	Asp		
	50					55					60						
Leu	Ser	Pro	Lys	Ser	Met	Ser	Arg	Asn	Ser	Ser	Ile	Ala	Ser	Asp	Ile		
65				70						75					80		
His	Gly	Asp	Asp	Leu	Ile	Val	Thr	Pro	Phe	Ala	Gln	Val	Leu	Ala	Ser		
				85					90					95			
Leu	Arg	Thr	Val	Arg	Asn	Asn	Phe	Ala	Ala	Leu	Thr	Asn	Leu	Gln	Asp		
			100					105						110			
Arg	Ala	Pro	Ser	Lys	Arg	Ser	Pro	Met	Cys	Asn	Gln	Pro	Ser	Ile	Asn		
		115					120					125					
Lys	Ala	Thr	Ile	Thr	Glu	Glu	Ala	Tyr	Gln	Lys	Leu	Ala	Ser	Glu	Thr		
		130				135					140						
Leu	Glu	Glu	Leu	Asp	Trp	Cys	Leu	Asp	Gln	Leu	Glu	Thr	Leu	Gln	Thr		
145				150						155					160		
Arg	His	Ser	Val	Ser	Glu	Met	Ala	Ser	Asn	Lys	Phe	Lys	Arg	Met	Leu		
				165					170					175			
Asn	Arg	Glu	Leu	Thr	His	Leu	Ser	Glu	Met	Ser	Arg	Ser	Gly	Asn	Gln		
			180					185						190			
Val	Ser	Glu	Phe	Ile	Ser	Asn	Thr	Phe	Leu	Asp	Lys	Gln	His	Glu	Val		
		195					200					205					
Glu	Ile	Pro	Ser	Pro	Thr	Gln	Lys	Glu	Lys	Glu	Lys	Lys	Lys	Arg	Pro		

210 215 220
 Met Ser Gln Ile Ser Gly Val Lys Lys Leu Met His Ser Ser Ser Leu
 225 230 235 240
 Thr Asn Ser Ser Ile Pro Arg Phe Gly Val Lys Thr Glu Gln Glu Asp
 245 250 255
 Val Leu Ala Lys Glu Leu Glu Asp Val Asn Lys Trp Gly Leu His Val
 260 265 270
 Phe Arg Ile Ala Glu Leu Ser Gly Asn Arg Pro Leu Thr Val Ile Met
 275 280 285
 His Thr Ile Phe Gln Glu Arg Asp Leu Leu Lys Thr Phe Lys Ile Pro
 290 295 300
 Val Asp Thr Leu Ile Thr Tyr Leu Met Thr Leu Glu Asp His Tyr His
 305 310 315 320
 Ala Asp Val Ala Tyr His Asn Asn Ile His Ala Ala Asp Val Val Gln
 325 330 335
 Ser Thr His Val Leu Leu Ser Thr Pro Ala Leu Glu Ala Val Phe Thr
 340 345 350
 Asp Leu Glu Ile Leu Ala Ala Ile Phe Ala Ser Ala Ile His Asp Val
 355 360 365
 Asp His Pro Gly Val Ser Asn Gln Phe Leu Ile Asn Thr Asn Ser Glu
 370 375 380
 Leu Ala Leu Met Tyr Asn Asp Ser Ser Val Leu Glu Asn His His Leu
 385 390 395 400
 Ala Val Gly Phe Lys Leu Leu Gln Glu Glu Asn Cys Asp Ile Phe Gln
 405 410 415
 Asn Leu Thr Lys Lys Gln Arg Gln Ser Leu Arg Lys Met Val Ile Asp
 420 425 430
 Ile Val Leu Ala Thr Asp Met Ser Lys His Met Asn Leu Leu Ala Asp
 435 440 445
 Leu Lys Thr Met Val Glu Thr Lys Lys Val Thr Ser Ser Gly Val Leu
 450 455 460
 Leu Leu Asp Asn Tyr Ser Asp Arg Ile Gln Val Leu Gln Asn Met Val
 465 470 475 480
 His Cys Ala Asp Leu Ser Asn Pro Thr Lys Pro Leu Gln Leu Tyr Arg
 485 490 495
 Gln Trp Thr Asp Arg Ile Met Glu Glu Phe Phe Arg Gln Gly Arg Asp
 500 505 510
 Glu Arg Glu Arg Gly Met Glu Ile Ser Pro Met Cys Asp Lys His Asn
 515 520 525
 Ala Ser Val Glu Lys Ser Gln Val Gly Phe Ile Asp Tyr Ile Val His
 530 535 540
 Pro Leu Trp Glu Thr Trp Ala Asp Leu Val His Pro Asp Ala Gln Asp
 545 550 555 560
 Ile Leu Asp Thr Leu Glu Asp Asn Arg Glu Trp Tyr Gln Ser Thr Ile
 565 570 575
 Pro Gln Ser Pro Ser Pro Ala Pro Asp Asp Pro Glu Glu Gly Arg Gln
 580 585 590
 Gly Gln Thr Glu Lys Phe Gln Phe Glu Leu Thr Leu Glu Glu Asp Gly
 595 600 605
 Glu Ser Asp Thr Glu Lys Asp Ser Gly Ser Gln Val Glu Glu Asp Thr
 610 615 620
 Ser Cys Ser Asp Ser Lys Thr Leu Cys Thr Gln Asp Ser Glu Ser Thr
 625 630 635 640
 Glu Ile Pro Leu Asp Glu Gln Val Glu Glu Glu Ala Val Gly Glu Glu
 645 650 655
 Glu Glu Ser Gln Pro Glu Ala Cys Val Ile Asp Asp Arg Ser Pro Asp
 660 665 670
 Thr Thr Gly Ile Leu Gln Ser Thr Val Pro Arg Ala Arg Asp Pro Pro
 675 680 685

03005704 071504

[illegible]

```
<210> 3
<211> 3201
<212> DNA
<213> Aequorea victoria and human
```

<220>
<221> CDS
<222> (1) ... (3201)

<400> 3																		48
atg	gag	gca	gag	ggc	agc	agc	gcg	ccg	gcc	cgg	gcg	ggc	agc	gga	gag			
Met	Glu	Ala	Glu	Gly	Ser	Ser	Ala	Pro	Ala	Arg	Ala	Gly	Ser	Gly	Glu			
1				5					10					15				
ggc agc gac agc gcc gcc ggg gcc acg ctc aaa gcc ccc aag cat ctc																		96
Gly	Ser	Asp	Ser	Ala	Gly	Gly	Ala	Thr	Leu	Lys	Ala	Pro	Lys	His	Leu			
			20					25					30					
tgg agg cac gag cag cac cac cag tac ccg ctc cgg cag ccc cag ttc																		144
Trp	Arg	His	Glu	Gln	His	His	Gln	Tyr	Pro	Leu	Arg	Gln	Pro	Gln	Phe			
		35					40					45						
cgc ctc ctg cat ccc cat cac cac ctg ccc ccg ccg ccg cca gcc tcg																		192
Arg	Leu	Leu	His	Pro	His	His	His	Leu	Pro	Pro	Pro	Pro	Pro	Pro	Ser			
	50					55				60								

ccc cag ccc cag ccc cag tgt ccg cta cag ccg ccg ccg ccg ccc ccc	240
Pro Gln Pro Gln Pro Gln Cys Pro Leu Gln Pro Pro Pro Pro Pro Pro	
65 70 75 80	
ctg ccg ccg ccc ccg ccg ccg ccc ggg gct gcc cgc ggc cgc tac gcc	288
Leu Pro Pro Pro Pro Pro Pro Pro Gly Ala Ala Arg Gly Arg Tyr Ala	
85 90 95	
tcg agc ggg gcc acc ggc cgc gtc ccg cat cgc ggc tac tcg gac acc	336
Ser Ser Gly Tyr Thr Gly Arg Val Arg His Arg Gly Tyr Ser Asp Thr	
100 105 110	
gag cgc tac ctg tac tgt cgc gcc atg gac cgc acc tcc tac cgc gtg	384
Glu Arg Tyr Leu Tyr Cys Arg Ala Met Asp Arg Thr Ser Tyr Ala Val	
115 120 125	
gag acc ggc cac ccg ccc gcc ctg aag aaa tcc agg atg tcc tgg ccc	432
Glu Thr Gly His Arg Pro Gly Leu Lys Lys Ser Arg Met Ser Trp Pro	
130 135 140	
tcc tcg ttc cag gga ctc agg cgt ttt gat gtg gac aat ggc aca tct	480
Ser Ser Phe Gln Gly Leu Arg Arg Phe Asp Val Asp Asn Gly Thr Ser	
145 150 155 160	
gcg gga ccg agt ccc ttg gat ccc atg acc agc cca gga tcc ggg cta	528
Ala Gly Arg Ser Pro Leu Asp Pro Met Thr Ser Pro Gly Ser Gly Leu	
165 170 175	
att ctc caa gca aat ttt gtc cac agt caa cga cgg gag tcc ttc ctg	576
Ile Leu Gln Ala Asn Phe Val His Ser Gln Arg Arg Glu Ser Phe Leu	
180 185 190	
tat cga tcc gac agc gat tat gac ctc tct cca aag tct atg tcc ccg	624
Tyr Arg Ser Asp Ser Asp Tyr Asp Leu Ser Pro Lys Ser Met Ser Arg	
195 200 205	
aac tcc tcc att gcc agt gat ata cac gga gat gac ttg att gtg act	672
Asn Ser Ser Ile Ala Ser Asp Ile His Gly Asp Asp Leu Ile Val Thr	
210 215 220	
cca ttt get cag gtc ttg gcc agt ctg cga act gta cga aac aac ttt	720
Pro Phe Ala Gln Val Leu Ala Ser Leu Arg Thr Val Arg Asn Asn Phe	
225 230 235 240	
gct gca tta act aat ttg caa gat cga gca cct agc aaa aga tca ccc	768
Ala Ala Leu Thr Asn Leu Gln Asp Arg Ala Pro Ser Lys Arg Ser Pro	
245 250 255	
atg tgc aac caa cca tcc atc aac aaa gcc acc ata aca gag gag gcc	816
Met Cys Asn Gln Pro Ser Ile Asn Lys Ala Thr Ile Thr Glu Glu Ala	
260 265 270	
tac cag aaa ctg gcc agc gag acc ctg gag gag ctg gac tgg tgt ctg	864
Tyr Gln Lys Leu Ala Ser Glu Thr Leu Glu Glu Leu Asp Trp Cys Leu	
275 280 285	
gac cag cta gag acc cta cag acc agg cac tcc gtc agt gag atg gcc	912
Asp Gln Leu Glu Thr Leu Gln Thr Arg His Ser Val Ser Glu Met Ala	
290 295 300	

gaa Ser 305	aac Asn	aag Lys	ttt Phe	aaa Lys	agg Arg 310	atg Met	ctt Leu	aat Asn	cgg Arg	gag Glu 315	ctc Leu	acc Thr	cat His	ctc Leu	tct Ser 320	960
gaa Glu	atg Met	agt Ser	cgg Arg	tct Ser 325	gga Gly	aat Asn	caa Gln	gtg Val	tca Ser 330	gag Glu	ttt Phe	ata Ile	tca Ser	aac Asn 335	aca Thr	1008
ttc Phe	tta Leu	gat Asp	aag Lys 340	caa Gln	cat His	gaa Glu	gtg Val	gaa Glu 345	att Ile	cct Pro	tct Ser	cca Pro	act Thr 350	cag Gln	aag Lys	1056
gaa Glu	aag Lys 355	gag Glu	aaa Lys	aag Lys	aaa Lys	aga Arg	cca Pro 360	atg Met	tct Ser	cag Gln	atc Ile	agt Ser 365	gga Gly	gtc Val	aag Lys	1104
aaa Lys 370	ttg Leu	atg Met	cac His	agc Ser	tct Ser	agt Ser 375	ctg Leu	act Thr	aat Asn	tca Ser 380	agt Ser	atc Ile	cca Pro	agg Arg	ttt Phe	1152
gga Gly 385	gtt Val	aaa Lys	act Thr	gaa Glu	caa Gln 390	gaa Glu	gat Asp	gtc Val	ctt Leu 395	gcc Ala 395	aag Lys	gaa Glu	cta Leu	gaa Glu	gat Asp 400	1200
gtg Val	aac Asn	aaa Lys	tgg Trp	ggt Gly 405	ctt Leu	cat His	gtt Val	ttc Phe	aga Arg 410	ata Ile	gca Ala	gag Glu	ttg Leu	tct Leu 415	ggg Ser Gly	1248
aac Asn	cgg Arg	ccc Pro	ttg Leu 420	act Thr	gtt Val	atc Ile	atg Met	cac His 425	acc Thr	att Ile	ttt Phe	cag Gln	gaa Glu 430	cgg Arg	gat Asp	1296
tta Leu	tta Leu 435	aaa Lys	aca Thr	ttt Phe	aaa Lys	att Ile	cca Pro 440	gta Val	gat Asp	act Thr	tta Leu	att Ile 445	aca Thr	tat Tyr	ctt Leu	1344
atg Met	act Thr 450	ctc Leu	gaa Glu	gac Asp	cat His	tac Tyr 455	cat His	gct Ala	gat Asp	val Ala 460	gcc Ala	tat Tyr	cac His	aac Asn	aat Asn	1392
atc Ile 465	cat His	gct Ala	gca Ala	gat Asp	gtt Val 470	gtc Val	cag Pro	tct Ser	act Thr	cat His 475	gtg Val	cta Leu	tta Leu	tct Ser	aca Thr 480	1440
cct Pro	gct Ala	ttg Leu	gag Glu	gct Ala 485	gtg Val	ttt Phe	aca Thr	gat Asp	ttg Leu 490	gag Glu	att Ile	ctt Leu	gca Ala 495	gca Ala	att Ile	1488
ttt Phe	gcc Ala	agt Ser	gca Ala 500	ata Ile	cat His	gat Asp	gta Val	gat Asp 505	cat His	cct Pro	ggg Gly	gtg Val	tcc Ser 510	aat Asn	caa Gln	1536
ttt Phe	ctg Leu	atc Ile 515	aat Asn	aca Thr	aac Asn	tct Ser	gaa Glu 520	ctt Leu	gcc Ala	ttg Leu	atg Met	tac Tyr 525	aat Asn	gat Ser	tcc Ser	1584
tca Ser	gtc Val	tta Glu	gag Glu	aac Asn	cat His	cat His	ttg Leu	gct Ala	gtg Val 530	ggc Gly	ttt Phe	aaa Lys	ttg Leu	ctt Leu	cag Gln	1632

530				535				540								
gaa Glu 545	gaa Glu	aac Asn	tgt Cys	gac Asp	att Ile 550	ttc Phe	cag Gln	aat Asn	ttg Leu	acc Thr 555	aaa Lys	aaa Lys	caa Gln	aga Arg	caa Gln 560	1680
tct Ser	tta Leu	agg Arg	aaa Lys	atg Met 565	gtc Val	att Ile	gac Asp	atc Ile	gta Val 570	ctt Leu	gca Ala	aca Thr	gat Asp	atg Met 575	tca Ser	1728
aaa Lys	cac His	atg Met 580	aat Asn	cta Leu	ctg Leu	gct Ala	gat Asp 585	ttg Leu	aag Lys	act Thr	atg Met	gtt Val	gaa Glu 590	act Thr	aag Lys	1776
aaa Lys	gtg Val	aca Thr 595	agc Ser	tct Ser	gga Gly	ggt Val	ctt Leu 600	ctt Leu	ctt Leu	gat Asp	aat Asn	tat Tyr 605	tcc Ser	gat Asp	agg Arg	1824
att Ile	cag Gln 610	gtt Val	ctt Leu	cag Gln	aat Asn	atg Met 615	gtg Val	cac His	tgt Cys	gca Ala 620	gat Leu	ctg Ser	agc Ser	aac Asn	cca Pro	1872
aca Thr 625	aag Lys	cct Pro	ctc Leu	cag Gln	ctg Leu 630	tac Tyr	cgc Arg	cag Gln	tgg Trp	acg Thr 635	gac Asp	cgg Arg	ata Ile	atg Met	gag Glu 640	1920
gag Glu	ttc Phe	ttc Phe	cgc Arg	caa Gln 645	gga Gly	gac Asp	cga Arg	gag Glu 650	agg Arg	gaa Glu	cgt Arg	ggc Gly	atg Met 655	gag Glu	ata Ile	1968
agc Ser	ccc Pro	atg Met 660	tgt Cys	gac Asp	aag Lys	cac His	aat Asn	gct Ala 665	tcc Ser	gtg Val	gaa Glu	aaa Lys	tca Ser 670	cag Gln	gtg Val	2016
ggc Gly	ttc Phe	ata Ile 675	gac Asp	tat Tyr	att Ile	gtt Val	cat Thr 680	ccc Pro	ctc Leu	tgg Trp	gag Glu	aca Thr 685	tgg Trp	gca Ala	gac Asp	2064
ctc Leu 690	gtc Val	cac His	cct Pro	gac Asp	gcc Ala	cag Gln 695	gat Asp	att Ile	ttg Leu	gac Asp	act Thr	ttg Leu 700	gag Glu	gac Asp	aat Asn	2112
cgt Arg 705	gaa Glu	tgg Trp	tac Tyr	cag Gln	agc Ser 710	aca Thr	atc Ile	cct Pro	cag Gln	agc Ser 715	ccc Pro	tct Ser	cct Pro	gca Ala	cct Pro 720	2160
gat Asp	gac Asp	cca Pro	gag Glu	gag Gly 725	ggc Gly	cgg Arg	cag Gln	ggt Gly	caa Gln 730	act Thr	gag Glu	aaa Lys	ttc Phe 735	cag Gln	ttt Phe	2208
gaa Glu	cta Leu	act Thr 740	tta Leu	gag Glu	gaa Glu	gat Asp	ggt Gly	gag Glu 745	tca Ser	gac Asp	acg Thr	gaa Glu	aag Lys 750	gac Asp	agt Ser	2256
ggc Gly	agt Ser	caa Gln 755	gtg Val	gaa Glu	gaa Glu	gac Asp	act Thr 760	agc Ser	tgc Cys	agt Ser	gac Asp	tcc Ser 765	aag Lys	act Thr	ctt Leu	2304
tgt Leu	act Leu	caa Gln	gac Val	tca Glu	gag Glu	tct Thr	act Thr	gaa Glu	att Thr	ccc Ser	ctt Thr	gat Glu	gaa Glu	cag Glu	gtt Leu	2352

Cys	Thr	Gln	Asp	Ser	Glu	Ser	Thr	Glu	Ile	Pro	Leu	Asp	Glu	Gln	Val	
770						775					780					
gaa	gag	gag	gca	gta	ggg	gaa	gaa	gag	gaa	agc	cag	cct	gaa	gcc	tgt	2400
Glu	Glu	Glu	Ala	Val	Gly	Glu	Glu	Glu	Glu	Ser	Gln	Pro	Glu	Ala	Cys	
785					790					795					800	
gtc	ata	gat	gat	cgt	tct	cct	gac	acg	acg	gga	att	ctg	cag	tcg	acg	2448
Val	Ile	Asp	Asp	Arg	Ser	Pro	Asp	Thr	Thr	Gly	Ile	Leu	Gln	Ser	Thr	
				805					810					815		
gta	ccg	cgg	gcc	cgg	gat	cca	ccg	gtc	gcc	acc	atg	gtg	agc	aag	ggc	2496
Val	Pro	Arg	Ala	Arg	Asp	Pro	Pro	Val	Ala	Thr	Met	Val	Ser	Lys	Gly	
			820					825					830			
gag	gag	ctg	ttc	acc	ggg	gtg	gtg	ccc	atc	ctg	gtc	gag	ctg	gac	ggc	2544
Glu	Glu	Leu	Phe	Thr	Gly	Val	Val	Pro	Ile	Leu	Val	Glu	Leu	Asp	Gly	
		835					840					845				
gac	gta	aac	ggc	cac	aag	ttc	agc	gtg	tcc	ggc	gag	ggc	gag	ggc	gat	2592
Asp	Val	Asn	Gly	His	Lys	Phe	Ser	Val	Ser	Gly	Glu	Gly	Glu	Gly	Asp	
		850				855					860					
gcc	acc	tac	ggc	aag	ctg	acc	ctg	aag	ttc	atc	tgc	acc	acc	ggc	aag	2640
Ala	Thr	Tyr	Gly	Lys	Leu	Thr	Leu	Lys	Phe	Ile	Cys	Thr	Thr	Gly	Lys	
		865			870				875						880	
ctg	ccc	gtg	ccc	tgg	ccc	acc	ctc	gtg	acc	acc	ctg	acc	tac	ggc	gtg	2688
Leu	Pro	Val	Pro	Trp	Pro	Thr	Leu	Val	Thr	Thr	Leu	Thr	Tyr	Gly	Val	
				885				890						895		
cag	tgc	ttc	agc	cgc	tac	ccc	gac	cac	atg	aag	cag	cac	gac	ttc	ttc	2736
Gln	Cys	Phe	Ser	Arg	Tyr	Pro	Asp	His	Met	Lys	Gln	His	Asp	Phe	Phe	
			900					905					910			
aag	tcc	gcc	atg	ccc	gaa	ggc	tac	gtc	cag	gag	cgc	acc	atc	ttc	ttc	2784
Lys	Ser	Ala	Met	Pro	Glu	Gly	Tyr	Val	Gln	Glu	Arg	Thr	Ile	Phe	Phe	
		915					920					925				
aag	gac	gac	ggc	aac	tac	aag	acc	cgc	gcc	gag	gtg	aag	ttc	gag	ggc	2832
Lys	Asp	Asp	Gly	Asn	Tyr	Lys	Thr	Arg	Ala	Glu	Val	Lys	Phe	Glu	Gly	
		930				935					940					
gac	acc	ctg	gtg	aac	cgc	atc	gag	ctg	aag	ggc	atc	gac	ttc	aag	gag	2880
Asp	Thr	Leu	Val	Asn	Arg	Ile	Glu	Leu	Lys	Gly	Ile	Asp	Phe	Lys	Glu	
		945			950					955					960	
gac	ggc	aac	atc	ctg	ggg	cac	aag	ctg	gag	tac	aac	tac	aac	agc	cac	2928
Asp	Gly	Asn	Ile	Leu	Gly	His	Lys	Leu	Glu	Tyr	Asn	Tyr	Asn	Ser	His	
				965					970					975		
aac	gtc	tat	atc	atg	gcc	gac	aag	cag	aag	aac	ggc	atc	aag	gtg	aac	2976
Asn	Val	Tyr	Ile	Met	Ala	Asp	Lys	Gln	Lys	Asn	Gly	Ile	Lys	Val	Asn	
				980				985					990			
ttc	aag	atc	cgc	cac	aac	atc	gag	gac	ggc	agc	gtg	cag	ctc	gcc	gac	3024
Phe	Lys	Ile	Arg	His	Asn	Ile	Glu	Asp	Gly	Ser	Val	Gln	Leu	Ala	Asp	
		995					1000					1005				

cac tac cag cag aac acc ccc atc ggc gac ggc ccc gtg ctg ctg ccc 3072
 His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly Pro Val Leu Leu Pro
 1010 1015 1020

gag aac cac tac ctg agc acc cag tcc gcc ctg agc aaa gac ccc aac 3120
 Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu Ser Lys Asp Pro Asn
 1025 1030 1035 1040

gag aag cgc gat cac atg gtc ctg ctg gag ttc gtg acc gcc gcc ggg 3168
 Glu Lys Arg Asp His Met Val Leu Leu Glu Phe Val Thr Ala Ala Gly
 1045 1050 1055

atc act ctc ggc atg gac gag ctg tac aag taa 3201
 Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys *
 1060 1065

<210> 4

<211> 1066

<212> PRT

<213> Aequorea victoria and human

<400> 4

Met Glu Ala Glu Gly Ser Ser Ala Pro Ala Arg Ala Gly Ser Gly Glu
 1 5 10 15
 Gly Ser Asp Ser Ala Gly Gly Ala Thr Leu Lys Ala Pro Lys His Leu
 20 25 30
 Trp Arg His Glu Gln His His Gln Tyr Pro Leu Arg Gln Pro Gln Phe
 35 40 45
 Arg Leu Leu His Pro His His His Leu Pro Pro Pro Pro Pro Ser
 50 55 60
 Pro Gln Pro Gln Pro Gln Cys Pro Leu Gln Pro Pro Pro Pro Pro
 65 70 75 80
 Leu Pro Pro Pro Pro Pro Pro Gly Ala Ala Arg Gly Arg Tyr Ala
 85 90 95
 Ser Ser Gly Ala Thr Gly Arg Val Arg His Arg Gly Tyr Ser Asp Thr
 100 105 110
 Glu Arg Tyr Leu Tyr Cys Arg Ala Met Asp Arg Thr Ser Tyr Ala Val
 115 120 125
 Glu Thr Gly His Arg Pro Gly Leu Lys Lys Ser Arg Met Ser Trp Pro
 130 135 140
 Ser Ser Phe Gln Gly Leu Arg Arg Phe Asp Val Asp Asn Gly Thr Ser
 145 150 155 160
 Ala Gly Arg Ser Pro Leu Asp Pro Met Thr Ser Pro Gly Ser Gly Leu
 165 170 175
 Ile Leu Gln Ala Asn Phe Val His Ser Gln Arg Arg Glu Ser Phe Leu
 180 185 190
 Tyr Arg Ser Asp Ser Asp Tyr Asp Leu Ser Pro Lys Ser Met Ser Arg
 195 200 205
 Asn Ser Ser Ile Ala Ser Asp Ile His Gly Asp Asp Leu Ile Val Thr
 210 215 220
 Pro Phe Ala Gln Val Leu Ala Ser Leu Arg Thr Val Arg Asn Asn Phe
 225 230 235 240
 Ala Ala Leu Thr Asn Leu Gln Asp Arg Ala Pro Ser Lys Arg Ser Pro
 245 250 255
 Met Cys Asn Gln Pro Ser Ile Asn Lys Ala Thr Ile Thr Glu Glu Ala
 260 265 270
 Tyr Gln Lys Leu Ala Ser Glu Thr Leu Glu Glu Leu Asp Trp Cys Leu
 275 280 285

00006704.074604

Asp	Gln	Leu	Glu	Thr	Leu	Gln	Thr	Arg	His	Ser	Val	Ser	Glu	Met	Ala
Ser	Asn	Lys	Phe	Lys	Arg	Met	Leu	Asn	Arg	Glu	Leu	Thr	His	Leu	Ser
305					310					315					320
Glu	Met	Ser	Arg	Ser	Gly	Asn	Gln	Val	Ser	Glu	Phe	Ile	Ser	Asn	Thr
					325					330					335
Phe	Leu	Asp	Lys	Gln	His	Glu	Val	Glu	Ile	Pro	Ser	Pro	Thr	Gln	Lys
					340					345					350
Glu	Lys	Glu	Lys	Lys	Lys	Arg	Pro	Met	Ser	Gln	Ile	Ser	Gly	Val	Lys
					355					360					365
Lys	Leu	Met	His	Ser	Ser	Ser	Leu	Thr	Asn	Ser	Ser	Ile	Pro	Arg	Phe
					370					375					380
Gly	Val	Lys	Thr	Glu	Gln	Glu	Asp	Val	Leu	Ala	Lys	Glu	Leu	Glu	Asp
385					390					395					400
Val	Asn	Lys	Trp	Gly	Leu	His	Val	Phe	Arg	Ile	Ala	Glu	Leu	Ser	Gly
					405					410					415
Asn	Arg	Pro	Leu	Thr	Val	Ile	Met	His	Thr	Ile	Phe	Gln	Glu	Arg	Asp
					420					425					430
Leu	Leu	Lys	Thr	Phe	Lys	Ile	Pro	Val	Asp	Thr	Leu	Ile	Thr	Tyr	Leu
					435					440					445
Met	Thr	Leu	Glu	Asp	His	Tyr	His	Ala	Asp	Val	Ala	Tyr	His	Asn	Asn
					450					455					460
Ile	His	Ala	Ala	Asp	Val	Val	Gln	Ser	Thr	His	Val	Leu	Leu	Ser	Thr
465					470					475					480
Pro	Ala	Leu	Glu	Ala	Val	Phe	Thr	Asp	Leu	Glu	Ile	Leu	Ala	Ala	Ile
					485					490					495
Phe	Ala	Ser	Ala	Ile	His	Asp	Val	Asp	His	Pro	Gly	Val	Ser	Asn	Gln
					500					505					510
Phe	Leu	Ile	Asn	Thr	Asn	Ser	Glu	Leu	Ala	Leu	Met	Tyr	Asn	Asp	Ser
					515					520					525
Ser	Val	Leu	Glu	Asn	His	His	Leu	Ala	Val	Gly	Phe	Lys	Leu	Leu	Gln
					530					535					540
Glu	Glu	Asn	Cys	Asp	Ile	Phe	Gln	Asn	Leu	Thr	Lys	Lys	Gln	Arg	Glu
545					550					555					560
Ser	Leu	Arg	Lys	Met	Val	Ile	Asp	Ile	Val	Leu	Ala	Thr	Asp	Met	Ser
					565					570					575
Lys	His	Met	Asn	Leu	Leu	Ala	Asp	Leu	Lys	Thr	Met	Val	Glu	Thr	Lys
					580					585					590
Lys	Val	Thr	Ser	Ser	Gly	Val	Leu	Leu	Leu	Asp	Asn	Tyr	Ser	Asp	Arg
					595					600					605
Ile	Gln	Val	Leu	Gln	Asn	Met	Val	His	Cys	Ala	Asp	Leu	Ser	Asn	Pro
					610					615					620
Thr	Lys	Pro	Leu	Gln	Leu	Tyr	Arg	Gln	Trp	Thr	Asp	Arg	Ile	Met	Glu
625					630					635					640
Glu	Phe	Phe	Arg	Gln	Gly	Asp	Arg	Glu	Arg	Glu	Arg	Gly	Met	Glu	

755 760 765
 Cys Thr Gln Asp Ser Glu Ser Thr Glu Ile Pro Leu Asp Glu Gln Val
 770 775 780
 Glu Glu Glu Ala Val Gly Glu Glu Glu Glu Ser Gln Pro Glu Ala Cys
 785 790 795 800
 Val Ile Asp Asp Arg Ser Pro Asp Thr Thr Gly Ile Leu Gln Ser Thr
 805 810 815
 Val Pro Arg Ala Arg Asp Pro Pro Val Ala Thr Met Val Ser Lys Gly
 820 825 830
 Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu Val Glu Leu Asp Gly
 835 840 845
 Asp Val Asn Gly His Lys Phe Ser Val Ser Gly Glu Gly Glu Gly Asp
 850 855 860
 Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile Cys Thr Thr Gly Lys
 865 870 875 880
 Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr Leu Thr Tyr Gly Val
 885 890 895
 Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys Gln His Asp Phe Phe
 900 905 910
 Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu Arg Thr Ile Phe Phe
 915 920 925
 Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu Val Lys Phe Glu Gly
 930 935 940
 Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly Ile Asp Phe Lys Glu
 945 950 955 960
 Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr Asn Tyr Asn Ser His
 965 970 975
 Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn Gly Ile Lys Val Asn
 980 985 990
 Phe Lys Ile Arg His Asn Ile Glu Asp Gly Ser Val Gln Leu Ala Asp
 995 1000 1005
 His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly Pro Val Leu Leu Pro
 1010 1015 1020
 Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu Ser Lys Asp Pro Asn
 1025 1030 1035 1040
 Glu Lys Arg Asp His Met Val Leu Leu Glu Phe Val Thr Ala Ala Gly
 1045 1050 1055
 Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys
 1060 1065

<210> 5
 <211> 3009
 <212> DNA
 <213> Aequorea victoria and human

<220>
 <221> CDS
 <222> (1)...(3009)

<400> 5
 atg gct cag cag aca agc ccg gac act tta aca gta cct gaa gtg gat 48
 Met Ala Gln Gln Thr Ser Pro Asp Thr Leu Thr Val Pro Glu Val Asp
 1 5 10 15
 aat ccg cat tgt cca aac ccg tgg ctg aac gaa gac ctt gtg aaa tcc 96
 Asn Pro His Cys Pro Asn Pro Trp Leu Asn Glu Asp Leu Val Lys Ser
 20 25 30
 ttg cga gaa aac ctg ttg cag cat gag aag tcc aag aca gcg agg aaa 144

Leu Arg Glu Asn Leu Leu Gln His Glu Lys Ser Lys Thr Ala Arg Lys	
35 40 45	
tcg gtt tct ccc aag ctc tct cca gtg atc tct ccg aga aat tcc ccc	192
Ser Val Ser Pro Lys Leu Ser Pro Val Ile Ser Pro Arg Asn Ser Pro	
50 55 60	
agg ctt ctg cgc aga atg ctt ctc agc agc aac atc ccc aaa cag cgg	240
Arg Leu Leu Arg Arg Met Leu Leu Ser Ser Asn Ile Pro Lys Gln Arg	
65 70 75 80	
cgt ttc acg gtg gca cat aca tgt ttt gat gtg gac aat ggc aca tct	288
Arg Phe Thr Val Ala His Thr Cys Phe Asp Val Asp Asn Gly Thr Ser	
85 90 95	
gcg gga cgg agt ccc ttg gat ccc atg acc agc cca gga tcc ggg cta	336
Ala Gly Arg Ser Pro Leu Asp Pro Met Thr Ser Pro Gly Ser Gly Leu	
100 105 110	
att ctc caa gca aat ttt gtc cac agt caa cga cgg gag tcc ttc ctg	384
Ile Leu Gln Ala Asn Phe Val His Ser Gln Arg Arg Glu Ser Phe Leu	
115 120 125	
tat cga tcc gac agc gat tat gac ctc tct cca aag tct atg tcc cgg	432
Tyr Arg Ser Asp Ser Asp Tyr Asp Leu Ser Pro Lys Ser Met Ser Arg	
130 135 140	
aac tcc tcc att gcc agt gat ata cac gga gat gac ttg att gtg act	480
Asn Ser Ser Ile Ala Ser Asp Ile His Gly Asp Asp Leu Ile Val Thr	
145 150 155 160	
cca ttt gct cag gtc ttg gcc agt ctg cga act gta cga aac ttt	528
Pro Phe Ala Gln Val Leu Ala Ser Leu Arg Thr Val Arg Asn Asn Phe	
165 170 175	
gct gca tta act aat ttg caa gat cga gca cct agc aaa aga tca ccc	576
Ala Ala Leu Thr Asn Leu Gln Asp Arg Ala Pro Ser Lys Arg Ser Pro	
180 185 190	
atg tgc aac caa cca tcc atc aac aaa gcc acc ata cga gag gag gcc	624
Met Cys Asn Gln Pro Ser Ile Asn Lys Ala Thr Ile Thr Glu Glu Ala	
195 200 205	
tac cag aaa ctg gcc agc gag acc ctg gag gag ctg gac tgg tgt ctg	672
Tyr Gln Lys Leu Ala Ser Glu Thr Leu Glu Glu Leu Asp Trp Cys Leu	
210 215 220	
gac cag cta gag acc cta cag acc agg cac tcc gtc agt gag atg gcc	720
Asp Gln Leu Glu Thr Leu Gln Thr Arg His Ser Val Ser Glu Met Ala	
225 230 235 240	
tcc aac aag ttt aaa agg atg ctt aat cgg gag ctc acc cat ctc tct	768
Ser Asn Lys Phe Lys Arg Met Leu Asn Arg Glu Leu Thr His Leu Ser	
245 250 255	
gaa atg agt cgg tct gga aat caa gtg tca gag ttt ata tca aac aca	816
Glu Met Ser Arg Ser Gly Asn Gln Val Ser Glu Phe Ile Ser Asn Thr	
260 265 270	

ttc tta gat aag caa cat gaa gtg gaa att cct tct cca act cag aag Phe Leu Asp Lys Gln His Glu Val Glu Ile Pro Ser Pro Thr Gln Lys 275 280 285	864
gaa aag gag aaa aag aaa aga cca atg tct cag atc agt gga gtc aag Glu Lys Glu Lys Lys Arg Pro Met Ser Gln Ile Ser Gly Val Lys 290 295 300	912
aaa ttg atg cac agc tct agt ctg act aat tca agt atc cca agg ttt Lys Leu Met His Ser Ser Ser Leu Thr Asn Ser Ser Ile Pro Arg Phe 305 310 315 320	960
gga gtt aaa act gaa caa gaa gat gtc ctt gcc aag gaa cta gaa gat Gly Val Lys Thr Glu Gln Glu Asp Val Leu Ala Lys Glu Leu Glu Asp 325 330 335	1008
gtg aac aaa tgg ggt ctt cat gtt ttc aga ata gca gag ttg tct ggt Val Asn Lys Trp Gly Leu His Val Phe Arg Ile Ala Glu Leu Ser Gly 340 345 350	1056
aac cgg ccc ttg act gtt atc atg cac acc att ttt cag gaa cgg gat Asn Arg Pro Leu Thr Val Ile Met His Thr Ile Phe Gln Glu Arg Asp 355 360 365	1104
tta tta aaa aca ttt aaa att cca gta gat act tta att aca tat ctt Leu Leu Lys Thr Phe Lys Ile Pro Val Asp Thr Leu Ile Thr Tyr Leu 370 375 380	1152
atg act ctc gaa gac cat tac cat gct gat gtg gcc tat cac aac aat Met Thr Leu Glu Asp His Tyr His Ala Asp Val Ala Tyr His Asn Asn 385 390 395 400	1200
atc cat gct gca gat gtt gtc cag tct act cat gtg cta tta tct aca Ile His Ala Ala Asp Val Val Gln Ser Thr His Val Leu Leu Ser Thr 405 410 415	1248
cct gct ttg gag gct gtg ttt aca gat ttg gag att ctt gca gca att Pro Ala Leu Glu Ala Val Phe Thr Asp Leu Glu Ile Leu Ala Ala Ile 420 425 430	1296
ttt gcc agt gca ata cat gat gta gat cat cct ggt gtg tcc aat caa Phe Ala Ser Ala Ile His Asp Val Asp His Pro Gly Val Ser Asn Gln 435 440 445	1344
ttt ctg atc aat aca aac tct gaa ctt gcc ttg atg tac aat gat tcc Phe Leu Ile Asn Thr Asn Ser Glu Leu Ala Leu Met Tyr Asn Asp Ser 450 455 460	1392
tca gtc tta gag aac cat cat ttg gct gtg ggc ttt aaa ttg ctt cag Ser Val Leu Glu Asn His His Leu Ala Val Gly Phe Lys Leu Leu Gln 465 470 475 480	1440
gaa gaa aac tgt gac att ttc cag aat ttg acc aaa aaa caa aga caa Glu Glu Asn Cys Asp Ile Phe Gln Asn Leu Thr Lys Lys Gln Arg Gln 485 490 495	1488
tct tta agg aaa atg gtc att gac atc gta ctt gca aca gat atg tca Ser Leu Arg Lys Met Val Ile Asp Ile Val Leu Ala Thr Asp Met Ser 500 505 510	1536

0306701.071604

Lys	cac His	atg Met	aat Asn	cta Leu	ctg Leu	gct Ala	gat Val	tgt Leu	aag Lys	act Thr	atg Met	gtt Val	gaa Glu	act Thr	aag Lys	
515																1584
aaa Lys	gtg Val	aca Thr	agc Ser	tct Ser	gga Gly	gtt Val	ctt Leu	ctt Leu	ctt Leu	gat Asp	aat Asn	tat Tyr	tcc Ser	gat Asp	agg Arg	
530																1632
att Ile	cag Gln	gtt Val	ctt Leu	cag Gln	aat Asn	atg Met	gtg Val	cac His	tgt Cys	gca Ala	gat Asp	ctg Leu	agc Ser	aac Asn	cca Pro	
545																1680
aca Thr	aag Lys	cct Pro	ctc Leu	cag Gln	ctg Leu	tac Tyr	cgc Arg	cag Gln	tgg Trp	acg Thr	gac Asp	cgg Arg	ata Ile	atg Met	gag Glu	
565																1728
gag Glu	ttc Phe	ttc Phe	cgc Arg	caa Gln	gga Gly	gac Asp	cga Arg	gag Glu	agg Arg	gaa Glu	cgt Arg	ggc Gly	atg Met	gag Glu	ata Ile	
580																1776
agc Ser	ccc Pro	atg Met	tgt Cys	gac Asp	aag Lys	cac His	aat Asn	gct Ala	tcc Ser	gtg Val	gaa Glu	aaa Lys	tca Ser	cag Gln	gtg Val	
595																1824
ggc Gly	ttc Phe	ata Ile	gac Asp	tat Tyr	att Ile	gtt Val	cat His	ccc Pro	ctc Leu	tgg Trp	gag Glu	aca Thr	tgg Trp	gca Ala	gac Asp	
610																1872
ctc Leu	gtc Val	cac His	cct Pro	gac Asp	gcc Ala	cag Gln	gat Asp	att Ile	ttg Leu	gac Asp	act Thr	ttg Leu	gag Glu	gac Asp	aat Asn	
625																1920
cgt Arg	gaa Glu	tggt Trp	tac Tyr	cag Gln	agc Ser	aca Thr	atc Ile	cct Pro	cag Gln	agc Ser	ccc Pro	tct Ser	cct Pro	gca Ala	cct Pro	
645																1968
gat Asp	gac Asp	cca Pro	gag Glu	gag Gly	cgg Gly	cag Arg	ggt Gln	caa Gln	act Gln	gag Glu	aaa Lys	ttc Phe	cag Gln	ttt Phe		
660																2016
gaa Glu	cta Leu	act Thr	tta Leu	gag Glu	gaa Glu	gat Asp	ggt Gly	gag Glu	tca Ser	gac Asp	acg Thr	gaa Glu	aag Lys	gac Met	agt Ser	
675																2064
ggc Gly	agt Ser	caa Gln	gtg Val	gaa Glu	gaa Glu	gac Asp	act Thr	agc Ser	tgc Cys	agt Ser	gac Asp	tcc Ser	aag Lys	act Thr	ctt Leu	
690																2112
tgt Cys	act Thr	caa Gln	gac Asp	tca Ser	gag Glu	tct Ser	act Thr	gaa Glu	att Ile	ccc Pro	ctt Leu	gat Asp	gaa Glu	cag Gln	gtt Val	
705																2160
gaa Glu	gag Glu	gag Gla	gca Ala	gta Val	ggg Gly	gaa Glu	gaa Glu	gag Glu	gaa Glu	agc Ser	cag Gln	cct Pro	gaa Glu	gcc Ala	tgt Cys	
725																2208
gtc Val	ata Ile	gat Asp	gat Asp	cgt Ser	tct Ser	cct Pro	act Asp	acg Thr	acg Thr	gga Gly	att Ile	ctg Leu	cag Gln	tcg Gln	acg Thr	
735																2256

740						745						750						
gta	cgg	cgg	gcc	cgg	gat	cca	cgg	gtc	gcc	acc	atg	gtg	agc	aag	ggc	2304		
Val	Pro	Arg	Ala	Arg	Asp	Pro	Pro	Val	Ala	Thr	Met	Val	Ser	Lys	Gly			
755																		
gag	gag	ctg	ttc	acc	ggg	gtg	gtg	ccc	atc	ctg	gtc	gag	ctg	gac	ggc	2352		
Glu	Glu	Leu	Phe	Thr	Gly	Val	Val	Pro	Ile	Leu	Val	Glu	Leu	Asp	Gly			
770																		
gac	gta	aac	ggc	cac	aag	ttc	agc	gtg	tcc	ggc	gag	ggc	gag	ggc	gat	2400		
785	Val	Asn	Gly	His	Lys	Phe	Ser	Val	Ser	Gly	Glu	Gly	Glu	Gly	Asp			
790																		
gcc	acc	tac	ggc	aag	ctg	acc	ctg	aag	ttc	atc	tgc	acc	acc	ggc	aag	2448		
Ala	Thr	Tyr	Gly	Lys	Leu	Thr	Leu	Lys	Phe	Ile	Cys	Thr	Thr	Gly	Lys			
805																		
ctg	ccc	gtg	ccc	tgg	ccc	acc	ctc	gtg	acc	acc	ctg	acc	tac	ggc	gtg	2496		
Leu	Pro	Val	Pro	Trp	Pro	Thr	Leu	Val	Thr	Thr	Leu	Thr	Thr	Gly	Val			
820																		
cag	tgc	ttc	agc	cgc	tac	ccc	gac	cac	atg	aag	cag	cac	gac	ttc	ttc	2544		
Gln	Cys	Phe	Ser	Arg	Tyr	Pro	Asp	His	Met	Lys	Gln	His	Asp	Phe	Phe			
835																		
aag	tcc	gcc	atg	ccc	gaa	ggc	tac	gtc	cag	gag	cgc	acc	atc	ttc	ttc	2592		
Lys	Ser	Ala	Met	Pro	Glu	Gly	Tyr	Val	Gln	Glu	Arg	Thr	Ile	Phe	Phe			
850																		
aag	gac	gac	ggc	aac	tac	aag	acc	cgc	gcc	gag	gtg	aag	ttc	gag	ggc	2640		
Lys	Asp	Asp	Gly	Asn	Tyr	Lys	Thr	Arg	Ala	Glu	Val	Lys	Phe	Glu	Gly			
865																		
gac	acc	ctg	gtg	aac	cgc	atc	gag	ctg	aag	ggc	atc	gac	ttc	aag	gag	2688		
Asp	Thr	Leu	Val	Asn	Arg	Ile	Glu	Leu	Lys	Gly	Ile	Asp	Phe	Lys	Glu			
885																		
gac	ggc	aac	atc	ctg	ggg	cac	aag	ctg	gag	tac	aac	tac	aac	agc	cac	2736		
Asp	Gly	Asn	Ile	Leu	Gly	His	Lys	Leu	Glu	Tyr	Asn	Tyr	Asn	Ser	His			
900																		
aac	gtc	tat	atc	atg	gcc	gac	aag	cag	aag	aac	ggc	atc	aag	gtg	aac	2784		
Asn	Val	Tyr	Ile	Met	Ala	Asp	Lys	Gln	Lys	Asn	Gly	Ile	Lys	Val	Asn			
915																		
ttc	aag	atc	cgc	cac	aac	atc	gag	gac	ggc	agc	gtg	cag	ctc	gcc	gac	2832		
Phe	Lys	Ile	Arg	His	Asn	Ile	Glu	Asp	Gly	Ser	Val	Gln	Leu	Ala	Asp			
930																		
cac	tac	cag	cag	aac	acc	ccc	atc	ggc	gac	ggc	ccc	gtg	ctg	ctg	ccc	2880		
His	Tyr	Gln	Gln	Asn	Thr	Pro	Ile	Gly	Asp	Gly	Pro	Val	Leu	Leu	Pro			
945																		
gac	aac	cac	tac	ctg	agc	acc	cag	tcc	gcc	ctg	agc	aaa	gac	ccc	aac	2928		
Asp	Asn	His	Tyr	Leu	Ser	Thr	Gln	Ser	Ala	Leu	Ser	Lys	Asp	Pro	Asn			
965																		
gag	aag	cgc	gat	cac	atg	gtc	ctg	ctg	gag	ttc	gtg	acc	gcc	gcc	ggg	2976		

Glu Lys Arg Asp His Met Val Leu Leu Glu Phe Val Thr Ala Ala Gly
980 985 990

atc act ctc ggc atg gac gag ctg tac aag taa
Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys *
995 1000

3009

<210> 6

<211> 1002

<212> FRT

<213> Aequorea victoria and human

<400> 6

Met Ala Gln Gln Thr Ser Pro Asp Thr Leu Thr Val Pro Glu Val Asp
1 5 10 15
Asn Pro His Cys Pro Asn Pro Trp Leu Asn Glu Asp Leu Val Lys Ser
20 25 30
Leu Arg Glu Asn Leu Leu Gln His Glu Lys Ser Lys Thr Ala Arg Lys
35 40 45
Ser Val Ser Pro Lys Leu Ser Pro Val Ile Ser Pro Arg Asn Ser Pro
50 55 60
Arg Leu Leu Arg Arg Met Leu Leu Ser Ser Asn Ile Pro Lys Gln Arg
65 70 75 80
Arg Phe Thr Val Ala His Thr Cys Phe Asp Val Asp Asn Gly Thr Ser
85 90 95
Ala Gly Arg Ser Pro Leu Asp Pro Met Thr Ser Pro Gly Ser Gly Leu
100 105 110
Ile Leu Gln Ala Asn Phe Val His Ser Gln Arg Arg Glu Ser Phe Leu
115 120 125
Tyr Arg Ser Asp Ser Asp Tyr Asp Leu Ser Pro Lys Ser Met Ser Arg
130 135 140
Asn Ser Ser Ile Ala Ser Asp Ile His Gly Asp Asp Leu Ile Val Thr
145 150 155 160
Pro Phe Ala Gln Val Leu Ala Ser Leu Arg Thr Val Arg Asn Asn Phe
165 170 175
Ala Ala Leu Thr Asn Leu Gln Asp Arg Ala Pro Ser Lys Arg Ser Pro
180 185 190
Met Cys Asn Gln Pro Ser Ile Asn Lys Ala Thr Ile Thr Glu Glu Ala
195 200 205
Tyr Gln Lys Leu Ala Ser Glu Thr Leu Glu Glu Leu Asp Trp Cys Leu
210 215 220
Asp Gln Leu Glu Thr Leu Gln Thr Arg His Ser Val Ser Glu Met Ala
225 230 235 240
Ser Asn Lys Phe Lys Arg Met Leu Asn Arg Glu Leu Thr His Leu Ser
245 250 255
Glu Met Ser Arg Ser Gly Asn Gln Val Ser Glu Phe Ile Ser Asn Thr
260 265 270
Phe Leu Asp Lys Gln His Glu Val Glu Ile Pro Ser Pro Thr Gln Lys
275 280 285
Glu Lys Glu Lys Lys Lys Arg Pro Met Ser Gln Ile Ser Gly Val Lys
290 295 300
Lys Leu Met His Ser Ser Ser Leu Thr Asn Ser Ser Ile Pro Arg Phe
305 310 315 320
Gly Val Lys Thr Glu Gln Glu Asp Val Leu Ala Lys Glu Leu Glu Asp
325 330 335
Val Asn Lys Trp Gly Leu His Val Phe Arg Ile Ala Glu Leu Ser Gly
340 345 350
Asn Arg Pro Leu Thr Val Ile Met His Thr Ile Phe Gln Glu Arg Asp

355 360 365
 Leu Leu Lys Thr Phe Lys Ile Pro Val Asp Thr Leu Ile Thr Tyr Leu
 370 375 380
 Met Thr Leu Glu Asp His Tyr His Ala Asp Val Ala Tyr His Asn Asn
 385 390 395 400
 Ile His Ala Ala Asp Val Val Gln Ser Thr His Val Leu Leu Ser Thr
 405 410 415
 Pro Ala Leu Glu Ala Val Phe Thr Asp Leu Glu Ile Leu Ala Ala Ile
 420 425 430
 Phe Ala Ser Ala Ile His Asp Val Asp His Pro Gly Val Ser Asn Gln
 435 440 445
 Phe Leu Ile Asn Thr Asn Ser Glu Leu Ala Leu Met Tyr Asn Asp Ser
 450 455 460
 Ser Val Leu Glu Asn His His Leu Ala Val Gly Phe Lys Leu Leu Gln
 465 470 475 480
 Glu Glu Asn Cys Asp Ile Phe Gln Asn Leu Thr Lys Lys Gln Arg Gln
 485 490 495
 Ser Leu Arg Lys Met Val Ile Asp Ile Val Leu Ala Thr Asp Met Ser
 500 505 510
 Lys His Met Asn Leu Leu Ala Asp Leu Lys Thr Met Val Glu Thr Lys
 515 520 525
 Lys Val Thr Ser Ser Gly Val Leu Leu Asp Asn Tyr Ser Asp Arg
 530 535 540
 Ile Gln Val Leu Gln Asn Met Val His Cys Ala Asp Leu Ser Asn Pro
 545 550 555 560
 Thr Lys Pro Leu Gln Leu Tyr Arg Gln Trp Thr Asp Arg Ile Met Glu
 565 570 575
 Glu Phe Phe Arg Gln Gly Asp Arg Glu Arg Glu Gly Met Glu Ile
 580 585 590
 Ser Pro Met Cys Asp Lys His Asn Ala Ser Val Glu Lys Ser Gln Val
 595 600 605
 Gly Phe Ile Asp Tyr Ile Val His Pro Leu Trp Glu Thr Trp Ala Asp
 610 615 620
 Leu Val His Pro Asp Ala Gln Asp Ile Leu Asp Thr Leu Glu Asp Asn
 625 630 635 640
 Arg Glu Trp Tyr Gln Ser Thr Ile Pro Gln Ser Pro Ser Pro Ala Pro
 645 650 655
 Asp Asp Pro Glu Glu Gly Arg Gln Gly Gln Thr Glu Lys Phe Gln Phe
 660 665 670
 Glu Leu Thr Leu Glu Glu Asp Gly Glu Ser Asp Thr Glu Lys Asp Ser
 675 680 685
 Gly Ser Gln Val Glu Glu Asp Thr Ser Cys Ser Asp Ser Lys Thr Leu
 690 695 700
 Cys Thr Gln Asp Ser Glu Ser Thr Glu Ile Pro Leu Asp Glu Gln Val
 705 710 715 720
 Glu Glu Glu Ala Val Gly Glu Glu Glu Glu Ser Gln Pro Glu Ala Cys
 725 730 735
 Val Ile Asp Asp Arg Ser Pro Asp Thr Thr Gly Ile Leu Gln Ser Thr
 740 745 750
 Val Pro Arg Ala Arg Asp Pro Pro Val Ala Thr Met Val Ser Lys Gly
 755 760 765
 Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu Val Glu Leu Asp Gly
 770 775 780
 Asp Val Asn Gly His Lys Phe Ser Val Ser Gly Glu Gly Glu Gly Asp
 785 790 795 800
 Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile Cys Thr Thr Gly Lys
 805 810 815
 Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr Leu Thr Tyr Gly Val
 820 825 830

53006791-574551
 100401000000

atg gag cgg gcc ggc ccc agc ttc ggg cag cag cga cag cag cag cag	48
Met Glu Arg Ala Gly Pro Ser Phe Gly Gln Gln Arg Gln Gln Gln Gln	
1 5 10 15	
ccc cag cag cag aag cag cag cag agg gat cag gac tcg gtc gaa gca	96
Pro Gln Gln Gln Lys Gln Gln Gln Arg Asp Gln Asp Ser Val Glu Ala	
20 25 30	
tgg ctg gac gat cac tgg gac ttt acc ttc tca tac ttt gtt aga aaa	144
Trp Leu Asp Asp His Trp Asp Phe Thr Phe Ser Tyr Phe Val Arg Lys	
35 40 45	
gcc acc aga gaa atg gtc aat gca tgg ttt gct gag aga gtt cac acc	192
Ala Thr Arg Glu Met Val Asn Ala Trp Phe Ala Glu Arg Val His Thr	
50 55 60	
atc cct gtg tgc aag gaa ggt atc aga ggc cac acc gaa tct tgc tct	240
Ile Pro Val Cys Lys Glu Gly Ile Arg Gly His Thr Glu Ser Cys Ser	
65 70 75 80	
tgt ccc ttg cag cag agt cct cgt gca gat aac agt gtc cct gga aca	288
Cys Pro Leu Gln Gln Ser Pro Arg Ala Asp Asn Ser Val Pro Gly Thr	
85 90 95	
cca acc agg aaa atc tct gcc tct gaa ttt gac cgg cct ctt aga ccc	336
Pro Thr Arg Lys Ile Ser Ala Ser Glu Phe Asp Arg Pro Leu Arg Pro	

100	105	110	
att gtt gtc aag gat tct gag gga act gtg agc ttc ctc tct gac tca Ile Val Val Lys Asp Ser Glu Gly Thr Val Ser Phe Leu Ser Asp Ser 115 120 125			384
gaa aag aag gaa cag atg cct cta acc cct cca agg ttt gat cat gat Glu Lys Lys Glu Gln Met Pro Leu Thr Pro Pro Arg Phe Asp His Asp 130 135 140			432
gaa ggg gac cag tgc tca aga ctc ttg gaa tta gtg aag gat att tct Glu Gly Asp Gln Cys Ser Arg Leu Leu Glu Leu Val Lys Asp Ile Ser 145 150 155 160			480
agt cat ttg gat gtc aca gcc tta tgt cac aaa att ttc ttg cat atc Ser His Leu Asp Val Thr Ala Leu Cys His Lys Ile Phe Leu His Ile 165 170 175			528
cat gga ctg ata tct gct gac cgc tat tcc ctg ttc ctt gtc tgt gaa His Gly Leu Ile Ser Ala Asp Arg Tyr Ser Leu Phe Leu Val Cys Glu 180 185 190			576
gac agc tcc aat gac aag ttt ctt atc agc cgc ctc ttt gat gtt gct Asp Ser Ser Asn Asp Lys Phe Leu Ile Ser Arg Leu Phe Asp Val Ala 195 200 205			624
gaa ggt tca aca ctg gaa gaa gtt tca aat aac tgt atc cgc tta gaa Glu Gly Ser Thr Leu Glu Glu Val Ser Asn Asn Cys Ile Arg Leu Glu 210 215 220			672
tgg aac aaa ggc att gtg gga cat gtg gca gcg ctt ggt gag ccc ttg Trp Asn Lys Gly Ile Val Gly His Val Ala Ala Leu Gly Glu Pro Leu 225 230 235 240			720
aac atc aaa gat gca tat gag gat cct cgg ttc aat gca gaa gtt gac Asn Ile Lys Asp Ala Tyr Glu Asp Pro Arg Phe Asn Ala Glu Val Asp 245 250 255			768
caa att aca ggc tac aag aca caa agc att ctt tgt atg cca att aag Gln Ile Thr Gly Tyr Lys Thr Gln Ser Ile Leu Cys Met Pro Ile Lys 260 265 270			816
aat cat agg gaa gag gtt gtt ggt gta gcc cag gcc atc aac aag aaa Asn His Arg Glu Glu Val Val Gly Val Ala Gln Ala Ile Asn Lys Lys 275 280 285			864
tca gga aac ggt ggg aca ttt act gaa aaa gat gaa aag gac ttt gct Ser Gly Asn Gly Gly Thr Phe Thr Glu Lys Asp Glu Lys Asp Phe Ala 290 295 300			912
gct tat ttg gca ttt tgt ggt att gtt ctt cat aat gct cag ctc tat Ala Tyr Leu Ala Phe Cys Gly Ile Val Leu His Asn Ala Gln Leu Tyr 305 310 315 320			960
gag act tca ctg ctg gag aac aag aga aat cag gtg ctg ctt gac ctt Glu Thr Ser Leu Leu Glu Asn Lys Arg Asn Gln Val Leu Leu Asp Leu 325 330 335			1008
gct agt tta att ttt gaa gaa caa caa tca tta gaa gta att ttg aag			1056

Ala	Ser	Leu	Ile	Phe	Glu	Glu	Gln	Gln	Ser	Leu	Glu	Val	Ile	Leu	Lys	
			340					345					350			
aaa	ata	gct	gcc	act	att	atc	tct	ttc	atg	caa	gtg	cag	aaa	tgc	acc	1104
Lys	Ile		355	Ala	Thr	Ile	Ile	Ser	Phe	Met	Gln	Val	Lys	Cys	Thr	
att	ttc	ata	gtg	gat	gaa	gat	tcg	tcc	gat	tct	ttt	tct	agt	gtg	ttt	1152
Ile	Phe	Ile	Val	Asp	Glu	Asp	Cys	Ser	Asp	Ser	Phe	Ser	Ser	Thr	Phe	
		370				375					380					
cac	atg	gag	tgt	gag	gaa	tta	gaa	aaa	tca	tct	gat	aca	tta	aca	agg	1200
His	Met	Glu	Cys	Glu	Glu	Leu	Glu	Lys	Ser	Ser	Asp	Thr	Leu	Thr	Arg	
		385			390					395					400	
gaa	cat	gat	gca	aac	aaa	atc	aat	tac	atg	tat	gct	cag	tat	gtc	aaa	1248
Glu	His	Asp	Ala	Asn	Lys	Ile	Asn	Tyr	Met	Tyr	Ala	Gln	Tyr	Val	Lys	
			405						410					415		
aat	act	atg	gaa	cca	ctt	atc	cca	gat	gtc	agt	aag	gat	aaa	aga		1296
Asn	Thr	Met	Glu	Pro	Leu	Asn	Ile	Pro	Asp	Val	Ser	Lys	Asp	Lys	Arg	
			420					425					430			
ttt	ccc	tgg	aca	act	gaa	aat	aca	gga	aat	gta	aac	cag	cag	tgc	att	1344
Phe	Pro	Trp	Thr	Thr	Glu	Asn	Thr	Gly	Asn	Val	Asn	Gln	Gln	Cys	Ile	
		435					440					445				
aga	agt	ttg	ctt	tgt	aca	cct	ata	aaa	aat	gga	aag	aag	aat	aaa	gtt	1392
Arg	Ser	Leu	Leu	Cys	Thr	Pro	Ile	Lys	Asn	Gly	Lys	Lys	Asn	Lys	Val	
		450				455					460					
ata	ggg	ggt	tgc	caa	ctt	ggt	aat	aag	atg	gag	gag	aat	act	ggc	aag	1440
Ile	Gly	Val	Cys	Gln	Leu	Val	Asn	Lys	Met	Glu	Glu	Asn	Thr	Gly	Lys	
		465			470					475				480		
ggt	aag	cct	ttc	aac	cga	aat	gac	gaa	cag	ttt	ctg	gaa	gct	ttt	gtc	1488
Val	Lys	Pro	Phe	Asn	Arg	Asn	Asp	Glu	Gln	Phe	Leu	Glu	Ala	Phe	Val	
				485					490					495		
atc	ttt	tgt	ggc	ttg	ggg	atc	cag	aac	acg	cag	atg	tat	gaa	gca	gtg	1536
Ile	Phe	Cys	Gly	Leu	Gly	Ile	Gln	Asn	Thr	Gln	Met	Tyr	Glu	Ala	Val	
			500					505					510			
gag	aga	gcc	atg	gcc	aag	caa	atg	gtc	aca	ttg	gag	gtt	ctg	tcg	tat	1584
Glu	Arg	Ala	Met	Ala	Lys	Gln	Met	Val	Thr	Leu	Glu	Val	Leu	Ser	Tyr	
		515					520					525				
cat	gct	tca	gca	gca	gag	gaa	gaa	aca	aga	gag	cta	cag	tcg	tta	gcg	1632
His	Ala	Ser	Ala	Ala	Glu	Glu	Glu	Thr	Arg	Glu	Leu	Gln	Ser	Leu	Ala	
		530				535					540					
gct	gct	gtg	gtg	cca	tct	gcc	cag	acc	ctt	aaa	att	act	gac	ttt	agc	1680
Ala	Ala	Val	Val	Pro	Ser	Ala	Gln	Thr	Leu	Lys	Ile	Thr	Asp	Phe	Ser	
		545			550					555	</					

ggg atg ttt act gac ctc aac ctt gtg cag aac ttc cag atg aaa cat	1776
Arg Met Phe Thr Asp Leu Asn Leu Val Gln Asn Phe Gln Met Lys His	
580	
gag gtt ctt tgc aga tgg att tta agt gtt aag aag aat tat cgg aag	1824
Glu Val Leu Cys Arg Trp Ile Leu Ser Val Lys Lys Asn Tyr Arg Lys	
595	
aat gtt gcc tat cat aat tgg aga cat gcc ttt aat aca gct cag tgc	1872
Asn Val Ala Tyr His Asn Trp Arg His Ala Phe Asn Thr Ala Gln Cys	
610	
atg ttt gct gct cta aaa gca ggc aaa att cag aac aag ctg act gac	1920
Met Phe Ala Ala Leu Lys Ala Gly Lys Ile Gln Asn Lys Leu Thr Asp	
625	
640	
ctg gag ata ctt gca ttg ctg att gct gca cta agc cac gat ttg gat	1968
Leu Glu Ile Leu Ala Leu Leu Ile Ala Leu Ser His Asp Leu Asp	
645	
655	
cac cgt ggt gtg aat aac tct tac ata cag cga agt gaa cat cca ctt	2016
His Arg Gly Val Asn Asn Ser Tyr Ile Gln Arg Ser Glu His Pro Leu	
660	
670	
gcc cag ctt tac tgc cat tca atc atg gaa cac cat cat ttt gac cag	2064
Ala Gln Leu Tyr Cys His Ser Ile Met Glu His His His Phe Asp Gln	
675	
680	
685	
tgc ctg atg att ctt aat agt cca ggc aat cag att ctc agt ggc ctc	2112
Cys Leu Met Ile Leu Asn Ser Pro Gly Asn Gln Ile Leu Ser Gly Leu	
690	
700	
tcc att gaa gaa tat aag acc acg ttg aaa ata atc aag caa gct att	2160
Ser Ile Glu Glu Tyr Lys Thr Thr Leu Lys Ile Ile Lys Gln Ala Ile	
705	
710	
715	
720	
tta gct aca gac cta gca ctg tac att aag agg cga gga gaa ttt ttt	2208
Leu Ala Thr Asp Leu Ala Leu Tyr Ile Lys Arg Arg Gly Glu Phe Phe	
725	
730	
735	
740	
745	
750	
gag ttg ttt ttg gca atg ctg atg aca gct tgt gat ctt tct gca att	2304
Glu Leu Phe Leu Ala Met Leu Met Thr Ala Cys Asp Leu Ser Ala Ile	
755	
760	
765	
aca aaa ccc tgg cct att caa caa cgg ata gca gaa ctt gta gca act	2352
Thr Lys Pro Trp Pro Ile Gln Gln Arg Ile Ala Glu Leu Val Ala Thr	
770	
775	
780	
gaa ttt ttt gat caa gga gac aga gag aga aaa gaa ctc aac ata gaa	2400
Glu Phe Phe Asp Gln Gly Asp Arg Glu Arg Lys Lys Glu Leu Asn Ile Glu	
785	
790	
795	
800	
ccc act gat cta atg aac agg gag aag aaa aac aaa atc cca agt atg	2448
Pro Thr Asp Leu Met Asn Arg Glu Lys Lys Lys Asn Lys Ile Pro Ser Met	
805	
810	
815	

caa gtt ggg ttc ata gat gcc atc tgc ttg caa ctg tat gag gcc ctg Gln Val Gly Phe Ile Asp Ala Ile Cys Leu Gln Leu Tyr Glu Ala Leu 820 825 830	2496
acc cac gtg tca gag gac tgt ttc cct ttg cta gat ggc tgc aga aag Thr His Val Ser Glu Asp Cys Phe Pro Leu Leu Asp Gly Cys Arg Lys 835 840 845	2544
aac agg cag aaa tgg cag gcc ctt gca gaa cag cag gag aag atg ctg Asn Arg Gln Lys Trp Gln Ala Leu Ala Glu Gln Gln Glu Lys Met Leu 850 855 860	2592
att aat ggg gaa agc ggc cag gcc aag cgg aac tgg gta ccg cgg gcc Ile Asn Gly Glu Ser Val Ala Lys Arg Asn Trp Val Pro Arg Ala 865 870 875 880	2640
cgg gat cca ccg gtc gcc acc atg gtg agc aag ggc gag gag ctg ttc Arg Asp Pro Pro Val Ala Thr Met Val Ser Lys Gly Glu Glu Leu Phe 885 890 895	2688
acc ggg gtg gtg ccc atc ctg gtc gag ctg gac ggc gac gta aac ggc Thr Gly Val Val Pro Ile Leu Val Glu Leu Asp Gly Asp Val Asn Gly 900 905 910	2736
cac aag ttc agc gtg tcc ggc gag ggc gag ggc gat gcc acc tac ggc His Lys Phe Ser Val Ser Gly Glu Gly Glu Gly Asp Ala Thr Tyr Gly 915 920 925	2784
aag ctg acc ctg aag ttc atc tgc acc acc ggc aag ctg ccc gtg ccc Lys Leu Thr Leu Lys Phe Ile Cys Thr Thr Gly Lys Leu Pro Val Pro 930 935 940	2832
tgg ccc acc ctg gtg acc acc ctg acc tac ggc gtg cag tgc ttc agc Trp Pro Thr Leu Val Thr Thr Leu Thr Tyr Gly Val Gln Cys Phe Ser 945 950 955 960	2880
cgc tac ccc gac cac atg aag cag cac gac ttc ttc aag tcc gcc atg Arg Tyr Pro Asp His Met Lys Gln His Asp Phe Phe Lys Ser Ala Met 965 970 975	2928
ccc gaa ggc tac gtc cag gag cgc acc atc ttc ttc aag gac gac ggc Pro Glu Gly Tyr Val Gln Glu Arg Thr Ile Phe Phe Lys Asp Asp Gly 980 985 990	2976
aac tac aag acc cgc gcc gag gtg aag ttc gag ggc gac acc ctg gtg Asn Tyr Lys Thr Arg Ala Glu Val Lys Phe Glu Gly Asp Thr Leu Val 995 1000 1005	3024
aac cgc atc gag ctg aag ggc atc gac ttc aag gag gac ggc aac atc Asn Arg Ile Glu Leu Lys Gly Ile Asp Phe Lys Glu Asp Gly Asn Ile 1010 1015 1020	3072
ctg ggg cac aag ctg gag tac aac tac aac agc cac aac gtc tat atc Leu Gly His Lys Leu Glu Tyr Asn Tyr Asn Ser His Asn Val Tyr Ile 1025 1030 1035 1040	3120
atg gcc gac aag cag aag aac ggc atc aag gtg aac ttc aag atc cgc Met Ala Asp Lys Gln Lys Asn Gly Ile Lys Val Asn Phe Lys Ile Arg	3168

<400> 8

Met	Glu	Arg	Ala	Gly	Pro	Ser	Phe	Gly	Gln	Gln	Arg	Gln	Gln	Gln	Gln
1				5				10						15	
Pro	Gln	Gln	Gln	Lys	Gln	Gln	Gln	Arg	Asp	Gln	Asp	Ser	Val	Glu	Ala
			20					25					30		
Trp	Leu	Asp	Asp	His	Trp	Asp	Phe	Thr	Phe	Ser	Tyr	Phe	Val	Arg	Lys
		35					40					45			
Ala	Thr	Arg	Glu	Met	Val	Asn	Ala	Trp	Phe	Ala	Glu	Arg	Val	His	Thr
	50					55					60				
Ile	Pro	Val	Cys	Lys	Glu	Gly	Ile	Arg	Gly	His	Thr	Glu	Ser	Cys	Ser
65					70					75					80
Cys	Pro	Leu	Gln	Gln	Ser	Pro	Arg	Ala	Asp	Asn	Ser	Val	Pro	Gly	Thr
				85					90					95	
Pro	Thr	Arg	Lys	Ile	Ser	Ala	Ser	Glu	Phe	Asp	Arg	Pro	Leu	Arg	Pro
			100					105					110		
Ile	Val	Val	Lys	Asp	Ser	Glu	Gly	Thr	Val	Ser	Phe	Leu	Ser	Asp	Ser
		115					120					125			
Glu	Lys	Lys	Glu	Gln	Met	Pro	Leu	Thr	Pro	Pro	Arg	Phe	Asp	His	Asp
	130					135					140				
Glu	Gly	Asp	Gln	Cys	Ser	Arg	Leu	Leu	Glu	Leu	Val	Lys	Asp	Ile	Ser
145					150					155				160	
Ser	His	Leu	Asp	Val	Thr	Ala	Leu	Cys	His	Lys	Ile	Phe	Leu	His	Ile
			165						170					175	
His	Gly	Leu	Ile	Ser	Ala	Asp	Arg	Tyr	Ser	Leu	Phe	Leu	Val	Cys	Glu
		180						185					190		
Asp	Ser	Ser	Asn	Asp	Lys	Phe	Leu	Ile	Ser	Arg	Leu	Phe	Asp	Val	Ala
		195					200					205			
Glu	Gly	Ser	Thr	Leu	Glu	Glu	Val	Ser	Asn	Asn	Cys	Ile	Arg	Leu	Glu
	210					215				220					
Trp	Asn	Lys	Gly	Ile	Val	Gly	His	Val	Ala	Ala	Leu	Gly	Glu	Pro	Leu
225					230					235					240

Asn Ile Lys Asp Ala Tyr Glu Asp Pro Arg Phe Asn Ala Glu Val Asp
 245 250 255
 Gln Ile Thr Gly Tyr Lys Thr Gln Ser Ile Leu Cys Met Pro Ile Lys
 260 265 270
 Asn His Arg Glu Glu Val Val Gly Val Ala Gln Ala Ile Asn Lys Lys
 275 280 285
 Ser Gly Asn Gly Gly Thr Phe Thr Glu Lys Asp Glu Lys Asp Phe Ala
 290 295 300
 Ala Tyr Leu Ala Phe Cys Gly Ile Val Leu His Asn Ala Gln Leu Tyr
 305 310 315 320
 Glu Thr Ser Leu Leu Glu Asn Lys Arg Asn Gln Val Leu Leu Asp Leu
 325 330 335
 Ala Ser Leu Ile Phe Glu Glu Gln Gln Ser Leu Glu Val Ile Leu Lys
 340 345 350
 Lys Ile Ala Ala Thr Ile Ile Ser Phe Met Gln Val Gln Lys Cys Thr
 355 360 365
 Ile Phe Ile Val Asp Glu Asp Cys Ser Asp Ser Phe Ser Ser Val Phe
 370 375 380
 His Met Glu Cys Glu Glu Leu Glu Lys Ser Ser Asp Thr Leu Thr Arg
 385 390 395 400
 Glu His Asp Ala Asn Lys Ile Asn Tyr Met Tyr Ala Gln Tyr Val Lys
 405 410 415
 Asn Thr Met Glu Pro Leu Asn Ile Pro Asp Val Ser Lys Asp Lys Arg
 420 425 430
 Phe Pro Trp Thr Thr Glu Asn Thr Gly Asn Val Asn Gln Gln Cys Ile
 435 440 445
 Arg Ser Leu Leu Cys Thr Pro Ile Lys Asn Gly Lys Lys Asn Lys Val
 450 455 460
 Ile Gly Val Cys Gln Leu Val Asn Lys Met Glu Glu Asn Thr Gly Lys
 465 470 475 480
 Val Lys Pro Phe Asn Arg Asn Asp Glu Gln Phe Leu Glu Ala Phe Val
 485 490 495
 Ile Phe Cys Gly Leu Gly Ile Gln Asn Thr Gln Met Tyr Glu Ala Val
 500 505 510
 Glu Arg Ala Met Ala Lys Gln Met Val Thr Leu Glu Val Leu Ser Tyr
 515 520 525
 His Ala Ser Ala Ala Glu Glu Glu Thr Arg Glu Leu Gln Ser Leu Ala
 530 535 540
 Ala Ala Val Val Pro Ser Ala Gln Thr Leu Lys Ile Thr Asp Phe Ser
 545 550 555 560
 Phe Ser Asp Phe Glu Leu Ser Asp Leu Glu Thr Ala Leu Cys Thr Ile
 565 570 575
 Arg Met Phe Thr Asp Leu Asn Leu Val Gln Asn Phe Gln Met Lys His
 580 585 590
 Glu Val Leu Cys Arg Trp Ile Leu Ser Val Lys Lys Asn Tyr Arg Lys
 595 600 605
 Asn Val Ala Tyr His Asn Trp Arg His Ala Phe Asn Thr Ala Gln Cys
 610 615 620
 Met Phe Ala Ala Leu Lys Ala Gly Lys Ile Gln Asn Lys Leu Thr Asp
 625 630 635 640
 Leu Glu Ile Leu Ala Leu Leu Ile Ala Ala Leu Ser His Asp Leu Asp
 645 650 655
 His Arg Gly Val Asn Asn Ser Tyr Ile Gln Arg Ser Glu His Pro Leu
 660 665 670
 Ala Gln Leu Tyr Cys His Ser Ile Met Glu His His His Phe Asp Gln
 675 680 685
 Cys Leu Met Ile Leu Asn Ser Pro Gly Asn Gln Ile Leu Ser Gly Leu
 690 695 700
 Ser Ile Glu Glu Tyr Lys Thr Thr Leu Lys Ile Ile Lys Gln Ala Ile

```
<210> 9
<211> 3024
<212> DNA
<213> Aequorea victoria and human
```

COLE

```
<220>  
<221> CDS  
<222> (1) . . . (3024)
```

<400> 9																
atg	agc	tgg	tca	cct	tcc	ctg	aca	acg	cag	aca	tgt	ggg	gcc	tgg	gaa	48
Met	Ser	Trp	Ser	Pro	Ser	Leu	Thr	Thr	Gln	Thr	Cys	Gly	Ala	Trp	Glu	
15																
atg	aaa	gag	cgc	ctt	ggg	aca	ggg	gga	ttt	gga	aat	gtc	atc	cga	tgg	96
Met	Lys	Glu	Arg	Leu	Gly	Thr	Gly	Gly	Phe	Gly	Asn	Val	Ile	Arg	Trp	
2030																
cac	aat	cag	gaa	aca	ggg	gag	cag	att	gcc	atc	aag	cag	tgc	cgg	cag	144
His	Asn	Gln	Glu	Thr	Gly	Glu	Gln	Ile	Ala	Ile	Lys	Gln	Cys	Arg	Gln	
3540																
gag	ctc	agc	ccc	cgg	aac	cga	gag	cgg	tgg	tgc	ctg	gag	atc	cag	atc	192
Glu	Leu	Ser	Pro	Arg	Asn	Arg	Glu	Arg	Trp	Cys	Leu	Glu	Ile	Gln	Ile	
505560																
atg	aga	agg	ctg	acc	cac	ccc	aat	gtg	gtg	gct	gcc	cga	gat	gtc	cct	240
Met	Arg	Arg	Leu	Thr	His	Pro	Asn	Val	Val	Ala	Ala	Arg	Asp	Val	Pro	
6570																
gag	ggg	atg	cag	aac	ttg	gcg	ccc	aat	gac	ctg	ccc	ctg	ctg	gcc	atg	288
Glu	Gly	Met	Gln	Asn	Leu	Ala	Pro	Asn	Asp	Leu	Pro	Leu	Leu	Ala	Met	
859095																
gag	tac	tgc	caa	gga	gga	gat	ctc	cgg	aag	tac	ctg	aac	cag	ttt	gag	336
Glu	Tyr	Cys	Gln	Gly	Gly	Asp	Leu	Arg	Lys	Tyr	Leu	Asn	Gln	Phe	Glu	
100105110																
aac	tgc	tgt	ggt	ctg	cgg	gaa	ggt	gcc	atc	ctc	acc	ttg	ctg	agt	gac	384
Asn	Cys	Cys	Gly	Leu	Arg	Glu	Gly	Ala	Ile	Leu	Thr	Leu	Leu	Ser	Asp	
115120125																
att	gcc	tct	gcg	ctt	aga	tac	ctt	cat	gaa	aac	aga	atc	atc	cat	cgg	432
Ile	Ala	Ser	Ala	Leu	Arg	Tyr	Leu	His	Glu	Asn	Arg	Ile	Ile	His	Arg	
130135140																
gat	cta	aag	cca	gaa	aac	atc	gtc	ctg	cag	caa	gga	gaa	cag	agg	tta	480
Asp	Leu	Lys	Pro	Glu	Asn	Ile	Val	Leu	Gln	Gln	Gly	Glu	Gln	Arg	Leu	
145150155160																
ata	cac	aaa	att	att	gac	cta	gga	tat	gcc	aag	gag	ctg	gat	cag	ggc	528
Ile	His	Lys	Ile	Ile	Asp	Leu	Gly	Tyr	Ala	Lys	Glu	Leu	Asp	Gln	Gly	
165170175																
agt	ctt	tgc	aca	tca	ttc	gtg	ggg	acc	ctg	cag	tac	ctg	gcc	cca	gag	576
Ser	Leu	Cys	Thr	Ser	Phe	Val	Gly	Thr	Leu	Gln	Tyr	Leu	Ala	Pro	Glu	
180185190																
cta	ctg	gag	cag	cag	aag	tac	aca	gtg	acc	gtc	gac	tac	tgg	agc	ttc	624
Leu	Leu	Glu	Gln	Gln	Lys	Tyr	Thr	Val	Thr	Val	Asp	Tyr	Trp	Ser	Phe	
195200205																
ggc	acc	ctg	gcc	ttt	gag	tgc	atc	acg	ggc	ttc	cgg	ccc	ttc	ctc	ccc	672
Gly	Thr	Leu	Ala	Phe	Glu	Cys	Ile	Thr	Gly	Phe	Arg	Pro	Phe	Leu	Pro	
210215220																

210					215					220						
aac Asn 225	tgg Trp	cag Gln	ccc Pro	gtg Val	cag Gln 230	tgg Trp	cat His	tca Ser	aaa Lys	gtg Val 235	cgg Arg	cag Gln	aag Lys	agt Ser	gag Glu 240	720
gtg Val	gac Asp	att Ile	gtt Val	gtt Val 245	agc Ser	gaa Glu	gac Asp	ttg Leu	aat Asn 250	gga Gly	acg Thr	gtg Val	aag Lys	ttt Phe 255	tca Ser	768
agc Ser	tct Ser	tta Leu	ccc Pro 260	tac Tyr	ccc Pro	aat Asn	aat Asn	ctt Leu 265	aac Asn	agt Ser	gtc Val	ctg Leu	gct Ala 270	gag Glu	cga Arg	816
ctg Leu	gag Glu	aag Lys 275	tgg Trp	ctg Leu	caa Gln	ctg Leu	atg Met 280	ctg Leu	atg Met	tgg Trp	cac His	ccc Pro 285	cga Arg	cag Gln	agg Arg	864
ggc Gly	acg Thr 290	gat Asp	ccc Pro	acg Thr	tat Tyr 295	ggg Pro	ccc Pro	aat Asn	ggc Gly	tgc Cys	ttc Phe 300	aag Lys	gcc Ala	ctg Leu	gat Asp	912
gac Asp 305	atc Ile	tta Leu	aac Asn	tta Leu 310	aag Lys	ctg Leu	gtt Val	cat His	atc Ile	ttg Leu 315	aac Asn	atg Met	gtc Val	acg Thr	ggc Gly 320	960
acc Thr	atc Ile	cac His	acc Thr 325	tac Tyr	cct Pro	gtg Val	aca Thr	gag Glu	gat Asp 330	gag Glu	agt Ser	ctg Leu	cag Gln	agc Ser 335	ttg Leu	1008
aag Lys	gcc Ala	aga Arg	atc Ile 340	caa Gln	cag Gln	gac Asp	acg Thr	ggc Gly 345	atc Ile	cca Pro	gag Glu	gag Glu	gac Asp 350	cag Gln	gag Glu	1056
ctg Leu	ctg Leu	cag Glu 355	gaa Ala	gcg Ala	ggc Gly	ctg Leu 360	gag Ala	ttg Leu	atc Ile	ccc Pro	gat Asp	aag Lys 365	cct Pro	gcc Ala	act Thr	1104
cag Gln 370	tgt Cys	att Ile	tca Ser	gac Asp	ggc Gly 375	aag Lys	tta Leu	aat Asn	gag Glu	ggc Gly 380	cac His	aca Thr	ttg Leu	gac Asp	atg Met	1152
gat Asp 385	ctt Leu	gtt Val	ttt Phe	ctc Leu 390	ttt Phe	gac Asp	aac Asn	agt Ser	aaa Lys	atc Ile 395	acc Thr	tat Tyr	gag Glu	act Thr	cag Gln 400	1200
atc Ile	tcc Ser	cca Pro	cgg Arg	ccc Pro 405	caa Gln	cct Pro	gaa Glu	agt Ser	gtc Val 410	agc Val	tgt Ser	atc Cys	ctt Ile	caa Leu 415	gag Glu	1248
ccc Pro	aag Lys	agg Arg	aat Asn 420	ctc Leu	gcc Ala	ttc Phe	ttc Phe	cag Gln 425	ctg Leu	agg Arg	aag Lys	gtg Val	tgg Trp 430	ggc Gly	cag Gln	1296
gtc Val	tgg Trp	cac His	agc Ser	atc Ile	cag Gln	acc Thr	ctg Leu 440	aag Lys	gaa Glu	gat Asp	tgc Cys	aac Asn	cgg Arg	ctg Leu	cag Gln	1344
cag Gln	gga Gly	cag Gln	cga Gln	gcc Gly	gcc Gly	atg Gly	atg Gly	aat Gly	ctc Gly	ctc Gly	cga Gly	aac Gly	aac Gly	agc Gly	tgc Gly	1392

Gln	Gly	Gln	Arg	Ala	Ala	Met	Met	Asn	Leu	Leu	Arg	Asn	Asn	Ser	Cys	
450						455					460					
ctc	tcc	aaa	atg	aag	aat	tcc	atg	gct	tcc	atg	tct	cag	cag	ctc	aag	1440
Leu	Ser	Lys	Met	Lys	Asn	Ser	Met	Ala	Ser	Met	Ser	Gln	Gln	Leu	Lys	
465					470				475						480	
gcc	aag	ttg	gat	ttc	ttc	aaa	acc	agc	atc	cag	att	gac	ctg	gag	aag	1488
Ala	Lys	Leu	Asp	Phe	Phe	Lys	Thr	Ser	Ile	Gln	Ile	Asp	Leu	Glu	Lys	
				485					490						495	
tac	agc	gag	caa	acc	gag	ttt	ggg	atc	aca	tca	gat	aaa	ctg	ctg	ctg	1536
Tyr	Ser	Glu	Gln	Thr	Glu	Phe	Gly	Ile	Thr	Ser	Asp	Lys	Leu	Leu	Leu	
				500				505					510			
gcc	tgg	agg	gaa	atg	gag	cag	gct	gtg	gag	ctc	tgt	ggg	cgg	gag	aac	1584
Ala	Trp	Arg	Glu	Met	Glu	Gln	Ala	Val	Glu	Leu	Cys	Gly	Arg	Glu	Asn	
			515				520					525				
gaa	gtg	aaa	ctc	ctg	gta	gaa	cgg	atg	atg	gct	ctg	cag	acc	gac	att	1632
Glu	Val	Lys	Leu	Leu	Val	Glu	Arg	Met	Met	Ala	Leu	Gln	Thr	Asp	Ile	
			530			535					540					
gtg	gac	tta	cag	agg	agc	ccc	atg	ggc	cgg	aag	cag	ggg	gga	acg	ctg	1680
Val	Asp	Leu	Gln	Arg	Ser	Pro	Met	Gly	Arg	Lys	Gln	Gly	Gly	Thr	Leu	
545					550					555					560	
gac	gac	cta	gag	gag	caa	gca	agg	gag	ctg	tac	agg	aga	cta	agg	gaa	1728
Asp	Asp	Leu	Glu	Glu	Gln	Ala	Arg	Glu	Leu	Tyr	Arg	Arg	Leu	Arg	Glu	
				565					570					575		
aaa	cct	cga	gac	cag	cga	act	gag	ggt	gac	agt	cag	gaa	atg	gta	cgg	1776
Lys	Pro	Arg	Asp	Gln	Arg	Thr	Glu	Gly	Asp	Ser	Gln	Glu	Met	Val	Arg	
				580				585					590			
ctg	ctg	ctt	cag	gca	att	cag	agc	ttc	gag	aag	aaa	gtg	cga	gtg	atc	1824
Leu	Leu	Leu	Gln	Ala	Ile	Gln	Ser	Phe	Glu	Lys	Lys	Val	Arg	Val	Ile	
				595			600					605				
tat	acg	cag	ctc	agt	aaa	act	gtg	gtt	tgc	aag	cag	aag	gcg	ctg	gaa	1872
Tyr	Thr	Gln	Leu	Ser	Lys	Thr	Val	Val	Cys	Lys	Gln	Lys	Ala	Leu	Glu	
				610		615					620					
ctg	ttg	ccc	aag	gtg	gaa	gag	gtg	gtg	agc	tta	atg	aat	gag	gat	gag	1920
Leu	Leu	Pro	Lys	Val	Glu	Glu	Val	Val	Ser	Leu	Met	Asn	Glu	Asp	Glu	
625					630					635					640	
aag	act	gtt	gtc	cgg	ctg	cag	gag	aag	cgg	cag	aag	gag	ctc	tgg	aat	1968
Lys	Thr	Val	Val	Arg	Leu	Gln	Glu	Lys	Arg	Gln	Lys	Glu	Leu	Trp	Asn	
				645					650					655		
ctc	ctg	aag	att	gct	tgt	agc	aag	gtc	cgt	ggt	cct	gtc	agt	gga	agc	2016
Leu	Leu	Lys	Ile	Ala	Cys	Ser	Lys	Val	Arg	Gly	Pro	Val	Ser	Gly	Ser	
				660				665					670			
cgg	gat	agc	atg	aat	gcc	tct	cga	ctt	agc	cag	cct	ggg	cag	ctg	atg	2064
Pro	Asp	Ser	Met	Asn	Ala	Ser	Arg	Leu	Ser	Gln	Pro	Gly	Gln	Leu	Met	
				675			680					685				

tct Ser	cag Gln	ccc Pro	tcc Ser	acg Thr	gcc Ala	tcc Ser	aac Asn	agc Ser	tta Leu	cct Pro	gag Glu	cca Pro	gcc Ala	aag Lys	aag Lys	2112
690						695				700						
agt Ser	gaa Glu	gaa Glu	ctg Leu	gtg Val	gct Ala	gaa Glu	gca Ala	cat His	aac Asn	ctc Leu	tgc Cys	acc Thr	ctg Leu	cta Leu	gaa Glu	2160
705					710					715					720	
aat Asn	gcc Ala	ata Ile	cag Gln	gac Asp	act Thr	gtg Val	agg Arg	gaa Glu	caa Gln	gac Asp	cag Gln	agt Ser	ttc Phe	acg Thr	gcc Ala	2208
				725					730					735		
cta Leu	gac Asp	tgg Trp	agc Ser	tgg Trp	tta Leu	cag Gln	acg Thr	gaa Glu	gaa Glu	gaa Glu	gag Glu	cac His	agc Ser	tgc Cys	ctg Leu	2256
				740					745				750			
gag Glu	cag Gln	gcc Ala	tca Ser	tgg Trp	gta Val	ccg Pro	cgg Arg	gcc Ala	cgg Arg	gat Asp	cca Pro	ccg Pro	gtc Val	gcc Ala	acc Thr	2304
		755					760				765					
atg Met	gtg Val	agc Ser	aag Lys	ggc Gly	gag Glu	gag Glu	ctg Leu	ttc Phe	acc Thr	ggg Gly	gtg Val	gtg Val	ccc Pro	atc Ile	ctg Leu	2352
		770				775					780					
gtc Val	gag Glu	ctg Leu	gac Asp	ggc Gly	gac Val	gta Asn	aac Gly	ggc His	cac Lys	aag Phe	ttc Ser	agc Val	gtg Val	tcc Ser	ggc Gly	2400
		785			790				795						800	
gag Glu	ggc Gly	gag Glu	ggc Gly	gat Asp	gcc Ala	acc Thr	tac Tyr	ggc Gly	aag Lys	ctg Leu	acc Thr	ctg Leu	aag Lys	ttc Phe	atc Ile	2448
				805					810					815		
tgc Cys	acc Thr	acc Thr	ggc Lys	aag Leu	ctg Pro	ccc Val	gtg Pro	ccc Trp	tgg Pro	ccc Thr	acc Thr	ctc Leu	gtg Val	acc Thr	acc Thr	2496
				820				825					830			
ctg Leu	acc Thr	tac Tyr	ggc Gly	gtg Val	cag Gln	tgc Cys	ttc Phe	agc Ser	cgc Arg	tac Tyr	ccc Pro	gac Asp	cac His	atg Met	aag Lys	2544
		835					840					845				
cag Gln	cac His	gac Asp	ttc Phe	ttc Phe	aag Lys	tcc Ser	gcc Ala	atg Met	ccc Pro	gaa Glu	ggc Gly	tac Tyr	gtc Val	cag Gln	gag Glu	2592
		850				855					860					
cgc Arg	acc Thr	atc Ile	ttc Phe	ttc Phe	aag Lys	gac Asp	gac Asp	ggc Gly	aac Asn	tac Tyr	aag Lys	acc Thr	cgc Arg	gcc Ala	gag Glu	2640
		865			870				875					880		
gtg Val	aag Lys	ttc Phe	gag Glu	ggc Gly	gac Asp	acc Thr	ctg Leu	gtg Val	aac Asn	cgc Arg	atc Ile	gag Glu	ctg Leu	aag Lys	ggc Gly	2688
				885					890					895		
atc Ile	gac Asp	ttc Phe	aag Lys	gag Glu	gac Asp	ggc Gly	aac Asn	atc Ile	ctg Leu	ggg Gly	cac His	aag Lys	ctg Leu	gag Glu	tac Tyr	2736
			900					905					910			
aac Asn	tac Tyr	aac Asn	agc Ser	cac His	aac Asn	gtc Val	tat Tyr	atc Ile	atg Met	gcc Ala	gac Asp	aag Lys	cag Gln	aag Lys	aac Asn	2784
			915				920						925			

gag Gly	atc Lys	aag Lys	gtg Val	aac Asn	ttc Phe	aag Lys	atc Ile	cgc Arg	cac His	aac Asn	atc Ile	gag Glu	gac Asp	ggc Gly	agc Ser	2832
930																
gtg Val	cag Gln	ctc Leu	gcc Ala	gac Asp	cac His	tac Tyr	cag Gln	cag Gln	aac Asn	acc Thr	ccc Pro	atc Ile	ggc Gly	gac Asp	ggc Gly	2880
945 950 955 960																
ccc Pro	gtg Val	ctg Leu	ctg Leu	ccc Pro	gac Asp	aac Asn	cac His	tac Tyr	ctg Leu	agc Ser	acc Thr	cag Gln	tcc Ser	gcc Ala	ctg Leu	2928
965 970 975																
agc Ser	aaa Lys	gac Asp	ccc Pro	aac Asn	gag Glu	aag Lys	cgc Arg	gat Asp	cac His	atg Met	gtc Val	ctg Leu	ctg Leu	gag Glu	ttc Phe	2976
980 985 990																
gtg Val	acc Thr	gcc Ala	gcc Ala	ggg Gly	atc Ile	act Thr	ctc Leu	ggc Gly	atg Met	gac Asp	gag Glu	ctg Leu	tac Tyr	aag Lys	taa *	3024
995 1000 1005																

```
<210> 10
<211> 1007
<212> PRT
<213> Aequorea victoria and human
```

[illegible]

				45				250				255			
Ser	Ser	Leu	Pro	Tyr	Pro	Asn	Asn	Leu	Asn	Ser	Val	Leu	Ala	Glu	Arg
260				Leu	Gln	Leu	Met	Leu	Met	Trp	His	Pro	Arg	Gln	Arg
Leu	Glu	Lys	Trp	Leu	Gln	Leu	Met	Leu	Met	Trp	His	Pro	Arg	Gln	Arg
275				Thr	Tyr	Gly	Pro	Asn	Gly	Cys	Phe	Lys	Ala	Leu	Asp
Gly	Thr	Asp	Pro	Thr	Tyr	Gly	Pro	Asn	Gly	Cys	Phe	Lys	Ala	Leu	Asp
290				Leu	Lys	Leu	Val	His	Ile	Leu	Asn	Met	Val	Thr	Gly
Asp	Ile	Leu	Asn	Leu	Lys	Leu	Val	His	Ile	Leu	Asn	Met	Val	Thr	Gly
305				Thr	Tyr	Pro	Val	Thr	Glu	Asp	Glu	Ser	Leu	Gln	Ser
Thr	Ile	His	Thr	Tyr	Pro	Val	Thr	Glu	Asp	Glu	Ser	Leu	Gln	Ser	Leu
325				Gln	Gln	Asp	Thr	Gly	Ile	Pro	Glu	Glu	Asp	Gln	Glu
Lys	Ala	Arg	Ile	Gln	Gln	Asp	Thr	Gly	Ile	Pro	Glu	Glu	Asp	Gln	Glu
340				Leu	Gly	Leu	Ala	Leu	Ile	Pro	Asp	Lys	Pro	Ala	Thr
Leu	Leu	Gln	Glu	Ala	Gly	Leu	Ala	Leu	Ile	Pro	Asp	Lys	Pro	Ala	Thr
355				Gln	Cys	Ile	Ser	Asp	Gly	Lys	Leu	Asn	Glu	Gly	His
Gln	Cys	Ile	Ser	Asp	Gly	Lys	Leu	Asn	Glu	Gly	His	Thr	Leu	Asp	Met
370				Asp	Leu	Val	Phe	Leu	Phe	Asp	Asn	Ser	Lys	Ile	Thr
Asp	Leu	Val	Phe	Leu	Phe	Asp	Asn	Ser	Lys	Ile	Thr	Tyr	Glu	Thr	Gln
385				Ile	Ser	Pro	Arg	Pro	Gln	Pro	Glu	Ser	Val	Ser	Cys
Ile	Ser	Pro	Arg	Pro	Gln	Pro	Glu	Ser	Val	Ser	Cys	Ile	Leu	Gln	Glu
405				Pro	Lys	Arg	Asn	Leu	Ala	Phe	Phe	Gln	Leu	Arg	Lys
Pro	Lys	Arg	Asn	Leu	Ala	Phe	Phe	Gln	Leu	Arg	Lys	Val	Trp	Gly	Gln
420				Val	Trp	His	Ser	Ile	Gln	Thr	Leu	Lys	Glu	Asp	Cys
Val	Trp	His	Ser	Ile	Gln	Thr	Leu	Lys	Glu	Asp	Cys	Asn	Arg	Leu	Gln
435				Gln	Gly	Gln	Arg	Ala	Ala	Met	Met	Asn	Leu	Leu	Arg
Gln	Gly	Gln	Arg	Ala	Ala	Met	Met	Asn	Leu	Leu	Arg	Asn	Asn	Ser	Cys
450				Leu	Ser	Lys	Met	Lys	Asn	Ser	Met	Ala	Ser	Met	Ser
Leu	Ser	Lys	Met	Lys	Asn	Ser	Met	Ala	Ser	Met	Ser	Gln	Gln	Leu	Lys
465				Ala	Lys	Leu	Asp	Phe	Phe	Lys	Thr	Ser	Ile	Gln	Ile
Ala	Lys	Leu	Asp	Phe	Phe	Lys	Thr	Ser	Ile	Gln	Ile	Asp	Leu	Glu	Lys
485				Tyr	Ser	Glu	Gln	Thr	Glu	Phe	Gly	Ile	Thr	Ser	Asp
Tyr	Ser	Glu	Gln	Thr	Glu	Phe	Gly	Ile	Thr	Ser	Asp	Lys	Leu	Leu	Leu
500				Ala	Trp	Arg	Glu	Met	Glu	Gln	Ala	Val	Glu	Leu	Cys
Ala	Trp	Arg	Glu	Met	Glu	Gln	Ala	Val	Glu	Leu	Cys	Gly	Arg	Glu	Asn
515				Glu	Val	Lys	Leu	Leu	Val	Glu	Arg	Met	Met	Ala	Leu
Glu	Val	Lys	Leu	Leu	Val	Glu	Arg	Met	Met	Ala	Leu	Gln	Thr	Asp	Ile
530				Val	Asp	Leu	Gln	Arg	Ser	Pro	Met	Gly	Arg	Lys	Gln
Val	Asp	Leu	Gln	Arg	Ser	Pro	Met	Gly	Arg	Lys	Gln	Gly	Gly	Thr	Leu
545				Asp	Asp	Leu	Glu	Glu	Gln	Ala	Arg	Glu	Leu	Tyr	Arg
Asp	Asp	Leu	Glu	Glu	Gln	Ala	Arg	Glu	Leu	Tyr	Arg	Arg	Leu	Arg	Glu
565				Lys	Pro	Arg	Asp	Gln	Arg	Thr	Glu	Gly	Asp	Ser	Gln
Lys	Pro	Arg	Asp	Gln	Arg	Thr	Glu	Gly	Asp	Ser	Gln	Glu	Met	Val	Arg
580				Leu	Leu	Leu	Gln	Ala	Ile	Gln	Ser	Phe	Glu	Lys	Lys
Leu	Leu	Leu	Gln	Ala	Ile	Gln	Ser	Phe	Glu	Lys	Lys	Val	Arg	Val	Ile
595				Tyr	Thr	Gln	Leu	Ser	Lys	Thr	Val	Val	Cys	Lys	Gln
Tyr	Thr	Gln	Leu	Ser	Lys	Thr	Val	Val	Val	Cys	Lys	Gln	Lys	Ala	Leu
610				Leu	Leu	Pro	Lys	Val	Glu	Glu	Val	Val	Ser	Leu	Met
Leu	Leu	Pro	Lys	Val	Glu	Glu	Val	Val	Ser	Leu	Met	Asn	Glu	Asp	Glu
625				Lys	Thr	Val	Val	Arg	Leu	Gln	Glu	Lys	Arg	Gln	Lys
Lys	Thr	Val	Val	Arg	Leu	Gln	Glu	Lys	Arg	Gln	Lys	Glu	Leu	Trp	Asn
645				Leu	Leu	Lys	Ile	Ala	Cys	Ser	Lys	Val	Arg	Gly	Pro
Leu	Leu	Lys	Ile	Ala	Cys	Ser	Lys	Val	Arg	Gly	Pro	Val	Ser	Gly	Ser
660				Pro	Asp	Ser	Met	Asn	Ala	Ser	Arg	Leu	Ser	Gln	Pro
Pro	Asp	Ser	Met	Asn	Ala	Ser	Arg	Leu	Ser	Gln	Pro	Gly	Gln	Leu	Met
675				Ser	Gln	Pro	Ser	Thr	Ala	Ser	Asn	Ser	Leu	Pro	Glu
Ser	Gln	Pro	Ser	Thr	Ala	Ser	Asn	Ser	Leu	Pro	Glu	Pro	Ala	Lys	Lys
690				Ser	Glu	Glu	Leu	Val	Ala	Glu	Ala	His	Asn	Leu	Cys
Ser	Glu	Glu	Leu	Val	Ala	Glu	Ala	His	Asn	Leu	Cys	Thr	Leu	Leu	Glu
705				710				715				720			

Asn Ala Ile Gln Asp Thr Val Arg Glu Gln Asp Gln Ser Phe Thr Ala
 725 730 735
 Leu Asp Trp Ser Trp Leu Gln Thr Glu Glu Glu His Ser Cys Leu
 740 745 750
 Glu Gln Ala Ser Trp Val Pro Arg Ala Arg Asp Pro Val Ala Thr
 755 760 765
 Met Val Ser Lys Gly Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu
 770 775 780
 Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser Val Ser Gly
 785 790 795 800
 Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile
 805 810 815
 Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr
 820 825 830
 Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys
 835 840 845
 Gln His Asp Phe Phe Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu
 850 855 860
 Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu
 865 870 875 880
 Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly
 885 890 895
 Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr
 900 905 910
 Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn
 915 920 925
 Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu Asp Gly Ser
 930 935 940
 Val Gln Leu Ala Asp His Tyr Gln Gln Asn Thr Pro Ile Gly Asp Gly
 945 950 955 960
 Pro Val Leu Leu Pro Asp Asn His Tyr Leu Ser Thr Gln Ser Ala Leu
 965 970 975
 Ser Lys Asp Pro Asn Glu Lys Arg Asp His Met Val Leu Leu Glu Phe
 980 985 990
 Val Thr Ala Ala Gly Ile Thr Leu Gly Met Asp Glu Leu Tyr Lys
 995 1000 1005

<210> 11

<211> 2430

<212> DNA

<213> Aequorea victoria and human

<220>

<221> CDS

<222> (1)...(2430)

<400> 11

atg gac gaa ctg ttc ccc ctc atc ttc ccg gca gag cca gcc cag gcc	48
Met Asp Glu Leu Phe Pro Leu Ile Phe Pro Ala Glu Pro Ala Gln Ala	
1 5 10 15	
tct ggc ccc tat gtg gag atc att gag cag ccc aag cag cgg ggc atg	96
Ser Gly Pro Tyr Val Glu Ile Ile Glu Gln Pro Lys Gln Arg Gly Met	
20 25 30	
cgc ttc cgc tac aag tgc gag ggg cgc tcc gcg ggc agc atc cca gcc	144
Arg Phe Arg Tyr Lys Cys Glu Gly Arg Ser Ala Gly Ser Ile Pro Gly	
35 40 45	

gag Glu	agg Arg	agc Ser	aca Thr	gat Asp	acc Thr	acc Thr	aag Lys	acc Thr	cac His	ccc Pro	acc Thr	atc Ile	aag Lys	atc Ile	aat Asn	192
50						55					60					
ggc Gly	tac Tyr	aca Thr	gga Gly	cca Pro	ggg Gly	aca Thr	gtg Val	cgc Arg	atc Ile	tcc Ser	ctg Leu	gtc Val	acc Thr	aag Lys	gac Asp	240
65					70					75					80	
cct Pro	cct Pro	cac His	cgg Arg	cct Pro	cac His	ccc Pro	cac His	gag Glu	ctt Leu	gta Val	gga Gly	aag Lys	gac Asp	tgc Cys	cgg Arg	288
				85					90					95		
gat Asp	ggc Gly	ttc Phe	tat Tyr	gag Glu	gct Ala	gag Glu	ctc Leu	cgc Cys	gac Pro	cgc Asp	gtc Arg	cys Cys	ile Ile	cac His	agt Ser	336
			100					105					110			
ttc Phe	cag Gln	aac Asn	ctg Leu	gga Gly	atc Ile	cag Gln	tgt Cys	gtg Val	aag Lys	aag Lys	cgg Arg	gac Asp	ctg Leu	gag Glu	cag Gln	384
		115					120					125				
gct Ala	atc Ile	agt Ser	cag Gln	cgc Arg	atc Ile	cag Gln	acc Thr	aac Asn	aac Asn	aac Asn	ccc Pro	ttc Phe	caa Gln	gtt Val	cct Pro	432
	130					135					140					
ata Ile	gaa Glu	gag Glu	cag Gln	cgt Arg	ggg Gly	gac Asp	tac Tyr	gac Asp	ctg Leu	aat Asn	gct Ala	gtg Val	cgg Arg	ctc Leu	tgc Cys	480
145					150					155					160	
ttc Phe	cag Gln	gtg Val	aca Thr	gtg Val	cgg Arg	gac Asp	cca Pro	tca Ser	ggc Gly	agg Arg	ccc Pro	ctc Leu	cgc Arg	ctg Leu	cgc Pro	528
				165					170					175		
cct Pro	gtc Val	ctt Leu	cct Pro	cat His	ccc Pro	atc Ile	ttt Phe	gac Asp	aat Asn	cgt Arg	gcc Ala	ccc Pro	aac Asn	act Thr	gcc Ala	576
			180					185					190			
gag Glu	ctc Leu	aag Lys	atc Ile	tgc Cys	cga Arg	gtg Val	aac Asn	cga Arg	aac Asn	tct Ser	ggc Gly	agc Ser	tgc Cys	ctc Leu	ggt Gly	624
		195					200					205				
ggg Gly	gat Asp	gag Glu	atc Ile	ttc Phe	cta Leu	ctg Leu	tgt Cys	gac Asp	aag Lys	gtg Val	cag Gln	aaa Lys	gag Glu	gac Asp	att Ile	672
					215						220					
gag Glu	gtg Val	tat Tyr	ttc Phe	acg Thr	gga Gly	cca Pro	ggc Gly	tgg Trp	gag Glu	gcc Ala	cga Arg	ggc Gly	tcc Ser	ttt Phe	tcg Ser	720
				230					235						240	
caa Gln	gct Ala	gat Asp	gtg Val	cac His	cga Arg	caa Gln	gtg Val	gcc Ala	att Ile	gtg Val	ttc Phe	cgg Arg	acc Thr	cct Pro	ccc Pro	768
				245				250						255		
tac Tyr	gca Ala	gac Asp	ccc Pro	agc Ser	ctg Leu	cag Gln	gct Ala	cct Pro	gtg Val	cgt Arg	gtc Val	tcc Ser	atg Met	cag Gln	ctg Leu	816
				260				265					270			
cgg Arg	cgg Arg	cct Pro	tcc Ser	gac Asp	cgg Arg	gag Glu	ctc Leu	agt Ser	gag Glu	ccc Pro	atg Met	gaa Glu	ttc Phe	cag Gln	tac Tyr	864
		275					280					285				

912	cca	gat	aca	gac	gat	cgt	cac	cgg	att	gag	gag	aaa	cgt	aaa	agg	
Leu	Pro	Asp	Thr	Asp	Asp	Arg	His	Arg	Ile	Glu	Glu	Lys	Arg	Lys	Arg	
	290					295				300						
960	aca	tat	gag	acc	ttc	aag	agc	atc	atg	aag	aag	agt	cct	ttc	agc	gga
Thr	Tyr	Glu	Thr	Phe	Lys	Ser	Ile	Met	Lys	Lys	Ser	Pro	Phe	Ser	Gly	
305					310					315						
1008	ccc	acc	gac	ccc	cgg	cct	cca	cct	cga	cgc	att	gct	gtg	cct	tcc	cgc
Pro	Thr	Asp	Pro	Arg	Pro	Pro	Pro	Pro	Arg	Arg	Ile	Ala	Val	Pro	Ser	Arg
				325						330					335	
1056	agc	tca	gct	tct	gtc	ccc	aag	cca	gca	ccc	cag	ccc	tat	ccc	ttt	acg
Ser	Ser	Ala	Ser	Val	Pro	Lys	Pro	Ala	Pro	Gln	Pro	Tyr		350	Phe	Thr
				340					345							
1104	tca	tcc	ctg	agc	acc	atc	aac	tat	gat	gag	ttt	ccc	acc	atg	gtg	ttt
Ser	Ser	Leu	Ser	Thr	Ile	Asn	Tyr	Asp	Glu	Phe	Pro	Thr	Met	Val	Phe	
		355					360					365				
1152	cct	tct	ggg	cag	atc	agc	cag	gcc	tcg	gcc	ttg	gcc	ccg	gcc	cct	ccc
Pro	Ser	Gly	Gln	Ile	Ser	Gln	Ala	Ala	Ser	Ala	Leu	Ala	Pro	Ala	Pro	Pro
		370				375						380				
1200	caa	gtc	ctg	ccc	cag	gct	cca	gcc	cct	gcc	cct	gct	cca	gcc	atg	gta
Gln	Val	Leu	Pro	Gln	Ala	Pro	Ala	Pro	Ala	Pro	Ala	Pro	Ala	Pro	Met	Val
385					390					395					400	
1248	tca	gct	ctg	gcc	cag	gcc	cca	gcc	cct	gtc	cca	gtc	cta	gcc	cca	ggc
Ser	Ala	Leu	Ala	Gln	Ala	Pro	Pro	Ala	Pro	Val	Pro	Val	Leu	Ala	Pro	Gly
				405						410				415		
1296	cct	cct	cag	gct	gtg	gcc	cca	cct	gcc	ccc	aag	ccc	acc	cag	gct	ggg
Pro	Pro	Gln	Ala	Val	Ala	Pro	Pro	Ala	Pro	Lys	Pro	Thr		Gln	Ala	Gly
			420						425					430		
1344	gaa	gga	acg	ctg	tca	gag	gcc	ctg	ctg	cag	ctg	cag	ttt	gat	gat	gaa
Gly	Gly	Thr	Leu	Ser	Glu	Ala	Leu	Leu	Gln	Leu	Leu	Gln	Phe	Asp	Asp	Glu
		435					440						445			
1392	gac	ctg	ggg	gcc	ttg	ctt	ggc	aac	agc	aca	gac	cca	gct	gtg	ttc	aca
Asp	Leu	Gly	Ala	Leu	Leu	Gly	Asn	Ser	Ser	Thr	Asp	Pro	Ala	Val	Phe	Thr
		450				455						460				
1440	gac	ctg	gca	tcc	gtc	gac	aac	tcc	gag	ttt	cag	cag	ctg	ctg	aac	cag
Asp	Leu	Ala	Ser	Val	Asp	Asn	Ser	Ser	Glu	Phe	Gln	Gln	Leu	Leu	Asn	Gln
465					470						475				480	
1488	ggc	ata	cct	gtg	gcc	ccc	cac	aca	act	gag	ccc	atg	ctg	atg	gag	tac
Gly	Ile	Pro	Val	Ala	Pro	His	Thr	Thr	Thr	Glu	Pro	Met	Leu	Met	Glu	Tyr
				485						490				4		

515					520					525						
tca	gga	gat	gaa	gac	ttc	tcc	tcc	att	gcg	gac	atg	gac	ttc	tca	gcc	1632
Ser	Gly	Asp	Glu	Asp	Phe	Ser	Ser	Ile	Ala	Asp	Met	Asp	Phe	Ser	Ala	
530					535					540						
ctg	ctg	agt	cag	atc	agc	tcc	aag	ctt	cga	att	ctg	cag	tcg	acg	gta	1680
Leu	Leu	Ser	Gln	Ile	Ser	Ser	Lys	Leu	Arg	Ile	Leu	Gln	Ser	Thr	Val	
545					550					555						
cgg	cgg	gcc	cgg	gat	cca	cgg	gtc	gcc	acc	atg	gtg	agc	aag	ggc	gag	1728
Pro	Arg	Ala	Arg	Asp	Pro	Pro	Val	Ala	Thr	Met	Val	Ser	Lys	Gly	Glu	
565					570					575						
gag	ctg	ttc	acc	ggg	gtg	gtg	ccc	atc	ctg	gtc	gag	ctg	gac	ggc	gac	1776
Glu	Leu	Phe	Thr	Gly	Val	Val	Pro	Ile	Leu	Val	Glu	Leu	Asp	Gly	Asp	
580					585					590						
gta	aac	ggc	cac	aag	ttc	agc	gtg	tcc	ggc	gag	ggc	gag	ggc	gat	gcc	1824
Val	Asn	Gly	His	Lys	Phe	Ser	Val	Ser	Gly	Glu	Gly	Glu	Gly	Asp	Ala	
595					600					605						
acc	tac	ggc	aag	ctg	acc	ctg	aag	ttc	atc	tgc	acc	acc	ggc	aag	ctg	1872
Thr	Tyr	Gly	Lys	Leu	Thr	Leu	Lys	Phe	Ile	Cys	Thr	Thr	Gly	Lys	Leu	
610					615					620						
ccc	gtg	ccc	tgg	ccc	acc	ctc	gtg	acc	acc	ctg	acc	tac	ggc	gtg	cag	1920
Pro	Val	Pro	Trp	Pro	Thr	Leu	Val	Thr	Thr	Leu	Thr	Tyr	Gly	Val	Gln	
625					630					635						
tgc	ttc	agc	cgc	tac	ccc	gac	cac	atg	aag	cag	cac	gac	ttc	ttc	aag	1968
Cys	Phe	Ser	Arg	Tyr	Pro	Asp	His	Met	Lys	Gln	His	Asp	Phe	Phe	Lys	
645					650					655						
tcc	gcc	atg	ccc	gaa	ggc	tac	gtc	cag	gag	cgc	acc	atc	ttc	ttc	aag	2016
Ser	Ala	Met	Pro	Glu	Gly	Tyr	Val	Gln	Glu	Arg	Thr	Ile	Phe	Phe	Lys	
660					665					670						
gac	gac	ggc	aac	tac	aag	acc	cgc	gcc	gag	gtg	aag	ttc	gag	ggc	gac	2064
Asp	Asp	Gly	Asn	Tyr	Lys	Thr	Arg	Ala	Glu	Val	Lys	Phe	Glu	Gly	Asp	
675					680					685						
acc	ctg	gtg	aac	cgc	atc	gag	ctg	aag	ggc	atc	gac	ttc	aag	gag	gac	2112
Thr	Leu	Val	Asn	Arg	Ile	Glu	Leu	Lys	Gly	Ile	Asp	Phe	Lys	Glu	Asp	
690					695					700						
ggc	aac	atc	ctg	ggg	cac	aag	ctg	gag	tac	aac	tac	aac	agc	cac	aac	2160
Gly	Asn	Ile	Leu	Gly	His	Lys	Leu	Glu	Tyr	Asn	Tyr	Asn	Ser	His	Asn	
705					710					715						
gtc	tat	atc	atg	gcc	gac	aag	cag	aag	aac	ggc	atc	aag	gtg	aac	ttc	2208
Val	Tyr	Ile	Met	Ala	Asp	Lys	Gln	Lys	Asn	Gly	Ile	Lys	Val	Asn	Phe	
725					730					735						
aag	atc	cgc	cac	aac	atc	gag	gac	ggc	agc	gtg	cag	ctc	gcc	gac	cac	2256
Lys	Ile	Arg	His	Asn	Ile	Glu	Asp	Gly	Ser	Val	Gln	Leu	Ala	Asp	His	
740					745					750						
tac	cag	cag	aac	acc	ccc	atc	ggc	gac	ggc	ccc	gtg	ctg	ctg	ccc	gac	2304
755					760					765						

Met Asp Glu Leu Phe Pro Leu Ile Phe Pro Ala Glu Pro Ala Gln Ala																	
1	20	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80
Ser	Gly	Pro	Tyr	Val	Glu	Ile	Ile	Glu	Pro	Lys	Gln	Arg	Gly	Met			
Arg	Phe	Asp	Tyr	Lys	Cys	Glu	Gly	Arg	Ser	Ala	Gly	Ser	Ile	Pro	Gly		
Glu	Arg	Ser	Thr	Asp	Thr	Thr	Lys	Thr	His	Pro	Thr	Ile	Lys	Ile	Asn		
50																	
Gly	Tyr	Thr	Gly	Pro	Gly	Thr	Val	Arg	Ile	Ser	Leu	Val	Thr	Lys	Asp		
65																	
Pro	Pro	His	Arg	Pro	His	Pro	His	Glu	Leu	Val	Gly	Lys	Asp	Cys	Arg		
Asp	Gly	Phe	Tyr	Glu	Ala	Glu	Leu	Cys	Pro	Asp	Arg	Cys	Ile	His	Ser		
Phe	Gln	Asn	Leu	Gly	Ile	Gln	Cys	Val	Lys	Lys	Arg	Asp	Leu	Glu	Gln		
Ala	Ile	Ser	Gln	Arg	Ile	Gln	Thr	Asn	Asn	Asn	Pro	Phe	Gln	Val	Pro		
130																	
Ile	Glu	Glu	Gln	Arg	Gly	Asp	Tyr	Asp	Leu	Asn	Ala	Val	Arg	Leu	Cys		
145																	
Phe	Gln	Val	Thr	Val	Arg	Asp	Pro	Ser	Gly	Arg	Pro	Leu	Arg	Leu	Pro		
Pro	Val	Leu	Pro	His	Pro	Ile	Phe	Asp	Asn	Arg	Ala	Pro	Asn	Thr	Ala		
Glu	Leu	Lys	Ile	Cys	Arg	Val	Asn	Arg	Asn	Ser	Gly	Ser	Cys	Leu	Gly		
Gly	Asp	Glu	Ile	Phe	Leu	Leu	Cys	Asp	Lys	Val	Gln	Lys	Glu	Asp	Ile		
210																	
Glu	Val	Tyr	Phe	Thr	Gly	Pro	Gly	Trp	Glu	Ala	Arg	Gly	Ser	Phe	Ser		
225																	
Gln	Ala	Asp	Val	His	Arg	Gln	Val	Ala	Ile	Val	Phe	Arg	Thr	Pro	Pro		
Tyr	Ala	Asp	Pro	Ser	Leu	Gln	Ala	Pro	Val	Arg	Val	Ser	Met	Gln	Leu		
Arg	Arg	Pro	Ser	Asp	Arg	Glu	Leu	Ser	Glu	Pro	Met	Glu	Phe	Gln	Tyr		
Leu	Pro	Asp	Thr	Asp	Asp	Arg	His	Arg	Ile	Glu	Glu	Lys	Arg	Lys	Arg		

290					295					300					
Thr	Tyr	Glu	Thr	Phe	Lys	Ser	Ile	Met	Lys	Lys	Ser	Pro	Phe	Ser	Gly
305					310					315					320
Pro	Thr	Asp	Pro	Arg	Pro	Pro	Pro	Arg	Arg	Ile	Ala	Val	Pro	Ser	Arg
				325					330						335
Ser	Ser	Ala	Ser	Val	Pro	Lys	Pro	Ala	Pro	Gln	Pro	Tyr	Pro	Phe	Thr
				340					345						350
Ser	Ser	Leu	Ser	Thr	Ile	Asn	Tyr	Asp	Glu	Phe	Pro	Thr	Met	Val	Phe
				355				360							
Pro	Ser	Gly	Gln	Ile	Ser	Gln	Ala	Ser	Ala	Leu	Ala	Pro	Ala	Pro	Pro
Gln	Val	Leu	Pro	Gln	Ala	Pro	Ala	Pro	Ala	Pro	Ala	Pro	Ala	Met	Val
385					390					395					400
Ser	Ala	Leu	Ala	Gln	Ala	Pro	Ala	Pro	Val	Pro	Val	Leu	Ala	Pro	Gly
				405						410					415
Pro	Pro	Gln	Ala	Val	Ala	Pro	Pro	Ala	Pro	Lys	Pro	Thr	Gln	Ala	Gly
				420						425					
Glu	Gly	Thr	Leu	Ser	Glu	Ala	Leu	Leu	Gln	Leu	Gln	Phe	Asp	Asp	Glu
				435				440							
Asp	Leu	Gly	Ala	Leu	Leu	Gly	Asn	Ser	Thr	Asp	Pro	Ala	Val	Phe	Thr
						455									
Asp	Leu	Ala	Ser	Val	Asp	Asn	Ser	Glu	Phe	Gln	Gln	Leu	Leu	Asn	Gln
465					470					475					480
Gly	Ile	Pro	Val	Ala	Pro	His	Thr	Thr	Glu	Pro	Met	Leu	Met	Glu	Tyr
					485				490						495
Pro	Glu	Ala	Ile	Thr	Arg	Leu	Val	Thr	Gly	Ala	Gln	Arg	Pro	Pro	Asp
				500					505						
Pro	Ala	Pro	Ala	Pro	Leu	Gly	Ala	Pro	Gly	Leu	Pro	Asn	Gly	Leu	Leu
				515					520						
Ser	Gly	Asp	Glu	Asp	Phe	Ser	Ser	Ile	Ala	Asp	Met	Asp	Phe	Ser	Ala
						535									
Leu	Leu	Ser	Gln	Ile	Ser	Ser	Lys	Leu	Arg	Ile	Leu	Gln	Ser	Thr	Val
545					550					555					560
Pro	Arg	Ala	Arg	Asp	Pro	Pro	Val	Ala	Thr	Met	Val	Ser	Lys	Gly	Glu
				565						570					
Glu	Leu	Phe	Thr	Gly	Val	Val	Pro	Ile	Leu	Val	Glu	Leu	Asp	Gly	Asp
				580					585						
Val	Asn	Gly	His	Lys	Phe	Ser	Val	Ser	Gly	Glu	Gly	Glu	Gly	Asp	Ala
				595					600						
Thr	Tyr	Gly	Lys	Leu	Thr	Leu	Lys	Phe	Ile	Cys	Thr	Thr	Gly	Lys	Leu
						615									
Pro	Val	Pro	Trp	Pro	Thr	Leu	Val	Thr	Thr	Leu	Thr	Tyr	Gly	Val	Gln
625					630					635					640
Cys	Phe	Ser	Arg	Tyr	Pro	Asp	His	Met	Lys	Gln	His	Asp	Phe	Phe	Lys
Ser	Ala	Met	Pro	Glu	Gly	Tyr	Val	Gln	Glu						

Asn His Tyr Leu Ser Thr Gln Ser Ala Leu Ser Lys Asp Pro Asn Glu
 770 775 780
 Lys Arg Asp His Met Val Leu Leu Glu Phe Val Thr Ala Ala Gly Ile
 785 790 795 800
 Thr Leu Gly Met Asp Glu Leu Tyr Lys
 805

<210> 13

<211> 3018

<212> DNA

<213> Aequorea victoria and human

<220>

<221> CDS

<222> (1)... (3018)

<400> 13

atg gtg agc aag ggc gag gag ctg ttc acc ggg gtg gtg ccc atc ctg 48
 Met Val Ser Lys Gly Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu
 1 5 10 15

gtc gag ctg gac ggc gac gta aac ggc cac aag ttc agc gtg tcc ggc 96
 Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser Val Ser Gly
 20 25 30

gag ggc gag ggc gat gcc acc tac ggc aag ctg acc ctg aag ttc atc 144
 Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile
 35 40 45

tgc acc acc ggc aag ctg ccc gtg ccc tgg ccc acc ctc gtg acc acc 192
 Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr
 50 55 60

ctg acc tac ggc gtg cag tgc ttc agc cgc tac ccc gac cac atg aag 240
 Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys
 65 70 75 80

cag cac gac ttc ttc aag tcc gcc atg ccc gaa ggc tac gtc cag gag 288
 Gln His Asp Phe Phe Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu
 85 90 95

cgc acc atc ttc ttc aag gac gac ggc aac tac aag acc cgc gcc gag 336
 Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu
 100 105 110

gtg aag ttc gag ggc gac acc ctg gtg aac cgc atc gag ctg aag ggc 384
 Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly
 115 120 125

atc gac ttc aag gag gac ggc aac atc ctg ggg cac aag ctg gag tac 432
 Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr
 130 135 140

aac tac aac agc cac aac gtc tat atc atg gcc gac aag cag aag aac 480
 Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn
 145 150 155 160

ggc atc aag gtg aac ttc aag atc cgc cac aac atc gag gac ggc agc 528
 Gly Ile Lys Val Asn Phe Lys Ile Arg His Asn Ile Glu Asp Gly Ser

50000001-0074604

															165				170				175							
gtg	cag	ctc	gcc	gac	cac	tac	cag	cag	aac	acc	ccc	atc	ggc	gac	ggc											576				
Val	Gln	Leu	Ala	Asp	His	Tyr	Gln	Gln	Asn	Thr	Pro	Ile	Gly	Asp	Gly															
																180														
ccc	gtg	ctg	ctg	ccc	gac	aac	cac	tac	ctg	agc	acc	cag	tcc	gcc	ctg											624				
Pro	Val	Leu	Leu	Pro	Asp	Asn	His	Tyr	Leu	Ser	Thr	Gln	Ser	Ala	Leu															
																195														
agc	aaa	gac	ccc	aac	gag	aag	cgc	gat	cac	atg	gtc	ctg	ctg	gag	ttc											672				
Ser	Lys	Asp	Pro	Asn	Glu	Lys	Arg	Asp	His	Met	Val	Leu	Leu	Glu	Phe															
																210														
gtg	acc	gcc	gcc	ggg	atc	act	ctc	ggc	atg	gac	gag	ctg	tac	aag	tcc											720				
Val	Thr	Ala	Ala	Gly	Ile	Thr	Leu	Gly	Met	Asp	Glu	Leu	Tyr	Lys	Ser															
																225														
gga	ctc	aga	tct	cga	gct	caa	gct	tac	atg	agc	tgg	tca	cct	tcc	ctg											768				
Gly	Leu	Arg	Ser	Arg	Ala	Gln	Ala	Tyr	Met	Ser	Trp	Ser	Pro	Ser	Leu															
																245														
aca	acg	cag	aca	tgt	ggg	gcc	tgg	gaa	atg	aaa	gag	cgc	ctt	ggg	aca											816				
Thr	Thr	Gln	Thr	Cys	Gly	Ala	Trp	Glu	Met	Lys	Glu	Arg	Leu	Gly	Thr															
																260														
ggg	gga	ttt	gga	aat	gtc	atc	cga	tgg	cac	aat	cag	gaa	aca	ggt	gag											864				
Gly	Gly	Phe	Gly	Asn	Val	Ile	Arg	Trp	His	Asn	Gln	Glu	Thr	Gly	Glu															
																275														
cag	att	gcc	atc	aag	cag	tgc	cgg	cag	gag	ctc	agc	ccc	cgg	aac	cga											912				
Gln	Ile	Ala	Ile	Lys	Gln	Cys	Arg	Gln	Glu	Leu	Ser	Pro	Arg	Asn	Arg															
																290														
gag	cgg	tgg	tgc	ctg	gag	atc	cag	atc	atg	aga	agg	ctg	acc	cac	ccc											960				
Glu	Arg	Trp	Cys	Leu	Glu	Ile	Gln	Ile	Met	Arg	Arg	Leu	Thr	His	Pro															
																305														
aat	gtg	gtg	gct	gcc	cga	gat	gtc	cct	gag	ggg	atg	cag	aac	ttg	gcg											1008				
Asn	Val	Val	Ala	Ala	Arg	Asp	Val	Pro	Glu	Gly	Met	Gln	Asn	Leu	Ala															
																325														
ccc	aat	gac	ctg	ccc	ctg	ctg	gcc	atg	gag	tac	tgc	caa	gga	gga	gat											1056				
Pro	Asn	Asp	Leu	Pro	Leu	Leu	Ala	Met	Glu	Tyr	Cys	Gln	Gly	Gly	Asp															
																340														
ctc	cgg	aag	tac	ctg	aac	cag	ttt	gag	aac	tgc	tgt	ggt	ctg	cgg	gaa											1104				
Leu	Arg	Lys	Tyr	Leu	Asn	Gln	Phe	Glu	Asn	Cys	Cys	Gly	Leu	Ser	Glu															
																355														
ggt	gcc	atc	ctc	acc	ttg	ctg	agt	gac	att	gcc	tct	cgc	ctt	aga	tac											1152				
Gly	Ala	Ile	Leu	Thr	Leu	Ser	Asp	Ile	Ala	Ser	Ala	Leu	Arg	Tyr																
																370														
ctt	cat	gaa	aac	aga	atc	atc	cat	cgg	gat	cta	aag	cca	gaa	aac	atc											1200				
Leu	His	Glu	Asn	Arg	Ile	Ile	His	Arg	Asp	Leu	Lys	Pro	Glu	Asn	Ile															
																385														
gtc	ctg	cag	caa	gga	gaa	cag	agg	tta	ata	cac	aaa	att	att	gac	cta											1248				

Val	Leu	Gln	Gln	Gly	Glu	Gln	Arg	Leu	Ile	His	Lys	Ile	Ile	Asp	Leu	
				405					410					415		
gga	tat	gcc	aag	gag	ctg	gat	cag	ggc	agt	ctt	tgc	aca	tca	ttc	gtg	1296
Gly	Tyr	Ala	Lys	Glu	Leu	Asp	Gln	Gly	Ser	Leu	Cys	Thr	Ser	Phe	Val	
			420					425					430			
ggg	acc	ctg	cag	tac	ctg	gcc	cca	gag	cta	ctg	gag	cag	cag	aag	tac	1344
Gly	Thr	Leu	Gln	Tyr	Leu	Ala	Pro	Glu	Leu	Leu	Glu	Gln	Gln	Lys	Tyr	
			435				440					445				
aca	gtg	acc	gtc	gac	tac	tgg	agc	ttc	ggc	acc	ctg	gcc	ttt	gag	tgc	1392
Thr	Val	Thr	Val	Asp	Tyr	Trp	Ser	Phe	Gly	Thr	Leu	Ala	Phe	Glu	Cys	
			450			455					460					
atc	acg	ggc	ttc	cgg	ccc	ttc	ctc	ccc	aac	tgg	cag	ccc	gtg	cag	tgg	1440
Ile	Thr	Gly	Phe	Arg	Pro	Phe	Leu	Pro	Asn	Trp	Gln	Pro	Val	Gln	Trp	
					470					475				480		
cat	tca	aaa	gtg	cgg	cag	aag	agt	gag	gtg	gac	att	gtt	gtt	agc	gaa	1488
His	Ser	Lys	Val	Arg	Gln	Lys	Ser	Glu	Val	Asp	Ile	Val	Val	Ser	Glu	
				485				490						495		
gac	ttg	aat	gga	acg	gtg	aag	ttt	tca	agc	tct	tta	ccc	tac	ccc	aat	1536
Asp	Leu	Asn	Gly	Thr	Val	Lys	Phe	Ser	Ser	Ser	Leu	Pro	Tyr	Pro	Asn	
			500					505					510			
aat	ctt	aac	agt	gtc	ctg	gct	gag	cga	ctg	gag	aag	tgg	ctg	caa	ctg	1584
Asn	Leu	Asn	Ser	Val	Leu	Ala	Glu	Arg	Leu	Glu	Lys	Trp	Leu	Gln	Leu	
			515				520					525				
atg	ctg	atg	tgg	cac	ccc	cga	cag	agg	ggc	acg	gat	ccc	acg	tat	ggg	1632
Met	Leu	Met	Trp	His	Pro	Arg	Gln	Arg	Gly	Thr	Asp	Pro	Thr	Tyr	Gly	
			530			535					540					
ccc	aat	ggc	tgc	ttc	aag	gcc	ctg	gat	gac	atc	tta	aac	tta	aag	ctg	1680
Pro	Asn	Gly	Cys	Phe	Lys	Ala	Leu	Asp	Asp	Ile	Leu	Asn	Leu	Lys	Leu	
					550					555				560		
gtt	cat	atc	ttg	aac	atg	gtc	acg	ggc	acc	atc	cac	acc	tac	cct	gtg	1728
Val	His	Ile	Leu	Asn	Met	Val	Thr	Gly	Thr	Ile	His	Thr	Tyr	Pro	Val	
				565				570						575		
aca	gag	gat	gag	agt	ctg	cag	agc	ttg	aag	gcc	aga	atc	caa	cag	gac	1776
Thr	Glu	Asp	Glu	Ser	Leu	Gln	Ser	Leu	Lys	Ala	Arg	Ile	Gln	Gln	Asp	
				580				585					590			
acg	ggc	atc	cca	gag	gag	gac	cag	gag	ctg	ctg	cag	gaa	gcg	ggc	ctg	1824
Thr	Gly	Ile	Pro	Glu	Glu	Asp	Gln	Glu	Leu	Leu	Gln	Glu	Ala	Gly	Leu	
			595			600					605					
gcg	ttg	atc	ccc	gat	aag	cct	gcc	act	cag	tgt	att	tca	gac	ggc	aag	1872
Ala	Leu	Ile	Pro	Asp	Lys	Pro	Ala	Thr	Gln	Cys	Ile	Ser	Asp	Gly	Lys	
			610			615					620					
tta	aat	gag	ggc	cac	aca	ttg	gac	atg	gat	ctt	gtt	ttt	ctc	ttt	gac	1920
Leu	Asn	Glu	Gly	His	Thr	Leu	Asp	Met	Asp	Leu	Val	Phe	Leu	Phe	Asp	
						630				635				640		

aac agt aaa atc acc tat gag act cag atc tcc cca cgg ccc caa cct Asn Ser Lys Ile Thr Tyr Glu Thr Gln Ile Ser Pro Arg Pro Gln Pro 645 650 655	1968
gaa agt gtc agc tgt atc ctt caa gag ccc aag agg aat ctc gcc ttc Glu Ser Val Ser Cys Ile Leu Gln Glu Pro Lys Arg Asn Leu Ala Phe 660 665 670	2016
ttc cag ctg agg aag gtg tgg ggc cag gtc tgg cac agc atc cag acc Phe Gln Leu Arg Lys Val Trp Gly Gln Val Trp His Ser Ile Gln Thr 675 680 685	2064
ctg aag gaa gat tgc aac cgg ctg cag cag gga cag cga gcc gcc atg Leu Lys Glu Asp Cys Asn Arg Leu Gln Gln Gly Gln Arg Ala Ala Met 690 695 700	2112
atg aat ctc ctc cga aac aac agc tgc ctc tcc aaa atg aag aat tcc Met Asn Leu Leu Arg Asn Asn Ser Cys Leu Ser Lys Met Lys Asn Ser 705 710 715 720	2160
atg gct tcc atg tct cag cag ctc aag gcc aag ttg gat ttc ttc aaa Met Ala Ser Met Ser Gln Gln Leu Lys Ala Lys Leu Asp Phe Phe Lys 725 730 735	2208
acc agc atc cag att gac ctg gag aag tac agc gag caa acc gag ttt Thr Ser Ile Gln Ile Asp Leu Glu Lys Tyr Ser Glu Gln Thr Glu Phe 740 745 750	2256
ggg atc aca tca gat aaa ctg ctg ctg gcc tgg agg gaa atg gag cag Gly Ile Thr Ser Asp Lys Leu Leu Leu Ala Trp Arg Glu Met Glu Gln 755 760 765	2304
gct gtg gag ctc tgt ggg cgg gag aac gaa gtg aaa ctc ctg gta gaa Ala Val Glu Leu Cys Gly Arg Glu Asn Glu Val Lys Leu Leu Val Glu 770 775 780	2352
cgg atg atg gct ctg cag acc gac att gtg gac tta cag agg agc ccc Arg Met Met Ala Leu Gln Thr Asp Ile Val Asp Leu Gln Arg Ser Pro 785 790 795 800	2400
atg ggc cgg aag cag ggg gga acg ctg gac gac cta gag gag caa gca Met Gly Arg Lys Gln Gly Gly Thr Leu Asp Asp Leu Glu Glu Gln Ala 805 810 815	2448
agg gag ctg tac agg aga cta agg gaa aaa cct cga gac cag cga act Arg Glu Leu Tyr Arg Arg Leu Arg Glu Lys Pro Arg Asp Gln Arg Thr 820 825 830	2496
gag ggt gac agt cag gaa atg gta cgg ctg ctg ctt cag gca att cag Glu Gly Asp Ser Gln Glu Met Val Arg Leu Leu Leu Gln Ala Ile Gln 835 840 845	2544
agc ttc gag aag aaa gtg cga gtg atc tat acg cag ctc agt aaa act Ser Phe Glu Lys Lys Val Arg Val Ile Tyr Thr Gln Leu Ser Lys Thr 850 855 860	2592
gtg gtt tgc aag cag aag gcg ctg gaa ctg ttg ccc aag gtg gaa gag Val Val Cys Lys Gln Lys Ala Leu Glu Leu Leu Pro Lys Val Glu Glu 865 870 875 880	2640

00000704-02000000

gtg gtg agc tta atg aat gag gat gag aag act gtt gtc cgg ctg cag 2688
Val Val Ser Leu Met Asn Glu Asp Glu Lys Thr Val Val Arg Leu Gln
885 890 895

gag aag cgg cag aag gag ctc tgg aat ctc ctg aag att gct tgt agc 2736
Glu Lys Arg Gln Lys Glu Leu Trp Asn Leu Leu Lys Ile Ala Cys Ser
900 905 910

aag gtc cgt ggt cct gtc agt gga agc cgg gat agc atg aat gcc tct 2784
Lys Val Arg Gly Pro Val Ser Gly Ser Pro Asp Ser Met Asn Ala Ser
915 920 925

cga ctt agc cag cct ggg cag ctg atg tct cag ccc tcc acg gcc tcc 2832
Arg Leu Ser Gln Pro Gly Gln Leu Met Ser Gln Pro Ser Thr Ala Ser
930 935 940

aac agc tta cct gag cca gcc aag aag agt gaa gaa ctg gtg gct gaa 2880
Asn Ser Leu Pro Glu Pro Ala Lys Lys Ser Gln Glu Leu Val Ala Glu
945 950 955 960

gca cat aac ctc tgc acc ctg cta gaa aat gcc ata cag gac act gtg 2928
Ala His Asn Leu Cys Thr Leu Leu Glu Asn Ala Ile Gln Asp Thr Val
965 970 975

agg gaa caa gac cag agt ttc acg gcc cta gac tgg agc tgg tta cag 2976
Arg Glu Gln Asp Gln Ser Phe Thr Ala Leu Asp Trp Ser Trp Leu Gln
980 985 990

acg gaa gaa gaa gag cac agc tgc ctg gag cag gcc tca tga 3018
Thr Glu Glu Glu His Ser Cys Leu Glu Gln Ala Ser *
995 1000 1005

<210> 14

<211> 1005

<212> PRT

<213> Aequorea victoria and human

<400> 14

Met Val Ser Lys Gly Glu Glu Leu Phe Thr Gly Val Val Pro Ile Leu
1 5 10 15
Val Glu Leu Asp Gly Asp Val Asn Gly His Lys Phe Ser Val Ser Gly
20 25 30
Glu Gly Glu Gly Asp Ala Thr Tyr Gly Lys Leu Thr Leu Lys Phe Ile
35 40 45
Cys Thr Thr Gly Lys Leu Pro Val Pro Trp Pro Thr Leu Val Thr Thr
50 55 60
Leu Thr Tyr Gly Val Gln Cys Phe Ser Arg Tyr Pro Asp His Met Lys
65 70 75 80
Gln His Asp Phe Phe Lys Ser Ala Met Pro Glu Gly Tyr Val Gln Glu
85 90 95
Arg Thr Ile Phe Phe Lys Asp Asp Gly Asn Tyr Lys Thr Arg Ala Glu
100 105 110
Val Lys Phe Glu Gly Asp Thr Leu Val Asn Arg Ile Glu Leu Lys Gly
115 120 125
Ile Asp Phe Lys Glu Asp Gly Asn Ile Leu Gly His Lys Leu Glu Tyr
130 135 140
Asn Tyr Asn Ser His Asn Val Tyr Ile Met Ala Asp Lys Gln Lys Asn

45					150					155					160
Gly	Ile	Lys	Val	Asn	Phe	Lys	Ile	Arg	His	Asn	Ile	Glu	Asp	Gly	Ser
				165					170					175	
Val	Gln	Leu	Ala	Asp	His	Tyr	Gln	Gln	Asn	Thr	Pro	Ile	Gly	Asp	Gly
			180					185					190		
Pro	Val	Leu	Leu	Pro	Asp	Asn	His	Tyr	Leu	Ser	Thr	Gln	Ser	Ala	Leu
			195				200					205			
Ser	Lys	Asp	Pro	Asn	Glu	Lys	Arg	Asp	His	Met	Val	Leu	Leu	Glu	Phe
						215					220				
Val	Thr	Ala	Ala	Gly	Ile	Thr	Leu	Gly	Met	Asp	Glu	Leu	Tyr	Lys	Ser
225				230						235				240	
Gly	Leu	Arg	Ser	Arg	Ala	Gln	Ala	Tyr	Met	Ser	Trp	Ser	Pro	Ser	Leu
				245					250					255	
Thr	Thr	Gln	Thr	Cys	Gly	Ala	Trp	Glu	Met	Lys	Glu	Arg	Leu	Gly	Thr
				260				265					270		
Gly	Gly	Phe	Gly	Asn	Val	Ile	Arg	Trp	His	Asn	Gln	Glu	Thr	Gly	Glu
			275				280					285			
Gln	Ile	Ala	Ile	Lys	Gln	Cys	Arg	Gln	Glu	Leu	Ser	Pro	Arg	Asn	Arg
			290			295					300				
Glu	Arg	Trp	Cys	Leu	Glu	Ile	Gln	Ile	Met	Arg	Arg	Leu	Thr	His	Pro
305				310						315				320	
Asn	Val	Val	Ala	Ala	Arg	Asp	Val	Pro	Glu	Gly	Met	Gln	Asn	Leu	Ala
				325					330					335	
Pro	Asn	Asp	Leu	Pro	Leu	Leu	Ala	Met	Glu	Tyr	Cys	Gln	Gly	Gly	Asp
				340				345					350		
Leu	Arg	Lys	Tyr	Leu	Asn	Gln	Phe	Glu	Asn	Cys	Cys	Gly	Leu	Arg	Glu
				355			360					365			
Gly	Ala	Ile	Leu	Thr	Leu	Leu	Ser	Asp	Ile	Ala	Ser	Ala	Leu	Arg	Tyr
				370		375					380				
Leu	His	Glu	Asn	Arg	Ile	Ile	His	Arg	Asp	Leu	Lys	Pro	Glu	Asn	Ile
385				390						395				400	
Val	Leu	Gln	Gln	Gly	Glu	Gln	Arg	Leu	Ile	His	Lys	Ile	Ile	Asp	Leu
				405					410					415	
Gly	Tyr	Ala	Lys	Glu	Leu	Asp	Gln	Gly	Ser	Leu	Cys	Thr	Ser	Phe	Val
				420				425					430		
Gly	Thr	Leu	Gln	Tyr	Leu	Ala	Pro	Glu	Leu	Leu	Glu	Gln	Gln	Lys	Tyr
				435			440					445			
Thr	Val	Thr	Val	Asp	Tyr	Trp	Ser	Phe	Gly	Thr	Leu	Ala	Phe	Glu	Cys
				450		455					460				
Ile	Thr	Gly	Phe	Arg	Pro	Phe	Leu	Pro	Asn	Trp	Gln	Pro	Val	Gln	Tyr
465				470					475					480	
His	Ser	Lys	Val	Arg	Gln	Lys	Ser	Glu	Val	Asp	Ile	Val	Val	Ser	Glu
				485					490				495		
Asp	Leu	Asn	Gly	Thr	Val	Lys	Phe	Ser	Ser	Ser	Leu	Pro	Tyr	Pro	Asn
			500												

```
<210> 15
<211> 1659
<212> DNA
<213> Aequorea victoria and human

<220>
<221> CDS
<222> (1)...(1659)

<400> 15
```

atg	gtg	agc	aag	ggc	gag	gag	ctg	ttc	acc	ggg	gtg	gtg	ccc	atc	ctg	48
Met	Val	Ser	Lys	Gly	Glu	Glu	Leu	Phe	Thr	Gly	Val	Val	Pro	Ile	Leu	
1			5						10					15		
gtc	gag	ctg	gac	ggc	gac	gta	aac	ggc	cac	aag	ttc	agc	gtg	tcc	ggc	96
Val	Glu	Leu	Asp	Gly	Asp	Val	Asn	Gly	His	Lys	Phe	Ser	Val	Ser	Gly	
			20					25					30			
gag	ggc	gag	ggc	gat	gcc	acc	tac	ggc	aag	ctg	acc	ctg	aag	ttc	atc	144
Glu	Gly	Glu	Gly	Asp	Ala	Thr	Tyr	Gly	Lys	Leu	Thr	Leu	Lys	Phe	Ile	
			35				40					45				
tgc	acc	acc	ggc	aag	ctg	ccc	gtg	ccc	tgg	ccc	acc	ctc	gtg	acc	acc	192
Cys	Thr	Thr	Gly	Lys	Leu	Pro	Val	Pro	Trp	Pro	Thr	Leu	Val	Thr	Thr	
	50					55				60						
ctg	acc	tac	ggc	gtg	cag	tgc	ttc	agc	cgc	tac	ccc	gac	cac	atg	aag	240
Leu	Thr	Tyr	Gly	Val	Gln	Cys	Phe	Ser	Arg	Tyr	Pro	Asp	His	Met	Lys	
	65				70					75				80		
cag	cac	gac	ttc	ttc	aag	tcc	gcc	atg	ccc	gaa	ggc	tac	gtc	cag	gag	288
Gln	His	Asp	Phe	Phe	Lys	Ser	Ala	Met	Pro	Glu	Gly	Tyr	Val	Gln	Glu	
			85						90					95		
cgc	acc	atc	ttc	ttc	aag	gac	gac	ggc	aac	tac	aag	acc	cgc	gcc	gag	336
Arg	Thr	Ile	Phe	Phe	Lys	Asp	Asp	Gly	Asn	Tyr	Lys	Thr	Arg	Ala	Glu	
			100					105				110				
gtg	aag	ttc	gag	ggc	gac	acc	ctg	gtg	aac	cgc	atc	gag	ctg	aag	ggc	384
Val	Lys	Phe	Glu	Gly	Asp	Thr	Leu	Val	Asn	Arg	Ile	Glu	Leu	Lys	Gly	
		115					120					125				
atc	gac	ttc	aag	gag	gac	ggc	aac	atc	ctg	ggg	cac	aag	ctg	gag	tac	432
Ile	Asp	Phe	Lys	Glu	Asp	Gly	Asn	Ile	Leu	Gly	His	Lys	Leu	Glu	Tyr	
	130					135				140						
aac	tac	aac	agc	cac	aac	gtc	tat	atc	atg	gcc	gac	aag	cag	aag	aac	480
Asn	Tyr	Asn	Ser	His	Asn	Val	Tyr	Ile	Met	Ala	Asp	Lys	Gln	Lys	Asn	
	145				150				155					160		
ggc	atc	aag	gtg	aac	ttc	aag	atc	cgc	cac	aac	atc	gag	gac	ggc	agc	528
Gly	Ile	Lys	Val	Asn	Phe	Lys	Ile	Arg	His	Asn	Ile	Glu	Asp	Gly	Ser	
			165					170						175		
gtg	cag	ctc	gcc	gac	cac	tac	cag	cag	aac	acc	ccc	atc	ggc	gac	ggc	576
Val	Gln	Leu	Ala	Asp	His	Tyr	Gln	Gln	Asn	Thr	Pro	Ile	Gly	Asp	Gly	
			180					185				190				
ccc	gtg	ctg	ctg	ccc	gac	aac	cac	tac	ctg	agc	acc	cag	tcc	gcc	ctg	624
Pro	Val	Leu	Leu	Pro	Asp	Asn	His	Tyr	Leu	Ser	Thr	Gln	Ser	Ala	Leu	
		195				200						205				
agc	aaa	gac	ccc	aac	gag	aag	cgc	gat	cac	atg	gtc					

gga ctc aga tct cga gct caa gct tcc acc atg atg aat ctc ctc cga Gly Leu Arg Ser Arg Ala Gln Ala Ser Thr Met Met Asn Leu Leu Arg 245 250 255	768
aac aac agc tgc ctc tcc aaa atg aag aat tcc atg gct tcc atg tct Asn Asn Ser Cys Leu Ser Lys Met Lys Asn Ser Met Ala Ser Met Ser 260 265 270	816
cag cag ctc aag gcc aag ttg gat ttc ttc aaa acc agc atc cag att Gln Gln Leu Lys Ala Lys Leu Asp Phe Phe Lys Thr Ser Ile Gln Ile 275 280 285	864
gac ctg gag aag tac agc gag caa acc gag ttt ggg atc aca tca gat Asp Leu Glu Lys Tyr Ser Glu Gln Thr Glu Phe Gly Ile Thr Ser Asp 290 295 300	912
aaa ctg ctg ctg gcc tgg agg gaa atg gag cag gct gtg gag ctc tgt Lys Leu Leu Leu Ala Trp Arg Glu Met Glu Gln Ala Val Glu Leu Cys 305 310 315 320	960
ggg cgg gag aac gaa gtg aaa ctc ctg gta gaa cgg atg atg gct ctg Gly Arg Glu Asn Glu Val Lys Leu Leu Val Glu Arg Met Met Ala Leu 325 330 335	1008
cag acc gac att gtg gac tta cag agg agc ccc atg ggc cgg aag cag Gln Thr Asp Ile Val Asp Leu Gln Arg Ser Pro Met Gly Arg Lys Gln 340 345 350	1056
ggg gga acg ctg gac gac cta gag gag caa gca agg gag ctg tac agg Gly Gly Thr Leu Asp Asp Leu Glu Gln Ala Arg Glu Leu Tyr Arg 355 360 365	1104
aga cta agg gaa aaa cct cga gac cag cga act gag ggt gac agt cag Arg Leu Arg Glu Lys Pro Arg Asp Gln Arg Thr Glu Gly Asp Ser Gln 370 375 380	1152
gaa atg gta cgg ctg ctg ctt cag gca att cag agc ttc gag aag aaa Glu Met Val Arg Leu Leu Leu Gln Ala Ile Gln Ser Phe Glu Lys Lys 385 390 395 400	1200
gtg cga gtg atc tat acg cag ctc agt aaa act gtg gtt tgc aag cag Val Arg Val Ile Tyr Thr Gln Leu Ser Lys Thr Val Val Cys Lys Gln 405 410 415	1248
aag gcg ctg gaa ctg ttg ccc aag gtg gaa gag gtg gtg agc tta atg Lys Ala Leu Glu Leu Leu Pro Lys Val Glu Glu Val Val Ser Leu Met 420 425 430	1296
aat gag gat gag aag act gtt gtc cgg ctg cag gag aag cgg cag aag Asn Glu Asp Glu Lys Thr Val Val Arg Leu Gln Glu Lys Arg Gln Lys 435 440 445	1344
gag ctc tgg aat ctc ctg aag att gct tgt agc aag gtc cgt ggt cct Glu Leu Trp Asn Leu Leu Lys Ile Ala Cys Ser Lys Val Arg Gly Pro 450 455 460	1392
gtc agt gga agc ccg gat agc atg aat gcc tct cga ctt agc cag cct Val Ser Gly Ser Pro Asp Ser Met Asn Ala Ser Arg Leu Ser Gln Pro	1440

465		470		475		480	
ggg cag ctg atg tct cag ccc tcc acg gcc tcc aac agc tta cct gag		cag gln pro ser thr ala ser asn ser leu pro glu					1488
Gly Gln Leu Met Ser Gln Pro Ser Thr Ala Ser Asn Ser Leu Pro Glu		Ser Gln Pro Ser Thr Ala Ser Asn Ser Leu Pro Glu					
		485		490		495	
cca gcc aag aag agt gaa gaa ctg gtg gct gaa gca cat aac ctc tgc		agt glg glu leu val ala glu ala his asn leu cys					1536
Pro Ala Lys Lys Ser Glu Glu Leu Val Ala Glu Ala His Asn Leu Cys		Ser Glu Glu Leu Val Ala Glu Ala His Asn Leu Cys					
		500		505		510	
acc ctg cta gaa aat gcc ata cag gac act gtg agg gaa caa gac cag		aat asn ala ile gln asp thr val arg glu gln asp gln					1584
Thr Leu Leu Glu Asn Ala Ile Gln Asp Thr Val Arg Glu Gln Asp Gln		Asn Ala Ile Gln Asp Thr Val Arg Glu Gln Asp Gln					
		515		520		525	
agt ttc acg gcc cta gac tgg agc tgg tta cag acg gaa gaa gaa gag		tgg agc trp ser trp leu gln thr glu glu glu glu					1632
Ser Phe Thr Ala Leu Asp Trp Ser Trp Leu Gln Thr Glu Glu Glu Glu		Trip Ser Trip Leu Gln Thr Glu Glu Glu Glu					
		530		535		540	
cac agc tgc ctg gag cag gcc tca tga		cag glg ala ser *					1659
His Ser Cys Leu Glu Gln Ala Ser *		Glu Ala Ser *					
		545		550			

```
<210> 16
<211> 552
<212> PRT
<213> Aequorea victoria and human
```

<400> 16																	
Met	Val	Ser	Lys	Gly	Glu	Glu	Leu	Phe	Thr	Gly	Val	Val	Pro	Ile	Leu		
1				5					10					15			
Val	Glu	Leu	Asp	Gly	Asp	Val	Asn	Gly	His	Lys	Phe	Ser	Val	Ser	Gly		
			20					25					30				
Glu	Gly	Gly	Gly	Asp	Ala	Thr	Tyr	Gly	Lys	Leu	Thr	Leu	Lys	Phe	Ile		
			35				40					45					
Cys	Thr	Thr	Gly	Lys	Leu	Pro	Val	Pro	Trp	Pro	Thr	Leu	Val	Thr	Thr		
			50			55					60						
Leu	Thr	Tyr	Gly	Val	Gln	Cys	Phe	Ser	Arg	Tyr	Pro	Asp	His	Met	Lys		
65				70						75					80		
Gln	His	Asp	Phe	Phe	Lys	Ser	Ala	Met	Pro	Glu	Gly	Tyr	Val	Gln	Glu		
			85						90					95			
Arg	Thr	Ile	Phe	Phe	Lys	Asp	Asp	Gly	Asn	Tyr	Lys	Thr	Arg	Ala	Glu		
			100					105					110				
Val	Lys	Phe	Glu	Gly	Asp	Thr	Leu	Val	Asn	Arg	Ile	Glu	Leu	Lys	Gly		
			115				120					125					
Ile	Asp	Phe	Lys	Glu	Asp	Gly	Asn	Ile	Leu	Gly	His	Lys	Leu	Glu	Tyr		
			130			135					140						
Asn	Tyr	Asn	Ser	His	Asn	Val	Tyr	Ile	Met	Ala	Asp	Lys	Gln	Lys	Asn		
145				150						155				160			
Gly	Ile	Lys	Val	Asn	Phe	Lys	Ile	Arg	His	Asn	Ile	Glu	Asp	Gly	Ser		
			165					170					175				
Val	Gln	Leu	Ala	Asp	His	Tyr	Gln	Gln	Asn	Thr	Pro	Ile	Gly	Asp	Gly		
			180					185					190				
Pro	Val	Leu	Leu	Pro	Asp	Asn	His	Tyr	Leu	Ser	Thr	Gln	Ser	Ala	Leu		
			195			200						205					
Ser	Lys	Asp	Pro	Asn	Glu	Lys	Arg	Asp	His	Met	Val	Leu	Leu	Glu	Phe		
			210			215					220						
Val	Thr	Ala	Ala	Gly	Ile	Thr	Leu	Gly	Met	Asp	Glu	Leu	Tyr	Lys	Ser		
225				230						235				240			

Gly Leu Arg Ser Arg Ala Gln Ala Ser Thr Met Met Asn Leu Leu Arg
 245 250 255
 Asn Asn Ser Cys Leu Ser Lys Met Lys Asn Ser Met Ala Ser Met Ser
 260 265 270
 Gln Gln Leu Lys Ala Lys Leu Asp Phe Phe Lys Thr Ser Ile Gln Ile
 275 280 285
 Asp Leu Glu Lys Tyr Ser Glu Gln Thr Glu Phe Gly Ile Thr Ser Asp
 290 295 300
 Lys Leu Leu Leu Ala Trp Arg Glu Met Glu Gln Ala Val Glu Leu Cys
 305 310 315 320
 Gly Arg Glu Asn Glu Val Lys Leu Leu Val Glu Arg Met Met Ala Leu
 325 330 335
 Gln Thr Asp Ile Val Asp Leu Gln Arg Ser Pro Met Gly Arg Lys Gln
 340 345 350
 Gly Gly Thr Leu Asp Asp Leu Glu Glu Gln Ala Arg Glu Leu Tyr Arg
 355 360 365
 Arg Leu Arg Glu Lys Pro Arg Asp Gln Arg Thr Glu Gly Asp Ser Gln
 370 375 380
 Glu Met Val Arg Leu Leu Leu Gln Ala Ile Gln Ser Phe Glu Lys Lys
 385 390 395 400
 Val Arg Val Ile Tyr Thr Gln Leu Ser Lys Thr Val Val Cys Lys Gln
 405 410 415
 Lys Ala Leu Glu Leu Leu Pro Lys Val Glu Glu Val Val Ser Leu Met
 420 425 430
 Asn Glu Asp Glu Lys Thr Val Val Arg Leu Gln Glu Lys Arg Gln Lys
 435 440 445
 Glu Leu Trp Asn Leu Leu Lys Ile Ala Cys Ser Lys Val Arg Gly Pro
 450 455 460
 Val Ser Gly Ser Pro Asp Ser Met Asn Ala Ser Arg Leu Ser Gln Pro
 465 470 475 480
 Gly Gln Leu Met Ser Gln Pro Ser Thr Ala Ser Asn Ser Leu Pro Glu
 485 490 495
 Pro Ala Lys Lys Ser Glu Glu Leu Val Ala Glu Ala His Asn Leu Cys
 500 505 510
 Thr Leu Leu Glu Asn Ala Ile Gln Asp Thr Val Arg Glu Gln Asp Gln
 515 520 525
 Ser Phe Thr Ala Leu Asp Trp Ser Trp Leu Gln Thr Glu Glu Glu
 530 535 540
 His Ser Cys Leu Glu Gln Ala Ser
 545 550